safety-kleen ®

April 27, 2006

Ms. Bonnie Rolandelli
California RWQCB, North Coast Region
5550 Skylane Boulevard, Suite QA
Santa Rosa, CA 95403

Re: Semi-Annual Groundwater Monitoring Report, First Quarter 2006, Safety-Kleen Systems, Inc. Service Center, 5750 Commerce Boulevard, Rohnert Park, California (EPA # CAT000613943)

Dear Ms. Rolandelli:

Enclosed is the Semi-Annual Groundwater Monitoring Report for the Safety-Kleen Systems, Inc. (S-K) Rohnert Park branch. The report discusses groundwater monitoring activities and presents results for the First Quarter 2006. This report also presents an update regarding the design status of the planned multi-phase extraction system and information regarding S-K's intent to terminate its RCRA Storage Permit.

If you have any questions regarding this report, please feel free to call me at (307) 742-6150 or Chris Walsh (Cameron-Cole) at (510) 769-3561.

Sincerely,

Ch Wal

for Brian Culnan
Senior Remediation Manager
Safety-Kleen Systems, Inc.

Enclosure

cc: Mr. Steve LuQuire, S-K Plano (w/o Enclosure)
Mr. Mike Machado, S-K Rohnert Park, Branch Environmental File
Mr. Farshad Vakili, DTSC
Mr. Chris Walsh, Cameron-Cole

CAMERON-COLE

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
FIRST QUARTER 2006
SAFETY-KLEEN SYSTEMS, INC.,
5750 COMMERCE BOULEVARD
ROHNERT PARK, CALIFORNIA

APRIL 2006

Prepared For:
Safety-Kleen Systems, Inc.
1050 North 3rd Street, Suite M
Laramie, WY 82072

Prepared By:
Cameron-Cole, LLC
101 West Atlantic Ave. Bldg 90
Alameda, CA 94501

Prepared by:	Reviewed by:	Approved by:
for Seth St. Martin Geologist	Chris Walsh Sr. Hydrogeologist	Brad Wright, RG Principal-in-Charge

STATE OF CALIFORNIA
REGISTERED GEOLOGIST
#6276
Exp. 9/06
BRADLEY D. WRIGHT
REGISTERED GEOLOGIST

CERTIFICATION STATEMENT

Quarterly Progress Report
Safety-Kleen Systems, Inc., Service Center
Rohnert Park, California
EPA ID No. CAT 000613943

In accordance with Permit Condition V.C.2 and Title 22 CCR 66270.11, I certify that the information about which I have personal knowledge contained in or accompanying this submittal is true, accurate and complete. As to those portions of this submittal for which I cannot personally verify the accuracy, I certify that this submittal and all attachments were prepared at my direction in accordance with procedures designed to assure that qualified personnel properly gathered and evaluated the information submitted. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

B. Cl

Brian Culnan
Safety-Kleen Systems, Inc.
Senior Remediation Manager

4/19/06
Date

TABLE OF CONTENTS

1.0 INTRODUCTION **1**

2.0 GROUNDWATER MONITORING PROCEDURES **2**

2.1 WATER LEVEL MEASUREMENTS 2
2.2 GROUNDWATER SAMPLING 2

3.0 GROUNDWATER MONITORING RESULTS **4**

3.1 POTENTIOMETRIC SURFACE ELEVATIONS 4
3.2 ANALYTICAL RESULTS AND EVALUATION 4

4.0 QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC) **6**

5.0 PROJECTED WORK AND RECOMMENDATIONS **8**

6.0 REFERENCES **9**

LIST OF FIGURES

FIGURE 1: SITE LOCATION MAP
FIGURE 2: SITE PLAN
FIGURE 3: POTENTIOMETRIC SURFACE ELEVATION CONTOURS – UPPER WATER-BEARING ZONE, FEBRUARY 8, 2006
FIGURE 4: POTENTIOMETRIC SURFACE ELEVATION CONTOURS – LOWER WATER-BEARING ZONE, FEBRUARY 8, 2006
FIGURE 5: GROUNDWATER CHEMICAL CONCENTRATIONS – UPPER WATER BEARING ZONE, FEBRUARY/MARCH 2006
FIGURE 6: GROUNDWATER CHEMICAL CONCENTRATIONS – LOWER WATER BEARING ZONE, FEBRUARY 2006

LIST OF TABLES

TABLE 1: WELL CONSTRUCTION DETAILS
TABLE 2: POTENTIOMETRIC SURFACE ELEVATION DATA, FEBRUARY 9, 2005
TABLE 3: HISTORICAL GROUNDWATER ELEVATIONS
TABLE 4: HISTORICAL SUMMARY OF COMPOUNDS DETECTED IN GROUNDWATER

LIST OF APPENDICES

APPENDIX A: SAMPLING EVENT DATA SHEETS/ HYDRODATA SHEETS
APPENDIX B: LABORATORY ANALYTICAL DATA SHEETS AND CHAIN-OF-CUSTODY RECORDS - GROUNDWATER
APPENDIX C: ACCETPANCE-REJECTION CRITERIA

1.0 INTRODUCTION

This report presents First Quarter 2006 groundwater monitoring results for the Safety-Kleen Systems Inc., (Safety-Kleen) Service Center located at 5750 Commerce Boulevard in Rohnert Park, California (Site). The location of the Site is shown on Figure 1. A map depicting the Site and location of monitoring wells is presented on Figure 2. Monitoring was conducted in a manner consistent with the procedures outlined in the *Revised Standardized Sampling and Analysis Plan*, prepared for Safety-Kleen by TriHydro Corporation (TriHydro, 2003), and in accordance with the sampling schedule specified in the Regional Water Quality Control Board (RWQCB) Monitoring and Reporting Program No. 99-2 (MRP). The First Quarter 2006 monitoring event was conducted on February 8 and February 9, 2006 and consisted of the following tasks: 1) collection of water level measurements from all Site monitoring wells; and 2) collection of groundwater samples from 16 monitoring wells (MW-1 through MW-3, MW-5 through MW-12 and DMW-1 through DMW-5).

This report also presents an update regarding the design status of the proposed multi-phase extraction system.

2.0 GROUNDWATER MONITORING PROCEDURES

Groundwater monitoring activities performed during the First Quarter 2006 monitoring event included the collection of depth to groundwater measurements from all Site monitoring wells and the collection of groundwater samples from MW-1 through MW-3, MW-5 through MW-12 and DMW-1 through DMW-5. The procedures used to conduct these activities are described below.

2.1 Water Level Measurements

Prior to purging and sampling, depth to water measurements were collected from all Site monitoring wells on February 8, 2005. Water level measurements were collected using an electronic water level meter accurate to 0.01-foot and were recorded on a hydrodata form, which is included in Appendix A. The measurements were made from the surveyed measuring point marked at the top of each well casing. Top of casing elevations for all Site monitoring wells are listed in Table 1. In addition to water level measurements, an oil/water interface probe accurate to 0.01-foot was used to monitor for the presence of free-phase product in monitoring wells MW-1, MW-2 and MW-3. These measurements are also included on the hydrodata form. To prevent cross-contamination between wells, the measuring probes were washed between measurements with a solution of distilled water and non-phosphate detergent (Liquinox) and then rinsed with de-ionized water.

2.2 Groundwater Sampling

Well purging was conducted using the low-flow (minimal drawdown) purging technique, as defined by the EPA (EPA, 1996). Well purging for monitoring wells in the upper water-bearing zone (MW-5 through MW-12) was conducted using a peristaltic pump. For lower water-bearing zone wells (DMW-1 through DMW-5), well purging was conducted using a two-inch electric submersible pump. To purge the upper water-bearing zone wells, a clean length of polyethylene tubing was attached to the peristaltic head and lowered into the well until the tubing intake was located approximately in the middle of the screened interval. A clean length of polyethylene tubing was attached to the other end of the peristaltic head for discharge. New polyethylene tubing and silicon head hose were used at each well.

To purge the lower zone wells, the submersible pump was slowly lowered into each well until the pump intake was positioned in the middle of the screened interval. Groundwater was pumped from the well to the surface through clean ½-inch diameter polyethylene tubing. To minimize potential cross-contamination between wells, the pumps were cleaned prior to initial use and after pumping at each well by pumping a diluted Liquinox solution through the pump for approximately 5 minutes followed by a de-ionized water rinse.

During purging, pumping rates were constantly monitored and adjusted as necessary to minimize drawdown within the well and physical parameters were collected at approximately two to three minute intervals. Once parameter stabilization was achieved (defined below), samples were collected directly from the discharge tubing.

To ensure collection of representative groundwater samples, well purging continued until pH, temperature and EC values had stabilized to within 0.10 pH units, 1.0 degree Celsius, and 10% EC, respectively, in two consecutive parameter collections and the turbidity was below 50 Nephelometric Turbidity Units (NTUs). Sampling Event Data Sheets containing monitoring parameters are included in Appendix A.

Purge and decontamination water was contained in a 30-gallon drum and managed in accordance with appropriate regulations through the S-K waste management program.

All groundwater samples were analyzed for volatile organic compounds (VOCs) using Environmental Protection Agency (EPA) Method 8260B. Selected wells were also sampled for analysis of total petroleum hydrocarbons as mineral spirits (TPHms) using EPA Method 8015 Modified. Following sample collection, the samples were labeled and placed in an ice-chilled cooler for shipment under chain-of-custody protocol to Entech Analytical Labs, Inc. (Entech), located in Santa Clara, California. Entech is certified by the state of California to perform the analyses required for the Site.

3.0 GROUNDWATER MONITORING RESULTS

3.1 Potentiometric Surface Elevations

Potentiometric surface elevations (PSEs) calculated from the February 2006 depth to groundwater measurements are presented in Table 2. For reference, historical potentiometric surface elevation data are presented in Table 3. Review of the February 2006 data indicates that PSEs increased between the Third Quarter 2005 and the First Quarter 2006 monitoring events in both the upper and lower water bearing zones. The average PSE increase in the upper zone wells was 2.55 feet. In the lower zone, the average increase was 2.50 feet. These increases are consistent with historical seasonal fluctuations.

As indicated in Table 2, floating product was not detected in wells MW-1, MW-2 or MW-3.

The February 2006 PSE data were used to generate the potentiometric surface elevation contours presented on Figures 3 and 4 for the upper water-bearing and lower water-bearing zones, respectively. The direction of groundwater flow beneath the Site can be inferred from these contours. As indicated, the direction of groundwater flow in both zones is toward the southwest. Historically, the groundwater flow direction in both zones is more commonly observed to be toward to the south/southeast. However, a southwesterly groundwater flow direction was also observed in both zones in February 2005.

The hydraulic gradient across the Site within the upper water-bearing zone is very flat, averaging approximately 0.004 feet per foot (ft/ft). In the lower water-bearing zone, the average hydraulic gradient is 0.005 ft/ft. The hydraulic gradients in the upper and lower water bearing zones are generally consistent with historical observations.

3.2 Analytical Results and Evaluation

A summary of current and historical analytical results is presented in Table 4. Laboratory analytical data sheets and chain-of-custody records for first quarter 2006 are presented in Appendix B. Maps

depicting the chemical distribution detected in groundwater samples from the upper and lower water bearing zones are presented on Figures 5 and 6, respectively.

As indicated on Figure 4, in the upper water-bearing zone, VOC concentrations in excess of Water Quality Objectives (WQOs) are limited to cis-1,2-DCE, PCE and TCE in the western portion of the Site and 1,4-DCB, benzene and chlorobenzene in the eastern portion of the Site. In the lower water-bearing zone, VOC concentrations in excess of Water Quality Objectives (WQOs) are limited to cis-1,2-DCE, PCE in DMW-1. These results are generally consistent with historical results and the chemicals detected are similar to those detected during previous events.

As mentioned in Section 2.2, samples were also collected from selected wells and analyzed for TPHms. These included MW-1, MW-2, MW-3 and MW-6, all of which are in the eastern portion of the Site. A sample for TPHms analysis was inadvertently not collected from MW-8. Review of the results indicates that TPHms concentrations were generally similar in magnitude to recent results for MW-1, MW-2 and MW-3 and that TPHms was not detected in MW-6, as has consistently been the case.

4.0 QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC)

Three types of QA/QC samples were collected during the First Quarter 2006 monitoring event. These included a blind duplicate sample, two equipment rinse blanks and a trip blank. The QA/QC sample results are discussed below.

Blind Duplicate

A blind duplicate sample (MW-13) was collected from MW-3 and analyzed for VOCs. The duplicate results are included in Table 4. As indicated, the analytical results for the primary and duplicate samples were generally similar. Using the EPA's acceptance-rejection criteria presented as Appendix C for evaluation of consistency between primary and duplicate results, the relative percent difference (RPD) was calculated for each analyte detected above 10 μg/L. As indicated in Table 4, chlorobenzene and 1,4-DCB were the only compounds detected at a concentration in excess of 10 μg/L in both the primary and duplicate samples. The RPD calculated for these compounds were below 20 percent, which meets the acceptance criteria.

Equipment Rinse Blank

Equipment rinse blanks RB-01 and RB-02 were collected at MW-1 and DMW-1, respectively, and analyzed for VOCs. The blanks were collected to verify that field decontamination procedures were effective at preventing cross contamination between wells. RB-01 was collected from the water level meter after use at MW-1 and following decontamination as described in Section 2.1. RB-02 was collected from the two-inch submersible pump following use at DMW-1. The rinse blank was collected after cleaning the pump using the decontamination procedures described in Section 2.2. Laboratory provided de-ionized water was poured over the equipment and collected in the appropriate laboratory supplied sample containers. Rinse blank results are included in the laboratory analytical report that is provided in Appendix B. As indicated, no compounds were detected in the rinse blanks, indicating that the field decontamination procedures were effective.

Trip Blank

One laboratory provided trip blank was collected for VOC analysis during the First Quarter 2005 sampling event. The trip blank was collected prior to collection of the first groundwater sample and accompanied the samples at all times until delivery to Entech. The analytical results (included in Appendix B) indicate that no compounds were detected in the trip blank.

5.0 PROJECTED WORK AND RECOMMENDATIONS

- The next regularly scheduled sampling event will be conducted in the August 2006. The event will include collection of depth to groundwater measurements from all Site monitoring wells and groundwater sampling in accordance with the schedule for semi-annual monitoring. All groundwater samples will be analyzed for VOCs using EPA Method 8260B.

- S-K has received bids for the installation of two new recovery wells, conversion of existing monitoring well MW-1 for potential future use as a recovery well, construction of the conveyance pipeline and associated trenching, piping connections to the treatment trailer, piping connections from the treatment trailer to the sanitary sewer, anchorage of the treatment trailer, electrical hook-up to the building, and system start-up. S-K is moving forward with system construction and anticipates installation in June or July 2006.

- S-K intends to terminate the RCRA Storage Permit issued by the DTSC. Facility operations will continue as a RCRA-exempt 10-day transfer facility. In order to terminate the permit, the site will undergo RCRA closure. The DTSC was notified of S-K's intent to close the facility in Correspondence dated April 27, 2006. The RCRA closure procedures will involve decontamination and removal of the underground storage tank (UST) system, the return/fill station and the container storage areas. Excavation and removal of the UST's will be completed prior to construction of the MPX system. Construction of the MPX system will be closely coordinated with the RCRA closure work.

6.0 REFERENCES

TriHydro Corporation, 2003. "Revised Standardized Sampling and Analysis Plan; Corrective Action Projects Safety-Kleen Systems, Inc.", February 25, 2003.

EPA, 1996. "EPA Ground Water Issue: Low-Flow (Minimal-Drawdown) Ground-water Sampling Procedures," April 1996.

TABLES

Table 1
Well Construction Details
Safety-Kleen Systems, Inc., Service Center
5750 Commerce Boulevard
Rohnert Park, California

Well Name	**Date Installed**	**Screen Diameter** (inches)	**Slot Size** (inches)	**TOC Elevation** *(ft. msl)*	**Approximate Screened Interval** *(ft. bgs)*
MW-1	4/4/1989	4	0.02	95.54	8 -14
MW-2	4/4/1989	4	0.02	96.03	8 -14
MW-3	4/5/1989	4	0.02	95.60	8 -14
MW-4	9/26/1990	4	0.02	96.05	7 - 15
MW-5	9/26/1990	4	0.02	95.45	7 -15
MW-6	9/27/1990	4	0.02	95.57	7 -15
MW-7	9/27/1990	4	0.02	94.88	7 -15
MW-8	9/27/1990	4	0.02	96.17	6 -14
MW-9	2/16/1995	2	0.02	96.22	10 - 15
MW-10	5/4/1999	2	0.02	95.28	5 - 15
MW-11	10/9/2002	2	0.02	94.72	8 - 13
MW-12	10/9/2002	2	0.02	95.30	8 - 13
DMW-1	2/15/1995	2	0.02	95.37	23 - 28
DMW-2	2/16/1995	2	0.02	95.98	23 - 28
DMW-3	5/4/1999	2	0.02	95.42	23 - 28
DMW-4	10/9/2002	2	0.02	94.85	19 - 26
DMW-5	10/9/2002	2	0.02	95.20	22 - 27
AS-1	6/12/1997	1	0.02	-	9 - 13
RW-1	-	6	0.02	101.22	-
OW-1	5/4/1999	2	0.02	96.65	5 - 10

Notes:
TOC = top of well casing
ft. = feet
msl = mean sea level datum
bgs = below ground surface

All MW and DMW wells were last surveyed on 10/25/05

Table 2
Potentiomentric Surface Elevation Data
Safety-Kleen Rohnert Park
February 8, 2006

Monitoring Well	**Top of Casing Elevation** (ft., msl.)	**Depth to Water** (ft., btoc)	**Depth to Product** (ft., btoc)	**Product Thickness** (feet)	**Adjusted Water Level Elevation** (ft., msl.)
MW-1	95.54	3.96	NP	0.00	91.58
MW-2	96.03	4.99	NP	0.00	91.04
MW-3	95.60	4.89	NP	0.00	90.71
MW-4	96.05	5.18	NA	NA	90.87
MW-5	95.45	5.23	NA	NA	90.22
MW-6	95.57	4.92	NA	NA	90.65
MW-7	94.88	4.42	NA	NA	90.46
MW-8	96.17	5.31	NA	NA	90.86
MW-9	96.22	5.55	NA	NA	90.67
MW-10	95.28	5.07	NA	NA	90.21
MW-11	94.72	4.97	NA	NA	89.75
MW-12	95.30	5.10	NA	NA	90.20
DMW-1	95.37	5.12	NA	NA	90.25
DMW-2	95.98	5.20	NA	NA	90.78
DMW-3	95.42	5.27	NA	NA	90.15
DMW-4	94.85	4.63	NA	NA	90.22
DMW-5	95.20	5.15	NA	NA	90.05

Notes:

ft., msl	= Feet relative to mean sea level
ft., btoc	= feet below top of casing
NA	= Not Applicable
NP	= Not Present

Table 3
Historical Groundwater Elevations (ft., msl)
Safety-Kleen Rohnert Park

Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	DMW-1	DMW-2	DMW-3	DMW-4	DMW-5
Mar-94	90.12	90.24	90.49	90.47	90.45	90.14	90.19	90.19	-	-	-	-	-	-	-	-	-
Apr-94	88.92	89.09	89.25	89.36	89.38	88.90	89.01	88.97	-	-	-	-	-	-	-	-	-
Jun-94	88.29	88.43	88.61	88.75	88.77	88.25	88.32	88.29	-	-	-	-	-	-	-	-	-
Sep-94	87.98	87.60	87.75	87.93	88.19	87.42	87.49	87.42	-	-	-	-	-	-	-	-	-
Dec-94	89.69	89.95	90.22	90.34	90.35	89.55	89.73	89.52	-	-	-	-	-	-	-	-	-
Mar-95	92.87	92.68	93.20	93.43	93.15	92.65	92.72	92.56	92.64	-	-	-	93.02	92.70	-	-	-
Jun-95	89.93	89.98	90.16	90.21	90.27	89.85	89.86	89.76	89.84	-	-	-	90.27	89.76	-	-	-
Sep-95	87.94	88.10	88.26	87.93	88.81	87.95	88.04	87.91	87.94	-	-	-	88.62	87.95	-	-	-
Dec-95	87.83	88.11	88.30	88.28	89.03	87.81	88.01	87.78	87.84	-	-	-	89.00	87.84	-	-	-
Mar-96	94.37	92.60	92.62	92.23	92.19	91.71	92.09	92.04	91.99	-	-	-	92.16	92.04	-	-	-
Jun-96	89.40	89.45	89.63	89.78	89.62	89.28	89.32	89.35	89.54	-	-	-	90.02	89.32	-	-	-
Sep-96	87.66	87.99	87.96	88.13	88.41	87.64	87.75	87.66	87.66	-	-	-	88.39	87.69	-	-	-
Dec-96	90.54	90.44	90.67	90.45	90.82	89.97	90.22	89.06	90.08	-	-	-	90.76	90.10	-	-	-
Mar-97	90.12	90.04	90.16	90.11	90.11	89.95	89.84	88.84	89.85	-	-	-	90.13	89.84	-	-	-
Sep-97	87.51	87.59	87.72	87.90	88.09	87.34	87.44	86.35	87.35	-	-	-	88.06	87.37	-	-	-
Dec-97	89.85	89.57	89.67	89.77	89.80	89.27	89.34	88.29	89.15	-	-	-	89.68	89.31	-	-	-
Mar-98	93.81	92.05	92.06	91.99	91.36	91.72	91.48	90.76	91.62	-	-	-	91.36	91.61	-	-	-
Jun-98	90.92	90.04	89.87	90.24	89.93	89.74	89.67	89.75	89.96	-	-	-	89.92	89.54	-	-	-
Sep-98	88.07	87.94	87.99	88.22	88.27	87.79	87.85	87.81	87.79	-	-	-	88.26	87.79	-	-	-
Dec-98	90.16	90.00	89.47	90.17	90.41	89.68	89.82	87.81	89.68	-	-	-	90.16	89.68	-	-	-
Mar-99	93.96	91.53	91.60	91.53	91.38	91.17	91.20	91.20	91.13	-	-	-	91.39	91.15	-	-	-
Apr-99	92.27	91.39	91.40	91.39	91.10	90.97	90.98	91.04	91.00	-	-	-	91.14	91.00	-	-	-
Jun-99	88.97	88.85	88.89	89.08	88.96	88.58	88.61	88.62	88.61	88.69	-	-	88.95	88.61	88.36	-	-
Aug-99	87.69	87.77	87.77	88.10	88.09	87.61	87.46	87.65	87.63	87.72	-	-	88.06	87.66	87.78	-	-
Nov-99	87.96	88.05	88.27	88.32	88.74	87.75	87.93	87.71	87.76	87.80	-	-	88.66	87.77	88.18	-	-
Feb-00	90.11	89.67	89.97	89.89	90.21	89.46	89.63	89.46	89.48	89.88	-	-	90.04	89.51	89.90	-	-
Apr-00	90.03	90.29	91.95	90.36	90.42	89.94	90.03	89.92	89.95	89.98	-	-	90.43	89.96	90.02	-	-
May-00	88.93	89.18	89.43	89.46	89.21	88.90	88.92	88.95	88.91	89.01	-	-	89.19	88.93	89.02	-	-
Sep-00	86.93	87.14	87.27	87.40	87.58	87.00	87.07	87.05	87.01	87.29	-	-	87.58	87.03	87.29	-	-
Mar-01	90.61	90.96	90.93	90.97	91.16	90.45	90.60	90.42	90.48	90.76	-	-	91.16	90.50	90.78	-	-
Aug-01	86.81	87.04	87.27	87.34	87.50	86.94	86.99	87.00	86.96	87.18	-	-	87.50	86.97	87.14	-	-
Mar-02	90.17	90.78	91.32	90.76	91.00	90.21	90.28	90.38	90.03	90.63	-	-	90.13	89.73	89.14	-	-
Sep-02	86.49	86.81	87.14	88.52	88.51	87.48	87.50	87.47	87.46	87.62	-	-	88.50	87.46	87.78	-	-
Oct-02	86.42	86.75	87.08	88.52	88.50	87.37	87.42	87.34	87.37	87.77	87.64	88.73	88.45	87.38	NS	88.72	87.71
Nov-02	87.95	88.25	88.65	88.69	88.78	87.92	88.05	87.93	87.98	88.30	88.02	88.79	88.86	87.92	88.35	88.94	88.31
Mar-03	89.29	89.55	89.93	89.75	89.48	89.23	89.36	89.28	89.26	89.29	89.04	89.56	89.58	89.30	89.25	89.65	89.47
May-03	89.55	89.83	90.31	90.03	89.68	89.59	89.63	89.61	89.53	89.50	89.23	89.73	89.54	89.55	89.56	89.44	88.88
Aug-03	86.54	86.74	86.81	88.02	87.96	87.55	87.51	87.58	87.54	87.59	87.54	88.03	87.94	87.53	87.56	88.03	87.58
Feb-04	91.02	91.10	91.33	91.43	91.43	90.66	90.64	90.63	90.84	90.87	90.81	91.48	91.00	90.76	90.90	91.37	90.88
Aug-04	87.74	87.85	87.96	88.23	87.89	87.76	87.68	87.74	87.65	87.66	87.47	87.98	87.86	87.43	87.54	87.97	87.50
Feb-05	90.46	90.64	91.3	90.78	90.08	90.31	90.11	90.38	90.29	90.03	89.62	90.17	90.11	90.31	89.95	90.18	89.74
Aug-05	87.97	88.44	88.15	88.56	88.01	87.91	87.68	88.62	87.73	87.43	88.14	88.04	87.86	87.93	87.75	87.9	87.5
Feb-06	91.58	91.04	90.71	90.87	90.22	90.65	90.46	90.86	90.67	90.21	89.75	90.20	90.25	90.78	90.15	90.22	90.05

Notes:

NS = Not Sounded

ft., msl = feet relative to mean sea level

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*	*6*	*10*	*29*	*17*	*13*
MW-1	12/07/93	**5600**	-	**16**	-	-	**9.0**	-	-	-	**240**	**320**	**13**	**120**	**2**	-	**58**	**38**	**220**	NA
	12/13/94	**2400**	-	**12**	-	-	**4.3**	**1.1**	-	-	**55**	**82**	**7.4**	**39**	-	-	**0.6**	**26**	**150**	NA
	03/14/95	**4700**	-	-	-	-	-	-	-	-	**1.1**	**10**	**1.3**	**6.1**	-	-	-	**2.7**	**15**	NA
	03/06/96	**94.3**	-	-	**1.4**	-	-	-	-	-	-	**5.4**	-	**2.6**	-	-	-	-	**4.6**	NA
	03/05/98	**4340**	-	-	-	-	-	-	-	-	-	**2.2**	-	**3.3**	-	-	-	-	**1.5**	NA
	08/18/99	**190**	-	-	-	-	**27**	-	-	-	**1.8**	**3.9**	-	**7.3**	-	**1.3**	-	-	**5.4**	-
	11/18/99	-	**7.9**	-	-	-	**23**	-	-	-	**2.0**	**3.8**	**1.8**	**9.4**	-	**1.2**	-	**1.1**	**9.1**	-
	02/09/00	**1900**	**12**	-	-	-	**23**	-	-	-	**2.0**	**3.0**	**4.0**	**14**	-	-	-	-	**6.0**	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-	-	-	-	-	-
	04/18/00	**1800**	**68****	-	-	-	**18**	-	-	**1.0**	**2.0**	**4.0**	**2.0**	**7.0**	-	-	-	-	-	-
	05/30/00	**4800**	**38**	**2.0**	-	-	**45**	-	-	-	**4.0**	**4.0**	**2.0**	**10**	-	-	-	-	-	-
	09/13/00	**1200**	**27**	-	-	-	**42**	-	-	-	**4.0**	-	-	-	-	-	-	-	-	**1.0**
	03/06/01	**3700**	-	-	-	-	**46**	-	-	-	**1.0**	**5.0**	**5.0**	**23**	-	-	-	-	**5.0**	-
	03/12/02	**1700**	<50	<5.0	<5.0	<5.0	**89**	<5.0	<5.0	<5.0	<5.0	**6.2**	<5.0	**31**	<5.0	<5.0	<5.0	<5.0	**5.9**	<10
	03/05/03	**300**	<6.0	**0.83**	<1.0	<1.0	**87**	<1.0	<0.5	<1.0	**1.8**	**3.1**	**5.4**	**31**	<0.5	<1.0	<1.0	<1.0	**6.5**	<1.0
	02/17/04	**490**	<20	<0.5	<0.5	<0.5	**20**	<0.5	<0.5	<0.5	<0.5	**1.6**	**3.5**	**19**	<0.5	<0.5	<0.5	<0.5	**1.1**	<1.0
	02/10/05	**270**	<20	<0.5	<0.5	<0.5	**6.6**	<0.5	<0.5	<0.5	<0.5	<0.5	**1.1**	**5.8**	<0.5	<0.5	<0.5	<0.5	<1.5	<1.0
	02/09/06	**720**	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0
MW-2	03/05/98	**68,400**	-	-	-	-	-	-	-	-	**2.4**	**12.1**	**1.4**	**7.2**	-	**2.6**	-	-	**13.1**	NA
	04/01/99	**283**	-	-	-	-	-	-	-	-	-	**10.1**	-	**7.6**	-	-	-	-	**10**	NA
	08/18/99	**620**	-	**1.6**	-	-	**47**	**1.5**	-	-	**5.7**	**16**	**4.7**	**16**	-	**2.9**	-	-	**13**	-
	11/18/99	**9600**	**10.9**	-	-	-	**31.8**	-	-	-	**2.3**	**15.4**	**3.2**	**15.1**	-	-	-	-	**11**	-
	02/09/00	**6900**	-	-	-	-	**16**	-	-	-	-	**13**	-	**14**	-	-	-	-	**7.0**	-
	03/09/00	**2900**	-	-	-	-	-	-	-	-	-	**11**	**2.0**	**9.0**	-	-	-	-	-	**1.0**
	04/18/00	**8900**	**410****	-	-	-	**14**	-	**11**	**3.0**	**3.0**	**22**	**5.0**	**21**	-	-	-	-	-	-
	05/30/00	**12000**	**320**	-	-	-	**17**	**2.0**	**8.0**	**2.0**	**6.0**	**28**	**6.0**	**22**	-	-	-	-	-	-
	09/13/00	**3700**	**72**	-	-	-	**60**	-	-	-	**10**	**29**	**7.0**	**29**	-	-	-	-	-	-
	03/06/01	**3000**	-	-	-	-	**25**	-	-	-	**2.0**	**12**	**3.0**	**15**	-	-	-	-	**5.0**	-
	03/12/02	**1900**	<50	<5.0	<5.0	<5.0	**150**	<5.0	<5.0	<5.0	<5.0	**44**	**7.3**	**44**	<5.0	<5.0	<5.0	<5.0	**8.7**	<10
	03/05/03	**1600**	<12	**1.6**	<2.0	<2.0	**160**	<2.0	<1.0	<2.0	**2.2**	**19**	**6.5**	**33**	<1.0	<2.0	<2.0	<2.0	**7.2**	<2.0
	02/17/04	**1400**	<20	**0.93**	<0.5	<0.5	**88**	<0.5	<0.5	<0.5	**0.85**	**9.5**	**4.7**	**25**	<0.5	<0.5	<0.5	<0.5	**4.7**	<1.0
	02/10/05	**1600**	<40	**1.8**	<1.0	<1.0	**180**	<1.0	<1.0	<1.0	**1.4**	**13**	**7.9**	**43**	<1.0	<1.0	<1.0	<1.0	**5.1**	<2.0
	02/09/06	**2700**	<40	**1.6**	<1.0	<1.0	**150**	<1.0	<1.0	<1.0	<1.0	**4.6**	**5.7**	**30**	<1.0	<1.0	<1.0	<1.0	**3.0**	<2.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Chloro-toluene	n-Butyl-benzene	sec-butyl-benzene	tert-butyl benzene	Isopropyl-benzene	Naphtha-lene	n-Propyl-benzene
WQO		*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*	*NE*	*NE*	*NE*	*NE*	*NE*	*20*	*NE*
MW-1	12/07/93	-	**47**	-	-	-	-	**74**	**580**	-	-	-	-	-	-	-
	12/13/94	-	**8.5**	-	**0.6**	-	-	**28**	**110**	-	-	-	-	-	-	-
	03/14/95	**0.9**	-	-	-	-	-	-	**2.0**	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	NA	-	-	-	NA	-
	08/18/99	-	-	-	-	**9.1**	**1.3**	-	**1.5**	**2.9**	-	-	-	**1.2**	-	**1.6**
	11/18/99	-	-	-	-	**12.4**	**1.9**	-	**1.7**	**3.8**	**1.5**	**1.3**	**1.7**	**1.4**	**4.7**	**1.9**
	02/09/00	-	-	-	-	**11**	**3.0**	-	**0.6**	**3.0**	-	-	**1.0**	**1.0**	**7.0**	**2.0**
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	-	-	-	-	-	-	-	**2.0**	**1.0**	-	-	-	-	-
	05/30/00	-	-	-	-	-	-	-	-	**4.0**	-	**1.0**	**2.0**	-	-	-
	09/13/00	-	-	-	-	-	-	-	-	**3.0**	-	-	-	-	-	-
	03/06/01	-	-	-	-	**8.0**	-	-	-	**4.0**	**3.0**	**2.0**	**3.0**	**1.0**	**2.0**	-
	03/12/02	<5.0	<5.0	<5.0	<5.0	**5.9**	<5.0	<5.0	<2.5	**10**	<1.0	<1.0	**5.0**	NA	<1.0	<1.0
	03/05/03	<0.5	<1.0	<1.0	<1.0	**4.2**	<1.0	<1.0	<0.5	**8.8**	**1.9**	**1.8**	**3.6**	**2.4**	**4.2**	**2.3**
	02/17/04	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**0.57 ****	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
	02/10/05	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
	02/09/06	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**0.5**	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
MW-2	03/05/98	-	-	-	-	-	-	-	**12.2**	**3.6**	NA	-	-	-	-	-
	04/01/99	-	-	-	-	**5.1**	**5.3**	-	**3.4**	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	**20**	**12**	-	**11**	**8.0**	-	**2.4**	**4.6**	**2.5**	**6.1**	**2.9**
	11/18/99	-	-	-	-	**15.2**	**8.3**	-	-	**4.8**	**3.0**	**1.5**	**3.3**	**1.7**	**5.5**	**1.9**
	02/09/00	-	-	-	-	**10**	**7.0**	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	**1.0**	**1.0**	-	-	-	-	**2.0**	-
	04/18/00	-	-	-	-	-	-	-	-	-	-	**2.0**	**3.0**	-	-	-
	05/30/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/00	-	-	-	-	-	-	-	-	**13**	-	-	**6.0**	-	-	-
	03/06/01	-	-	-	-	**13**	**5.0**	-	**1.0**	**5.0**	**2.0**	**1.0**	**3.0**	**2.0**	-	**1.0**
	03/12/02	<5.0	<5.0	<5.0	<5.0	**9.0**	<5.0	<5.0	**5.0**	**13**	<5.0	<5.0	**5.7**	NA	<5.0	<5.0
	03/05/03	<1.0	<2.0	<2.0	<2.0	**9.8**	**3.3**	<2.0	**2.9**	**11**	<2.0	<2.0	**5.4**	<2.0	<2.4	<2.0
	02/17/04	<0.5	<0.5	<0.5	<0.5	**7.1**	<5.0	**0.84 ****	**0.65**	**6.3**	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
	02/10/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<1.0	<1.0	<10	<10	<10	<10	<2.0	<10	<10
	02/09/06	<1.0	<1.0	<1.0	<1.0	<10	<10	**1.2**	<1.0	<10	<10	<10	<10	<2.0	<10	<10

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*	*6*	*10*	*29*	*17*	*13*
MW-3	03/20/97	**537**	NS	-	-	-	**1.9**	-	-	NS	**10.1**	**80.3**	**5.0**	**39.7**	-	**3.2**	-	-	-	NS
	03/05/98	**35,600**	-	**1.4**	-	-	**4.3**	-	-	-	**6.0**	**138**	**6.3**	**52.5**	-	**1.1**	-	-	**55.4**	NA
	04/01/99	-	-	-	-	-	**43**	-	-	-	-	**64.4**	**9.3**	**45.6**	-	-	-	-	**41**	NA
	08/23/99	**9280**	-	-	-	-	**189**	-	-	-	**3.4**	**44.3**	**11.7**	**64.1**	-	-	-	-	**46.9**	-
	11/18/99	**8700**	-	-	-	-	**144**	-	-	-	-	**47.7**	-	**54.5**	-	-	-	-	**45.7**	-
	02/09/00	**9800**	-	-	-	-	**76**	-	-	-	-	**67**	**19**	**91**	-	-	-	-	**53**	-
	03/09/00	**340**	-	-	-	-	-	-	-	-	-	**5.0**	**7.0**	**2.0**	-	-	-	-	**1.0**	-
	04/18/00	**2100**	**13****	-	-	-	-	-	-	-	-	**2.0**	-	**3.0**	-	-	-	-	-	-
	05/30/00	**7900**	-	-	-	-	-	-	-	-	-	**4.0**	**3.0**	**8.0**	-	-	-	-	-	-
	09/13/00	**3100**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	**4000**	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-	-	-	-	-	-
	03/12/02	**3300**	<10	<1.0	<1.0	<1.0	**7.8**	<1.0	<1.0	<1.0	<1.0	**3.4**	<1.0	**4.2**	<1.0	**1.0**	<1.0	<1.0	<1.0	<2.0
DUP	03/12/02	**2600**	<10	<1.0	<1.0	<1.0	**7.4**	<1.0	<1.0	<1.0	<1.0	**3.1**	<1.0	**4.1**	<1.0	**1.0**	<1.0	<1.0	<1.0	<2.0
	03/05/03	**410**	<6.0	<0.5	<1.0	<1.0	**9.1**	<1.0	<0.5	<1.0	<1.0	**1.5**	**1.0**	**5.0**	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
DUP	03/05/03	**240**	<6.0	<0.5	<1.0	<1.0	**8.5**	<1.0	<0.5	<1.0	<1.0	**1.4**	<1.0	**4.8**	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0
	02/17/04	**330**	<20	<0.5	<0.5	<0.5	**48**	<0.5	<0.5	<0.5	<0.5	**2.6**	**1.8**	**10**	<0.5	<0.5	<0.5	<0.5	**1.3**	<1.0
DUP	02/17/04	NA	<20	<0.5	<0.5	<0.5	**45**	<0.5	<0.5	<0.5	<0.5	**2.5**	**1.7**	**9.5**	<0.5	<0.5	<0.5	<0.5	**1.3**	<1.0
	02/10/05	**190**	<20	<0.5	<0.5	<0.5	**24**	<0.5	<0.5	<0.5	<0.5	**1.4**	**2.1**	**12**	<0.5	<0.5	<0.5	<0.5	<1.5	<1.0
DUP	02/10/05	NA	<20	<0.5	<0.5	<0.5	**23**	<0.5	<0.5	<0.5	<0.5	**1.3**	**2.0**	**11**	<0.5	<0.5	<0.5	<0.5	<1.5	<1.0
	02/09/06	**410**	<20	<0.5	<0.5	<0.5	**17**	<0.5	<0.5	<0.5	<0.5	**1.0**	**1.7**	**9.0**	<0.5	<0.5	<0.5	<0.5	**0.56**	<1.0
DUP	02/09/06	NA	<20	<0.5	<0.5	<0.5	**17**	<0.5	<0.5	<0.5	<0.5	**1.0**	**1.7**	**8.7**	<0.5	<0.5	<0.5	<0.5	**0.62**	<1.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Chloro-toluene	n-Butyl-benzene	sec-butyl-benzene	tert-butyl benzene	Isopropyl-benzene	Naphtha-lene	n-Propyl-benzene
WQO		*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*	*NE*	*NE*	*NE*	*NE*	*NE*	*20*	*NE*
MW-3	03/20/97	-	-	-	-	NA	NS	-	**7.4**	**6.7**	NA	NS	NS	NS	NA	NS
	03/05/98	-	-	-	-	NA	NA	-	**13.2**	**16.7**	NA	-	-	-	NA	-
	04/01/99	-	-	-	-	**42**	**6.9**	-	**1.9**	**22**	-	-	**7.6**	**5.6**	**19.5**	-
	08/23/99	-	-	-	-	**56.2**	**6.4**	-	-	**29.1**	-	-	**9.2**	**5.8**	**32.6**	**5.4**
	11/18/99	-	-	-	-	**63.4**	-	-	-	**29.7**	-	-	-	-	**34.8**	-
	02/09/00	-	-	-	-	**98**	**12**	-	**3.2**	**46**	-	**6.0**	**15**	-	**47**	-
	03/09/00	-	-	-	-	**4.0**	-	-	-	**2.0**	-	-	**3.0**	-	-	-
	04/18/00	**1.0**	-	-	-	**4.0**	-	-	-	-	**3.0**	-	**3.0**	-	-	-
	05/30/00	-	-	-	-	**17**	-	-	-	**6.0**	-	**3.0**	**4.0**	**3.0**	**3.0**	**2.0**
	09/13/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	**1.0**	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	**1.8**	**1.9**	<1.0	<1.0	NA	<1.0	<1.0
DUP	03/12/02	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	**1.7**	**1.6**	<1.0	<1.0	NA	<1.0	<1.0
	03/05/03	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.4	<1.0	<1.2	<1.0
DUP	03/05/03	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.4	<1.0	<1.2	<1.0
	02/17/04	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
DUP	02/17/04	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
	02/10/05	<0.5	<0.5	**1.0**	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
DUP	02/10/05	<0.5	<0.5	**0.9**	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
	02/09/06	<0.5	<0.5	**1.0**	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0
DUP	02/09/06	<0.5	<0.5	**0.97**	<0.5	<5.0	<5.0	<0.5	<0.5	<5.0	<5.0	<5.0	<5.0	<1.0	<5.0	<5.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-4	03/03/94	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/04/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	**1.0**	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	NA	-	-	-	-	-	-	-	**2.1**	**1.6**	-	-	-
	03/20/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	NA	-	-	-	-	-	-	**1.9**	-	-	-	-	-
	03/05/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	NA	-	-	-	-	-	-	-	-	**36.6**	-	**19.7**	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	**120**	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	**3.0**	**5.0**	-	-	-	-	-	-	-	-	-
	03/09/00	-	**19**	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	**65****	-	**2.0**	**14**	-	-	-	-	-	-	-	-	-
	05/30/00	-	**19**	-	-	**6.0**	-	-	-	-	-	-	-	-	-
	09/12/00	-	**52**	-	-	**19**	-	-	-	-	-	-	-	-	-
	03/06/01	-	**11**	-	-	**8.0**	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
DUP	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/05/03	<50	<12	<1.0	<2.0	<2.0	<2.0	<2.0	<1.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
DUP	08/19/03	NA	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
DUP	08/19/04	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	02/10/05	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-4	03/03/94	-	-	-	-	NA	-	-	-	-	-	NA	-	-
	03/14/95	-	-	-	-	NA	-	-	-	-	-	NA	-	-
	03/06/96	-	-	-	-	NA	-	-	-	-	**1.1**	NA	-	-
	03/20/97	-	-	-	-	NA	-	-	-	-	NA	NA	-	-
	03/05/98	-	-	-	-	NA	-	-	-	-	NA	NA	-	-
	04/01/99	-	-	-	-	NA	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/04/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
MW-5	03/03/94	-	-	-	-	NA	**11**	-	**1.0**	-	-	-	-	-
	06/07/94	-	-	-	-	NA	**38**	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	NA	**41**	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	NA	**11**	-	**2.2**	-	-	-	-	-
	03/14/95	-	-	-	-	NA	**11**	-	**2.0**	-	-	-	-	-
	06/19/95	-	-	-	-	NA	**22.85**	-	**1.92**	-	-	-	-	-
	09/13/95	-	-	-	-	NA	**51**	-	**2.0**	-	-	-	-	-
	12/06/95	**1.2**	-	-	-	NA	**46.5**	-	**6.8**	-	-	-	-	-
	03/06/96	-	-	-	-	NA	**31.1**	-	**5.2**	-	-	-	-	-
	06/18/96	-	-	-	-	NA	**68.8**	-	**3.5**	-	-	-	-	-
	09/10/96	-	-	-	-	NA	**187**	-	**4.7**	-	-	-	**	-
	12/17/96	**5.7**	-	-	-	NA	**117.7**	-	**27.6**	-	NA	NA	-	-
	03/20/97	-	-	-	-	NA	**254**	-	**5.9**	-	NA	NA	-	-
	06/18/97	-	-	-	-	NA	**75.7**	-	**3.9**	-	NA	NA	-	-
	09/17/97	-	-	-	-	NA	**135**	-	**3.2**	-	NA	NA	-	-
	12/29/97	**6.4**	-	-	-	NA	**53.7**	-	**10.6**	-	NA	NA	-	-
	03/05/98	**7.4**	-	-	-	NA	**67**	-	**10.5**	-	NA	NA	**1.1**	-
	06/09/98	**1.8**	-	-	-	NA	**52.8**	-	**4.9**	-	NA	NA	-	-
	09/23/98	-	-	-	-	NA	**71**	-	-	-	NA	NA	-	-
	12/08/98	-	-	-	-	NA	**97.7**	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	NA	**130**	-	-	-	-	-	-	-
	08/18/99	**2.4**	-	-	-	-	**136**	-	**3.7**	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	05/30/00	-	-	-	-	**1.0**	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	-	-	-	-	**2.0**	**4.0**	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	**21**	-	-	-	-	-	-	-
	03/12/02	<5.0	<5.0	<5.0	<5.0	<10	**110**	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	09/30/02	**2.2**	<1.0	<1.0	<1.2	**3.6**	**93**	<1.0	**4.3**	<1.0	<1.0	<1.0	<1.0	<0.5
	11/18/02	**1.4**	<1.0	<1.0	<1.0	**7.8**	**66**	<1.0	**2.3**	<1.0	<1.0	<1.0	<1.0	<0.5
DUP	11/18/02	**1.4**	<1.0	<1.0	<1.0	**8.5**	**67**	<1.0	**2.4**	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	**5.0**	<2.0	<2.0	<2.0	**4.4**	**120**	<2.0	**4.8**	<2.0	<2.0	<2.0	<2.0	<1.0
	08/19/03	**4.5**	<1.0	<1.0	<1.0	**2.9**	**120**	<1.0	**4.5**	<1.0	<1.0	<1.0	<1.0	<0.5
DUP	08/19/03	**4.6**	<1.0	<1.0	<1.0	**3.0**	**110**	<1.0	**4.5**	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	**3.2**	<0.5	<0.5	<1.0	**5.1**	**130**	<0.5	**4.0**	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	**7.7**	<2.5	<2.5	<7.5	<5.0	**210**	<2.5	**8.1**	<2.5	<25	<25	<2.5	<2.5
DUP	08/19/04	**7.8**	<2.5	<2.5	<7.5	<5.0	**210**	<2.5	**8.1**	<2.5	<25	<25	<2.5	<2.5
	02/10/05	**24**	<2.5	<2.5	<7.5	<5.0	**200**	<2.5	**11**	<2.5	<25	<25	<2.5	<2.5
	08/17/05	**69**	**2.1**	<0.5	<0.5	**7.3**	**120**	<0.5	**9.0**	<0.5	<5.0	<5.0	<0.5	<0.5
DUP	08/17/05	**60**	**2.2**	<0.5	<0.5	**6.9**	**93**	<0.5	**9.2**	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
	02/08/06	**27**	**1.2**	<0.5	<0.5	**7.1**	**98**	<0.5	**6.9**	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-6	09/09/93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/07/93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	`	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-
	03/20/97	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-
	06/18/97	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-
	09/17/97	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	**1.2**	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	**1.0**	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	**1.3**	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	-	**3.0**	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/10/05	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/06	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-6	09/09/93	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/07/93	-	-	-	-	NA	**5.0**	-	**0.6**	-	-	-	-	-
	03/03/94	-	-	-	-	NA	**5.0**	-	**2**	-	-	-	-	-
	06/07/94	-	-	-	-	NA	**5.6**	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	NA	**12**	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	NA	**8.3**	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	NA	**5.3**	-	**0.4**	-	-	-	-	-
	06/19/95	-	-	-	-	NA	**1.9**	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	NA	**5.0**	-	-	-	-	-	-	-
	12/06/95	**1.0**	-	-	-	NA	**45**	-	**3.0**	-	-	-	-	-
	03/06/96	**1.4**	-	-	-	NA	**23.2**	-	**3.3**	-	-	-	-	-
	06/18/96	-	-	-	-	NA	**8.4**	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	NA	**14.8**	-	**4.9**	-	-	-	-	-
	12/17/96	**1.7**	-	-	-	NA	**130.8**	-	**4.1**	-	NA	NA	-	-
	03/20/97	**5.4**	-	-	-	NA	**39.9**	-	**4.0**	-	NA	NA	-	-
	06/18/97	-	-	-	-	NA	**28.3**	-	**2.7**	-	NA	NA	-	-
	09/17/97	-	-	-	-	NA	**100**	-	**3.9**	-	NA	NA	-	-
	12/29/97	-	-	-	-	NA	**29.6**	-	**4.7**	-	NA	NA	-	-
	03/05/98	-	-	-	-	NA	**33.6**	-	**11.4**	-	NA	NA	-	-
	06/09/98	**7.9**	-	-	-	NA	**17.2**	-	**7.1**	-	NA	NA	-	-
	09/23/98	-	-	-	-	NA	**9.2**	-	-	-	NA	NA	-	-
	12/08/98	-	-	-	-	NA	**29.4**	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	NA	**17**	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	**12**	-	**1.5**	-	-	-	-	-
	11/18/99	**1.4**	-	-	-	-	**49.1**	-	**4.9**	-	-	-	-	-
	02/09/00	**6.0**	-	-	-	-	**62**	-	**8.0**	-	-	-	-	-
	03/09/00	**15**	-	-	-	-	**22**	-	**6.0**	-	-	-	-	-
	04/18/00	**16**	-	-	**1.0**	-	**24**	-	**4.0**	-	-	-	**3.0**	-
	09/12/00	**3.0**	-	-	-	-	**17**	-	**3.0**	-	-	-	-	-
	03/06/01	**3.0**	-	-	-	-	**32**	-	**4.0**	-	-	-	-	-
	08/20/01	-	-	-	-	-	**11**	-	-	-	-	-	-	-
	03/12/02	**6.6**	<1.0	<1.0	<1.0	<2.0	**6.5**	<1.0	**2.4**	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	**2.4**	<1.0	<1.0	<1.2	<1.0	**6.7**	<1.0	**1.9**	<1.0	<1.0	<1.0	<1.0	<0.5
DUP	09/30/02	**2.9**	<1.0	<1.0	<1.2	<1.0	**5.7**	<1.0	**2.0**	<1.0	<1.0	<1.0	<1.0	<0.5
	11/18/02	**1.7**	<1.0	<1.0	<1.0	<1.0	**13**	<1.0	**2.5**	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	**4.3**	<1.0	<1.0	<1.0	<1.0	**12**	<1.0	**3.7**	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	**2.0**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	**3.7**	<0.5	<0.5	<1.0	<1.0	**9.0**	<0.5	**2.8**	<0.5	<5.0	<5.0	**0.59 ****	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<1.0	**1.1**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/10/05	<0.5	<0.5	<0.5	<1.5	<1.0	**0.59**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-7	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	NA	-	-	-	-	-	-	-	-	**5.2**	**5.2**	**18.1**	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	**6.0**	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	-	**7.0**	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/10/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-7	03/03/94	-	-	-	-	NA	**2.0**	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	NA	**16**	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	NA	**4.0**	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	NA	**25.7**	-	**1.52**	-	-	-	-	-
	09/13/95	-	-	-	-	NA	**60**	-	**2**	-	-	-	-	-
	12/06/95	**1.0**	-	-	-	NA	**18.8**	-	**1.4**	-	-	-	-	-
	03/06/96	-	-	-	-	NA	**15.8**	-	**2.8**	-	-	-	-	-
	06/18/96	-	-	-	-	NA	**93.2**	-	**2.7**	-	-	-	-	-
	09/10/96	-	-	-	-	NA	**159**	-	**4.4**	-	-	-	-	-
	12/17/96	-	-	-	-	NA	**48.2**	-	**3.1**	-	NA	NA	-	-
	03/20/97	-	-	-	-	NA	**119**	-	**7.5**	-	NA	NA	-	-
	06/18/97	-	-	-	-	NA	**146.4**	-	**8.6**	-	NA	NA	-	-
	09/17/97	-	-	-	-	NA	**60.1**	-	**3.7**	-	NA	NA	-	-
	12/29/97	-	-	-	-	NA	**26.3**	-	**6.7**	-	NA	NA	-	-
	03/05/98	-	-	-	-	NA	**19.3**	-	**2.5**	-	NA	NA	-	-
	06/09/98	-	-	-	-	NA	**51**	-	**14.1**	-	NA	NA	-	-
	09/23/98	-	-	-	-	NA	**115**	-	**11.2**	-	NA	NA	-	-
	12/08/98	-	-	-	-	NA	**59.6**	-	**9.2**	-	-	-	-	-
	04/01/99	-	-	-	-	NA	**18**	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	**67**	-	**12**	-	-	-	-	-
	11/18/99	-	-	-	-	**1.1**	**40**	-	**5.6**	-	-	-	-	-
	02/09/00	-	-	-	-	-	**19**	-	**6.0**	-	-	-	-	-
	03/09/00	-	-	-	-	-	**2.0**	-	-	-	-	-	-	-
	04/18/00	**2.0**	-	-	**4.0**	**1.0**	**14**	-	**3.0**	-	-	-	**5.0**	-
	09/12/00	**1.0**	-	-	-	-	**37**	-	**7.0**	-	-	-	-	-
	03/06/01	-	-	-	-	-	**9.0**	-	**4.0**	-	-	-	-	-
	08/20/01	-	-	-	-	-	**15**	-	**9.7**	-	-	-	-	-
	03/12/02	**1.2**	<1.0	<1.0	<1.0	<2.0	**36**	<1.0	**12**	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	**4.3**	**1.5**	<1.0	<1.2	**1.0**	**68**	<1.0	**31**	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	**2.2**	<1.0	<1.0	<1.0	<1.0	**41**	<1.0	**8.8**	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	**4.0**	<1.0	<1.0	<1.0	<1.0	**44**	<1.0	**22**	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	**2.3**	<0.5	<0.5	<1.0	**1.3**	**25**	<0.5	**9.7**	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	**1.8**	<0.5	<0.5	<1.5	**1.1**	**29**	<0.5	**8.2**	<0.5	<5.0	<5.0	<0.5	<0.5
	02/10/05	**0.85**	<0.5	<0.5	<1.5	**1.0**	**20**	<0.5	**5.0**	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	**1.4**	**7.0**	<0.5	**1.5**	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/06	<0.5	<0.5	<0.5	<0.5	**1.6**	**4.8**	<0.5	**1.1**	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-8	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	**6.3**	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-8	03/03/94	-	-	-	-	NA	**0.7**	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	NA	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**0.52 ****	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-9	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	**1.0**	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-9	03/14/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	**1.1**	NA	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	NA	-	-	-	-	-	-	**1.1**	-
	06/09/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	NA	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	**2.0**	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	**1.1**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	<1.0	**0.61**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**0.84 ****	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
MW-10	06/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	**6.7**	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-12	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
MW-10	06/18/99	**8.5**	-	-	-	NA	-	-	**1.6**	-	-	-	-	-
	08/18/99	-	-	-	-	-	**5.0**	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	**9.4**	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	**2.0**	-	-	-	-	-	-	-
	09/12/00	**1.0**	-	-	-	-	**1.0**	-	-	-	-	-	**2.0**	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	**0.65**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	**0.75**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	**0.60**	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
MW-11	10/11/02	**1.2**	<0.5	<0.5	<1.2	**1.1**	**6.3**	<0.5	**2.6**	<0.5	<0.6	<0.5	<0.5	<0.5
	11/18/02	<1.0	<1.0	<1.0	<1.0	**1.2**	**2.9**	<1.0	**1.4**	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	05/21/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	**1.4**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/17/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
MW-12	10/11/02	<0.6	<0.5	<0.5	<1.2	**6.1**	**3.4**	<0.5	<0.5	<0.5	<0.6	<0.5	<0.5	<0.5
	11/18/02	<1.0	<1.0	<1.0	<1.0	**10**	**1.9**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/05/03	<1.0	<1.0	<1.0	<1.0	**12**	**2.6**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	05/21/03	<1.0	<1.0	<1.0	<1.0	**9.1**	**3.7**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	**8.6**	**1.6**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	<0.5	<0.5	<0.5	<1.0	**9.2**	**1.1**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	**10**	**1.4**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	**11**	**2.9**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	**5.0**	**35**	<0.5	**1.0**	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	**0.80**	<0.5	<0.5	<0.5	**5.9**	**38**	<0.5	**1.3**	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
DMW-1	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	**2.2**	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	**107****	**93**	**9.8****	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	**19****	**4.0**	-	-	-	-	-	-	-	-	-	-	-
	05/30/00	-	-	**2.0****	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	04/15/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
DMW-1	03/14/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	NA	**2.7**	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	NA	**3.4**	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	NA	**4.4**	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	NA	**7.7**	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	NA	**1.1**	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	NA	**2.0**	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	NA	**8.5**	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	NA	**6.5**	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	04/01/99	-	-	**16****	**40****	NA	**6.5**	-	**18****	-	**5.1****	**6.5****	**5.9****	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	**3.2**	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	**6.0**	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	**1.0**	-	-	-	-	-	-	-
	04/18/00	**1.0**	-	-	**1.0**	-	**5.0**	-	**1.0**	-	-	-	**3.0**	-
	05/30/00	-	-	-	**3.0****	-	**1.0****	-	-	-	-	-	**2.0****	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	**20**	<5.0	<5.0	<5.0	<10	**250**	<5.0	**11**	<5.0	<5.0	<5.0	<5.0	<5.0
	04/15/02	**2.1**	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	**2.1**	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/06/03	**3.3**	<1.0	<1.0	<1.0	<1.0	**3.2**	<1.0	**3.7**	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	**4.9**	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	**2.7**	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	**2.7**	<0.5	<0.5	<1.0	<1.0	**5.7**	<0.5	**12**	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	**3.2**	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	**4.6**	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	**2.1**	<0.5	<0.5	<1.5	<1.0	**5.6**	<0.5	**26**	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	**2.1**	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	**6**	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	**6.9**	<0.5	<0.5	<0.5	<1.0	**41**	<0.5	**42**	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
DMW-2	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	**101****	-	**11****	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	**66**	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
DMW-2	03/14/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	NA	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	NA	-	-	-	-	-	-	-	-
	04/01/99	-	-	**16****	**41****	NA	-	-	**19****	-	-	**6.3****	**6.5****	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-		-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/06/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO		*NE*	*NE*	*0.7*	*NE*	*NE*	*70*	*100*	*100*	*NE*	*5*	*600*	*20*	*5*	*6*
DMW-3	06/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/29/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	**95**	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DMW-4	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DMW-5	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	2/9/2005	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	8/17/2005	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/08/06	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	*cis*-1,2-DCE	trans-1,2-DCE	Ethyl-benzene	Xylenes (Total)	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride
WQO		*6*	*10*	*29*	*17*	*13*	*5*	*200*	*5*	*150*	*NE*	*NE*	*42*	*0.5*
DMW-3	06/18/99	**5.9**	-	-	-	NA	-	-	**1.0**	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/29/99	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	**1.0**	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	09/30/02	<1.0	<1.0	<1.0	<1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/06/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**19**	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	**<0.5**	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	**0.88**	<0.5	<5.0	<5.0	<0.5	<0.5
DMW-4	10/11/02	**2.8**	<0.5	<0.5	<1.2	<0.6	**22**	<0.5	**1.3**	<0.5	<0.6	<0.5	<0.5	<0.5
	11/18/02	<1.0	<1.0	<1.0	<1.0	<1.0	**2.3**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/06/03	<1.0	<1.0	<1.0	<1.0	<1.0	**2.8**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	05/21/03	<1.0	<1.0	<1.0	<1.0	<1.0	**1.9**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	<0.5	<0.5	<0.5	<1.0	<1.0	**0.74**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	**2.3**	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/09/05	<0.5	<0.5	<0.5	<1.5	**3.5**	**1.1**	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/17/05	<0.5	<0.5	<0.5	<0.5	**5.0**	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	**5.1**	**1.7**	<0.5	**0.63**	<0.5	<5.0	<5.0	<0.5	<0.5
DMW-5	10/11/02	<0.6	<0.5	<0.5	<1.2	<0.6	<0.5	<0.5	<0.5	<0.5	<0.6	<0.5	<0.5	<0.5
	11/18/02	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	03/06/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	05/21/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	08/19/03	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5
	02/18/04	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	08/19/04	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	2/9/2005	<0.5	<0.5	<0.5	<1.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	8/17/2005	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5
	02/08/06	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	**0.60**	<0.5	<5.0	<5.0	<0.5	<0.5

All results in micrograms per liter (µg/L).

TPHms	= Total petroleum hydrocarbons as mineral spirits	PCE	= Tetrachloroethene
DCA	= Dicholorethane	TCA	= Trichloroethane
DCB	= Dichlorobenzene	TCE	= Trichloroethene
DCE	= Dichloroethene	TCFM	= Trichlorofluoromethane
MTBE	= Methyl-t-butyl-Ether	TMB	= Trimethylbenzene

WQO	= Water Quality Objective per Cleanup and Abatement Order No. 99-56.
NE	= Not Established
NS	= Not sampled
NA	= Not analyzed
-	= Not detected above associated laboratory detection limits
*	Only compounds detected in at least one well are listed. For complete results, see the laboratory reports.
**	Result suspect due to the presence of compound in equipment or laboratory blank at a similar concentration.
	Compounds reported only for MW-1, MW-2 and MW-3. Not detected in other wells.
	Concentrations of compounds detected equal to or greater than the WQO.

FIGURES





CAMERON-COLE

FIGURE 1

SITE LOCATION MAP
5750 COMMERCE BLVD.-ROHNERT PARK, CA
SAFETY-KLEEN SYSTEMS, INC

SCALE:	DATE:	DWG NO.
1" = 2000'	4/21/04	2210-LOCMAP





LEGEND

AS-1	AIR SPARGE TEST WELL	SV-1	SOIL VAPOR EXTRACTION WELL
MW-1	MONITORING WELL	DMW-1	DEEP MONITORING WELL
RW-1	RECOVERY WELL	OW-1	OBSERVATION WELL

	BY	DATE
DRAWN	WRB	2/9/04
REVISED		
XREF		
IMAGE ATTACH		

CAMERON-COLE

SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

FIGURE 2
SITE PLAN

SCALE: 1" = 50'

DWG. NO.: 2210-01





LEGEND

MW-1	MONITORING WELL	90.21	GROUNDWATER ELEVATION (ft. MSL)
OW-1	OBSERVATION WELL		POTENTIOMETRIC ELEVATION CONTOUR
RW-1	RECOVERY WELL (Not Sounded)	*	VALUE NOT USED FOR CONTOURING
			GROUNDWATER FLOW DIRECTION

	BY	DATE
DRAWN	SPS	4/12/06
REVISED		
XREF		
IMAGE ATTACH		

CAMERON-COLE

FIGURE 3

POTENTIOMETRIC SURFACE ELEVATION CONTOURS
UPPER WATER-BEARING ZONE - FEBRUARY 8, 2006
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE: 1" = 50'

DWG. NO.: 2210-86





LEGEND

DMW-1 ◆	DEEP MONITORING WELL (LOWER WATER-BEARING ZONE)
90.05	GROUNDWATER ELEVATION (ft. MSL)
⌒	POTENTIOMETRIC ELEVATION CONTOUR
⇒	GROUNDWATER FLOW DIRECTION

	BY	DATE
DRAWN	SPS	3/3/05
REVISED		
XREF		
IMAGE ATTACH		

CAMERON-COLE

FIGURE 4

POTENTIOMETRIC SURFACE ELEVATION CONTOURS
LOWER WATER-BEARING ZONE - FEBRUARY 8, 2006
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE: 1" = 50'

DWG. NO.: 2210-87



LEGEND

MW-1	MONITORING WELL	NS	= NOT SAMPLED
RW-1	RECOVERY WELL	ND	= NO COMPOUNDS DETECTED
OW-1	OBSERVATION WELL	Chemical Conc. µg/l	= COMPOUNDS DETECTED
		Chemical Conc. µg/l	= COMPOUNDS AT OR ABOVE MCL

	BY	DATE
DRAWN	SPS	3/2/06
REVISED		
XREF		
IMAGE ATTACH		

CAMERON-COLE

FIGURE 5

GROUNDWATER CHEMICAL CONCENTRATIONS
UPPER WATER-BEARING ZONE - FIRST QUARTER 2006
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE: 1" = 50'

DWG. NO.: 2210-88



LEGEND

DMW-1 MONITORING WELL

ND = NO COMPOUNDS DETECTED

Chemical Conc. µg/l = COMPOUNDS DETECTED

Chemical Conc. µg/l = COMPOUNDS AT OR ABOVE MCL

N

0 50

FEET

	BY	DATE
DRAWN	SPS	3/2/06
REVISED		
XREF		
IMAGE ATTACH		

CAMERON-COLE

FIGURE 6

GROUNDWATER CHEMICAL CONCENTRATIONS
LOWER WATER-BEARING ZONE - FIRST QUARTER 2005
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE: 1" = 50'

DWG. NO.: 2210-89

APPENDIX A

SAMPLING EVENT DATA SHEETS / HYDRODATA SHEETS

SK - ROHNERT PARK
HYDRODATA
FIRST QUARTER 2006

TECHNICIAN: (N) US

WELL OR LOCATION	DATE	TIME	MEASUREMENT	CODE	COMMENTS
MW-1	2/8/06	0951	3.96	SWL	No Measurable Product
		0951	—	OWL	
MW-2		0947	4.99	SWL	No Measurable Product
		0947	—	OWL	
MW-3		0942	4.89	SWL	No Measurable Product
		0942	—	OWL	
MW-4		0940	5.18		
MW-5		0921	5.23		
MW-6		0900	4.92		
MW-7		0934	4.42		
MW-8		0855	5.31		
MW-9		0903	5.55		
MW-10		0911	5.07		
MW-11		0917	4.97		
MW-12		0929	5.10		
OW-1		0931	4.64		
DMW-1		0921	5.12		
DMW-2		0902	5.20		
DMW-3		0935	5.27		
DMW-4		0927	4.63		
DMW-5	↓	0915	5.15		

CODES:

SWL - Static Water Level
OIL - Oil Level
OWI - Oil/Water Interface
MTD - Measured Total Depth

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-1

PROJECT SK RP EVENT Annual SAMPLER WBSS DATE 2/9/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 4"

— gal/ft. casing

Intake depth 11

SWL 4.18
(if above screen)

SWL
(if in screen)

Measured TD

8 =TOP

12 =BOP

12 =TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1040	0.09	4.18
	1044		4.26
Stop	1049		
Sampled	1050		
Final IWL	1055		4.21

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD one volume purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
Low flow Purge using Peristaltic Pump

Actual gallons purged 0.8

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
MW-1	8260	Entech
MW-1	TPH-MS	
RB-01	8260	

Additional Comments:

Rinse Blank collected (RB-01) @ 1100

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other
1. 0.2	15.9	4270	9.24	4.03	
2. 0.4	15.4	4260	9.37	4.48	
3. 0.6	15.3	4210	9.28	5.73	
4.					
5.					

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-2

PROJECT SK RP EVENT Annual SAMPLER SS WS DATE 2/9/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing



8 =TOP

12 =BOP

12 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1010	0.2	5.15
	1011		5.17
	1014		5.35
Stop	1015		
Sampled	1020		
Final IWL	1025		5.51

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
Low flow Purging using Peristaltic Pump

Actual gallons purged 1

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
MW-2	8260	Entech
MW-2	TPH-MS	↓

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	17.8	1406	8.85	6.20		
2. 0.4	18.1	1434	8.95	4.52		
3. 0.6	18.0	1443	9.04	4.51		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-3

PROJECT SKRP EVENT Annual SAMPLER WB SS DATE 2/9/06

Well type (MW, EW, PZ, etc.) MW

Diameter 4"

— gal/ft. casing

Intake depth 12

SWL 4.03 (if above screen)

SWL ___ (if in screen)

Measured TD ___

8 =TOP

14 =BOP

14 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	0930	0.07	4.03
	0931		4.08
	0934		4.28
	0940		4.39
Stop	0944		
Sampled	0945		
Final IWL	0950		4.82

PURGE CALCULATION

— gal/ft. * — ft. (SWL to TD) = — gals. (one volume) X 3 — gals. (purge volume - 3 casings)

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:

Low Flow Purging using Peristaltic Pump

Actual gallons purged 1

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
MW-3	8260	Entech
MW-3	TPH-ms	
MW-13	8260	

Additional Comments:

collected Dup (MW-13) @ 0955

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	16.1	6330	9.02	9.61		
2. 0.4	16.2	5530	9.27	4.70		
3. 0.6	16.2	5500	9.24	4.33		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-5

PROJECT Sk Robert Park EVENT Annual SAMPLER [illegible] DATE 2/8/06

Well type (MW, EW, PZ, etc.) MW

Diameter 4"

N/A gal/ft. casing

Intake depth 15'

SWL 5.23 (if above screen)

SWL (if in screen)

Measured TD

d

7' =TOP

15' =BOP

15' =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1321	0.12	
	1322		5.31
	1328		5.38
Stop	1334		
Sampled	1335	[illegible]	
Final IWL	1345		5.37

PURGE CALCULATION

N/A gal/ft. * — ft. = — gals. X 3 — gals.

SWL to TD | one volume | purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow Purge using Peri Pump

Actual gallons purged 1.5

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-5	8260 D	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.3	19.8	958	8.83	113		
2. 0.5	19.8	960	9.06	43.2		
3. 0.8	20.0	3470	9.48	35.35		
4. 1.0	19.6	3440	9.42	8.31		
5.						

*Take measurement at approximately each casing volume purged. ⊕

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-6

PROJECT SK RP EVENT Annual SAMPLER SS WS DATE 2/9/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 4"

— gal/ft. casing

Intake depth 12

SWL 4.92
(if above screen)

SWL
(if in screen)

Measured TD

d

=TOP

15 =BOP

15 =TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	0900	0.07	4.92
	0902		4.98
	0905		5.01
Stop	0914		
Sampled	0915		
Final IWL	0920		4.95

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD one volume purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
Low Flow Purging using Peristaltic Pump

Actual gallons purged 1

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
MW-6	8260	Entech
MW-6	TPH-MS	↓

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	16.7	2670	8.18	4.85		
2. 0.4	16.8	2710	8.25	3.96		
3. 0.6	16.9	2700	8.34	4.16		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-7

PROJECT Sk RP EVENT Annual SAMPLER SS WS DATE 2/9/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing



7 =TOP

15 =BOP

15 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	0823	0.13	4.56
	0827		4.58
	0846		4.61
Stop	0849		
Sampled	0850		
Final IWL	0855		4.56

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD one volume purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
Low flow Purging using Peristaltic pump

Actual gallons purged 0.8

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
MW-7	8260	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	16.8	1289	8.19	27.3		
2. 0.4	17.2	1290	8.23	21.9		
3. 0.6	17.5	1283	8.22	9.9		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-8

PROJECT SK Robert Park EVENT Annual SAMPLER [illegible] DATE 2/8/06

Well type (MW, EW, PZ, etc.) MW

Diameter 4"

N/A gal/ft. casing

Intake depth 12

SWL 5.37 (if above screen)

SWL (if in screen)

Measured TD

d

6 =TOP

14 =BOP

14 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1252	0.11	
	1253		5.40
	1300		5.47
Stop	1303		
Sampled	1305		
Final IWL	1310		5.37

PURGE CALCULATION

— gal/ft. * — ft. (SWL to TD) = — gals. (one volume) X 3 — gals. (purge volume - 3 casings)

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow Purge using Peri Pump.

Actual gallons purged 1.2

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-8	8260B	Enthalpy

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	18.4	435	9.02	10.85		
2. 0.7	18.2	452	8.88	6.12		
3. 1.0	18.4	431	8.84	6.48		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-9

PROJECT Sk Robert Park EVENT Annual SAMPLER [illegible] DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

N/A gal/ft. casing

Intake depth 13

SWL 5.55
(if above screen)

SWL
(if in screen)

Measured TD

d

10 =TOP

15 =BOP

15 =TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1223	0.19	
	1224		5.62
	1228		5.68
	1233		5.74
Stop	1234		
Sampled	1235		
Final IWL	1240		5.55

PURGE CALCULATION

N/A gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow Purging using Peri. Pump.

Actual gallons purged 1.5

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-9	8260D	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	18.4	3660	8.83	17.13		
2. 0.7	17.6	1279	8.76	4.10		
3. 1.2	17.9	1222	8.80	5.25		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-10

PROJECT SK Rohnert Park EVENT Annual SAMPLER [illegible] DATE 2/8/08

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

N/A gal/ft. casing

Intake depth 13'

SWL ~~5.14~~
(if above screen)

SWL 5.14
(if in screen)

Measured TD

d

5 =TOP

13 =BOP

15 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	11 19	0.11	
	1120		5.17
	11 24		5.28
Stop	11 28		5.35
Sampled	1130		
Final IWL	1135		5.15

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow Technique using Peri-Pump

Actual gallons purged 1.0

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-10	8260B	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	14.6	3580	8.76	136.1		
2. 0.4	16.3	1583	8.68	98.1		
3. 0.7	16.4	1561	8.72	35.05		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-11

PROJECT SK Rohnert Park EVENT Annual SAMPLER (D) DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

N/A gal/ft. casing

Intake depth 11

SWL 5.01
(if above screen)

SWL
(if in screen)

Measured TD

d

8 =TOP

13 =BOP

13 =TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1028	0.09	
	1029		5.19
	1032		5.32
	1036		5.41
Stop	1039		
Sampled	1045		
Final IWL	1050		4.98

PURGE CALCULATION

— gal/ft. * ____ ft. = ____ gals. X 3 ____ gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow w/ Peristaltic Pump

Actual gallons purged 1.0

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-11	8260B	Entech

Additional Comments:

Trip Blank (TB-01) collected @ 1020

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	16.8	1053	8.37	7.46		
2. 0.5	16.7	1051	8.29	7.22		
3. 0.8	17.4	1010	8.33	5.65		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-12

PROJECT St Robert Park EVENT Annual SAMPLER (S) DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

NA gal/ft. casing

Intake depth 11'

SWL 5.20
(if above screen)

SWL
(if in screen)

Measured TD

d

8' =TOP

13' =BOP

13' =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1153	0.09	
	1154		5.32
	1200		5.41
	1202		5.43
Stop	1204		
Sampled	1205		
Final IWL	1210		5.20

PURGE CALCULATION

— gal/ft. * — ft. (SWL to TD) = — gals. (one volume) X 3 — gals. (purge volume - 3 casings)

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Decription of Event:

Low Flow Purge using Peri-Pump

Actual gallons purged 1.0

Actual volumes purged —

Well Yield ⊕ —

COC # —

Sample I.D.	Analysis	Lab
MW-12	8260B	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.2	18.4	804	9.18	14.52		
2. 0.5	18.7	786	9.41	11.88		
3. 0.8	18.5	769	9.48	9.50		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returing later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-1

PROJECT SK RP EVENT Annual SAMPLER WS DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing

Intake depth 25

SWL 5.12
(if above screen)

SWL
(if in screen)

Measured TD 28

d

=TOP

=BOP

=TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1330	0.18	5.12
	1335		6.16
Stop	1339		
Sampled	1340		
Final IWL	1345		5.15

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
2" submersible Pump used for low flow Purging

Actual gallons purged 1.8

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
DMW-1	8260	Entech
RB-02	↓	↓

Additional Comments:

RB-02 collected at 1400

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.5	20.5	7880	10.246	143.0		
2. 0.8	20.6	1012	10.246	97.2		
3. 1.2	20.6	1021	10.247	41.4		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-2

PROJECT SK-RP EVENT Annual SAMPLER WS DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing

Intake depth 25

SWL 5.20
(if above screen)

23 =TOP

SWL
(if in screen)

=BOP

Measured TD 28 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1250	0.18	5.20
	1255		6.05
Stop	1259		
Sampled	1300		
Final IWL	1305		5.26

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD — one volume — purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
2" submersible Pump used for low flow Purging

Actual gallons purged 1.8

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
DMW-2	8260	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.3	18.0	5860	9.48	55.0		
2. 0.6	18.3	6040	9.54	44.2		
3. 1.0	18.6	7260	9.61	36.9		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-3

PROJECT SKRP EVENT Annual SAMPLER WS DATE 2/8/06

Well type MW (MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing

Intake depth 26

SWL 5.28 (if above screen)

SWL ___ (if in screen)

Measured TD ___

23 =TOP

28 =BOP

28 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1120	0.09	5.28
	1130		6.71
Stop	1134		
Sampled	1135		
Final IWL	~~11~~		

PURGE CALCULATION

— gal/ft. * — ft. (SWL to TD) = — gals. (one volume) X 3 — gals. (purge volume - 3 casings)

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
2" submersible pump used for low flow purging

Actual gallons purged 1.2

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
DMW-3	8260	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.3	16.8	9240	8.97	87.3		
2. 0.6	17.4	9160	8.97	38.7		
3. 1.0	18.1	9220	8.99	37.1		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-4

PROJECT SK RP EVENT Annual SAMPLER WS DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing

Intake depth 22

SWL 4.63
(if above screen)

SWL
(if in screen)

Measured TD



19 =TOP

26 =BOP

26 =TD (as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1205	0.17	4.63
	1210		5.19
Stop	1214		
Sampled	1215		
Final IWL	1220		4.75

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD; one volume; purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
2" submersible Pump used for low Flow Purge

Actual gallons purged 1.7

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
DMW-4	8260	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.3	19.4	8840	9.46	438		
2. 0.5	19.8	8260	9.86	188		
3. 1.2	20.2	8450	9.87	466		
4.						
5.						

*Take measurement at approximately each casing volume purged. ⊕ HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-5

PROJECT SK-RP EVENT Annual SAMPLER WS DATE 2/8/06

Well type MW
(MW, EW, PZ, etc.)

Diameter 2"

— gal/ft. casing

Intake depth 24

SWL 5.18
(if above screen)

SWL
(if in screen)

Measured TD

22 =TOP

27 =BOP

27 =TD
(as built)

ACTION	TIME	PUMP RATE (gpm)	DTW
Start Pump / Begin	1040	0.13	5.18
	1050		5.89
Stop	1054		
Sampled	1055		
Final IWL	1100		5.50

PURGE CALCULATION

— gal/ft. * — ft. = — gals. X 3 — gals.
SWL to TD one volume purge volume - 3 casings

2" = 0.165 gal/ft. 4" = 0.65 gal/ft. 6" = 1.47 gal/ft.

Equipment Used / Sampling Method / Description of Event:
2" Submersible pump used for low flow purging

Actual gallons purged 1.8

Actual volumes purged —

Well Yield ⊕ —

COC #

Sample I.D.	Analysis	Lab
DMW-5	8260	Entech

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other	
1. 0.3	15.7	274	9.41	120.0		
2. 0.5	17.3	628	8.70	353.0		
3. 1.0	17.7	778	8.86	106.0		
4. 1.3	17.6	818	8.87	46.3		
5.						

*Take measurement at approximately each casing volume purged. ⊕

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

APPENDIX B

LABORATORY ANALYTICAL DATA SHEETS AND CHAIN-OF-CUSTODY RECORDS

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Chris Walsh
Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501

Lab Certificate Number: 47813
Issued: 02/27/2006

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park

Global ID: T0609700186

Certificate of Analysis - Final Report

On February 10, 2006, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

Matrix	Test / Comments
Liquid	Electronic Deliverables EPA 8260B for Groundwater and Water - EPA 624 for Wastewater TPH-Extractable

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,

Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-001 **Sample ID: TB-01** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:20 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-001 **Sample ID: TB-01** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:20 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	94.8	60 - 130
Dibromofluoromethane	92.6	60 - 130
Toluene-d8	101	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-002 **Sample ID: MW-11** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:45 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-002 **Sample ID: MW-11** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:45 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.2	60 - 130
Dibromofluoromethane	93.9	60 - 130
Toluene-d8	100	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-003 **Sample ID: MW-10** **Matrix:** Liquid **Sample Date:** 2/8/2006 11:30 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	0.60		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-003 **Sample ID: MW-10** **Matrix:** Liquid **Sample Date:** 2/8/2006 11:30 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.2	60 - 130
Dibromofluoromethane	98.8	60 - 130
Toluene-d8	99.0	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-004 **Sample ID: MW-12** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:05 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	0.80		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-004 **Sample ID: MW-12** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:05 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	5.9		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	38		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	1.3		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.3	60 - 130
Dibromofluoromethane	97.7	60 - 130
Toluene-d8	98.0	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-005 **Sample ID: MW-9** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:35 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-005 **Sample ID: MW-9** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:35 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	104	60 - 130
Dibromofluoromethane	112	60 - 130
Toluene-d8	103	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-006 **Sample ID: MW-8** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:05 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-006 **Sample ID: MW-8** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:05 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM1060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM1060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM1060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	103	60 - 130
Dibromofluoromethane	111	60 - 130
Toluene-d8	105	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-007 **Sample ID: MW-5** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:35 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	27		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-007 **Sample ID: MW-5** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:35 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	7.1		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	98		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	1.2		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	6.9		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.6	60 - 130
Dibromofluoromethane	98.2	60 - 130
Toluene-d8	99.3	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-008 **Sample ID: DMW-5** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:55 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-008 **Sample ID: DMW-5** **Matrix:** Liquid **Sample Date:** 2/8/2006 10:55 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/21/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/21/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/21/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Trichloroethene	0.60		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/21/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.1	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	102	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-009 **Sample ID: DMW-3** **Matrix:** Liquid **Sample Date:** 2/8/2006 11:35 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-009 **Sample ID: DMW-3** **Matrix:** Liquid **Sample Date:** 2/8/2006 11:35 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	0.88		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	94.8	60 - 130
Dibromofluoromethane	102	60 - 130
Toluene-d8	101	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-010 **Sample ID: DMW-4** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:15 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-010 **Sample ID: DMW-4** **Matrix:** Liquid **Sample Date:** 2/8/2006 12:15 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	5.1		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	1.7		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	0.63		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.0	60 - 130
Dibromofluoromethane	99.7	60 - 130
Toluene-d8	100	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-011 **Sample ID: DMW-2** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:00 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-011 **Sample ID: DMW-2** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:00 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.8	60 - 130
Dibromofluoromethane	102	60 - 130
Toluene-d8	100	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-012 **Sample ID: DMW-1** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:40 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,2-Dichloroethene	6.9		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-012 **Sample ID: DMW-1** **Matrix:** Liquid **Sample Date:** 2/8/2006 1:40 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060221
Tetrachloroethene	41		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichloroethene	42		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060221

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.4	60 - 130
Dibromofluoromethane	99.4	60 - 130
Toluene-d8	98.4	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-013 **Sample ID: RB-02** **Matrix:** Liquid **Sample Date:** 2/8/2006 2:00 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-013 **Sample ID: RB-02** **Matrix:** Liquid **Sample Date:** 2/8/2006 2:00 PM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.7	60 - 130
Dibromofluoromethane	94.8	60 - 130
Toluene-d8	100	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-014 **Sample ID: MW-7** **Matrix:** Liquid **Sample Date:** 2/9/2006 8:50 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-014 **Sample ID: MW-7** **Matrix:** Liquid **Sample Date:** 2/9/2006 8:50 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	1.6		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	4.8		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	1.1		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.0	60 - 130
Dibromofluoromethane	98.3	60 - 130
Toluene-d8	100	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-015 **Sample ID: MW-6** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:15 AM

EPA 3510C - TPH-Extractable

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Mineral Spirits (Stoddard)	ND		1.0	50	µg/L	2/13/2006	WD060213A	2/14/2006	WD060213A

Surrogate	Surrogate Recovery	Control Limits (%)
o-Terphenyl	95.0	22 - 133

Analyzed by: JHsiang
Reviewed by: ECunniffe

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-015 **Sample ID: MW-6** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:15 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting. ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments. Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-015 **Sample ID: MW-6** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:15 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	94.7	60 - 130
Dibromofluoromethane	98.6	60 - 130
Toluene-d8	98.8	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-016 **Sample ID: MW-3** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:45 AM

EPA 3510C - TPH-Extractable

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Mineral Spirits (Stoddard)	410		1.0	50	µg/L	2/13/2006	WD060213A	2/15/2006	WD060213A

Surrogate	Surrogate Recovery	Control Limits (%)
o-Terphenyl	91.1	22 - 133

Analyzed by: JHsiang
Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-016 **Sample ID: MW-3** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:45 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	1.0		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	1.7		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	9.0		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	17		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-016 **Sample ID: MW-3** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:45 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	1.0		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	0.56		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.6	60 - 130
Dibromofluoromethane	98.9	60 - 130
Toluene-d8	97.4	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-017 **Sample ID: MW-13** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:55 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2-Dichlorobenzene	1.0		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,3-Dichlorobenzene	1.7		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
1,4-Dichlorobenzene	8.7		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Chlorobenzene	17		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-017 **Sample ID: MW-13** **Matrix:** Liquid **Sample Date:** 2/9/2006 9:55 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/23/2006	WM2B060223B
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/23/2006	WM2B060223B
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Trichloroethene	0.97		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B
Xylenes, Total	0.62		1.0	0.50	µg/L	N/A	N/A	2/23/2006	WM2B060223B

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.1	60 - 130
Dibromofluoromethane	94.3	60 - 130
Toluene-d8	95.3	60 - 130

Analyzed by: TAF
Reviewed by: XBian

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-018 **Sample ID: MW-2** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:20 AM

EPA 3510C - TPH-Extractable

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Mineral Spirits (Stoddard)	2700		4.0	200	µg/L	2/13/2006	WD060213A	2/15/2006	WD060213A

Surrogate	Surrogate Recovery	Control Limits (%)
o-Terphenyl	122	22 - 133

Analyzed by: JHsiang
Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-018 **Sample ID: MW-2** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:20 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	4.6		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	5.7		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	30		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	1.6		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	150		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-018 **Sample ID: MW-2** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:20 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		2.0	2.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		2.0	2.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		2.0	40	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		2.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		2.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	1.2		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	3.0		2.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.2	60 - 130
Dibromofluoromethane	102	60 - 130
Toluene-d8	95.9	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-019 **Sample ID: MW-1** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:50 AM

EPA 3510C - TPH-Extractable

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Mineral Spirits (Stoddard)	720		2.0	100	µg/L	2/13/2006	WD060213A	2/15/2006	WD060213A

Surrogate	Surrogate Recovery	Control Limits (%)
o-Terphenyl	94.6	22 - 133

Analyzed by: JHsiang
Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-019 **Sample ID: MW-1** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:50 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-019 **Sample ID: MW-1** **Matrix:** Liquid **Sample Date:** 2/9/2006 10:50 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	0.50		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	103	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	98.6	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-020 **Sample ID: RB-01** **Matrix:** Liquid **Sample Date:** 2/9/2006 11:00 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,3-Trichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Acetone	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Detection Limit = Detection Limit for Reporting.
ND = Not Detected at or above the Detection Limit.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Project Number: 2210
Project Name: SK(Rohnert Park)
Project Location: Rohnert Park
GlobalID: T0609700186

Certificate of Analysis - Data Report

Samples Received: 02/10/2006
Sample Collected by: Client

Lab # : 47813-020 **Sample ID: RB-01** **Matrix:** Liquid **Sample Date:** 2/9/2006 11:00 AM

EPA 5030C - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	2/22/2006	WM2060222
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	2/22/2006	WM2060222

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	99.7	60 - 130
Dibromofluoromethane	103	60 - 130
Toluene-d8	99.3	60 - 130

Analyzed by: TAF
Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.
D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.
ND = Not Detected at or above the Detection Limit.
Qual = Data Qualifier

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Extractable

QC/Prep Batch ID: WD060213A

Validated by: ECunniffe - 02/15/06

QC/Prep Date: 2/13/2006

Parameter	Result	DF	PQLR	Units
TPH as Mineral Spirits (Stoddard)	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
o-Terphenyl	**95.6**	22 - 133

LCS / LCSD - Liquid - TPH-Extractable

QC Batch ID: WD060213A

Reviewed by: ECunniffe - 02/15/06

QC/Prep Date: 2/13/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Diesel	<50	1000	826	µg/L	82.6	40 - 138
TPH as Motor Oil	<200	1000	1080	µg/L	108	40 - 138

Surrogate	% Recovery	Control Limits
o-Terphenyl	**99.0**	22 - 133

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Diesel	<50	1000	948	µg/L	94.8	**14**	25.0	40 - 138
TPH as Motor Oil	<200	1000	1130	µg/L	113	**3.9**	25.0	40 - 138

Surrogate	% Recovery	Control Limits
o-Terphenyl	**104.0**	22 - 133

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060222 Validated by: MaiChiTu - 02/22/06

QC Batch Analysis Date: 2/22/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060222

Validated by: MaiChiTu - 02/22/06

QC Batch Analysis Date: 2/22/2006

Parameter	Result	DF	PQLR	Units
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	**101**	70 - 125
Dibromofluoromethane	**108**	70 - 125
Toluene-d8	**105**	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1060222 Reviewed by: MaiChiTu - 02/22/06

QC Batch ID Analysis Date: 2/22/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.9	µg/L	94.5	70 - 130
Benzene	<0.50	20	20.8	µg/L	104	70 - 130
Chlorobenzene	<0.50	20	20.4	µg/L	102	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.3	µg/L	116	70 - 130
Toluene	<0.50	20	19.8	µg/L	99.0	70 - 130
Trichloroethene	<0.50	20	20.2	µg/L	101	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**98.9**	60 - 130
Dibromofluoromethane	**104.0**	60 - 130
Toluene-d8	**98.0**	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	20.6	µg/L	103	**8.6**	25.0	70 - 130
Benzene	<0.50	20	22.9	µg/L	114	**9.6**	25.0	70 - 130
Chlorobenzene	<0.50	20	22.4	µg/L	112	**9.3**	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	25.2	µg/L	126	**7.8**	25.0	70 - 130
Toluene	<0.50	20	21.4	µg/L	107	**7.8**	25.0	70 - 130
Trichloroethene	<0.50	20	22.3	µg/L	112	**9.9**	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**101.0**	60 - 130
Dibromofluoromethane	**109.0**	60 - 130
Toluene-d8	**96.4**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060221 Validated by: MaiChiTu - 02/21/06

QC Batch Analysis Date: 2/21/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060221 Validated by: MaiChiTu - 02/21/06

QC Batch Analysis Date: 2/21/2006

Parameter	Result	DF	PQLR	Units
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	**97.9**	70 - 125
Dibromofluoromethane	**96.4**	70 - 125
Toluene-d8	**100**	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060221 Reviewed by: MaiChiTu - 02/21/06

QC Batch ID Analysis Date: 2/21/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.8	µg/L	94.1	70 - 130
Benzene	<0.50	20	19.6	µg/L	97.8	70 - 130
Chlorobenzene	<0.50	20	18.8	µg/L	93.8	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.3	µg/L	116	70 - 130
Toluene	<0.50	20	18.9	µg/L	94.5	70 - 130
Trichloroethene	<0.50	20	19.4	µg/L	97.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**102.0**	60 - 130
Dibromofluoromethane	**101.0**	60 - 130
Toluene-d8	**95.6**	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.4	µg/L	92.0	**2.3**	25.0	70 - 130
Benzene	<0.50	20	18.5	µg/L	92.7	**5.3**	25.0	70 - 130
Chlorobenzene	<0.50	20	18.0	µg/L	89.8	**4.3**	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.8	µg/L	109	**6.3**	25.0	70 - 130
Toluene	<0.50	20	18.1	µg/L	90.6	**4.2**	25.0	70 - 130
Trichloroethene	<0.50	20	18.3	µg/L	91.7	**5.7**	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**101.0**	60 - 130
Dibromofluoromethane	**99.7**	60 - 130
Toluene-d8	**96.8**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060221 Reviewed by: dba - 02/24/06

QC Batch ID Analysis Date: 2/21/2006

MS Sample Spiked: 47813-012

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	20	19.1	µg/L	2/21/2006	95.6	70 - 130
Benzene	ND	20	19.7	µg/L	2/21/2006	98.5	70 - 130
Chlorobenzene	ND	20	18.5	µg/L	2/21/2006	92.5	70 - 130
Methyl-t-butyl Ether	0.938	20	22.2	µg/L	2/21/2006	106	70 - 130
Toluene	ND	20	19.0	µg/L	2/21/2006	94.8	70 - 130
Trichloroethene	41.7	20	64.1	µg/L	2/21/2006	112	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**99.5**	60 - 130
Dibromofluoromethane	**104.0**	60 - 130
Toluene-d8	**96.0**	60 - 130

MSD Sample Spiked: 47813-012

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	ND	20	19.3	µg/L	2/21/2006	96.5	0.94	25.0	70 - 130
Benzene	ND	20	19.4	µg/L	2/21/2006	97.0	1.5	25.0	70 - 130
Chlorobenzene	ND	20	18.5	µg/L	2/21/2006	92.5	0.0	25.0	70 - 130
Methyl-t-butyl Ether	0.938	20	23.3	µg/L	2/21/2006	112	4.8	25.0	70 - 130
Toluene	ND	20	19.0	µg/L	2/21/2006	95.2	0.41	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**98.4**	60 - 130
Dibromofluoromethane	**105.0**	60 - 130
Toluene-d8	**97.3**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060222 Validated by: MaiChiTu - 02/24/06

QC Batch Analysis Date: 2/22/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060222

Validated by: MaiChiTu - 02/24/06

QC Batch Analysis Date: 2/22/2006

Parameter	Result	DF	PQLR	Units
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	**96.9**	70 - 125
Dibromofluoromethane	**95.5**	70 - 125
Toluene-d8	**98.8**	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2060222 Reviewed by: MaiChiTu - 02/24/06

QC Batch ID Analysis Date: 2/22/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.1	µg/L	90.7	70 - 130
Benzene	<0.50	20	19.7	µg/L	98.3	70 - 130
Chlorobenzene	<0.50	20	18.6	µg/L	93.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	20.5	µg/L	103	70 - 130
Toluene	<0.50	20	18.7	µg/L	93.4	70 - 130
Trichloroethene	<0.50	20	19.4	µg/L	96.9	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**97.3**	60 - 130
Dibromofluoromethane	**97.5**	60 - 130
Toluene-d8	**95.0**	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.0	µg/L	89.9	**0.89**	25.0	70 - 130
Benzene	<0.50	20	18.9	µg/L	94.4	**4.0**	25.0	70 - 130
Chlorobenzene	<0.50	20	18.7	µg/L	93.5	**0.58**	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.0	µg/L	105	**2.1**	25.0	70 - 130
Toluene	<0.50	20	18.8	µg/L	94.2	**0.88**	25.0	70 - 130
Trichloroethene	<0.50	20	18.5	µg/L	92.4	**4.7**	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**102.0**	60 - 130
Dibromofluoromethane	**98.1**	60 - 130
Toluene-d8	**97.9**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2B060223B

Validated by: XBian - 02/24/06

QC Batch Analysis Date: 2/23/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2B060223B

Validated by: XBian - 02/24/06

QC Batch Analysis Date: 2/23/2006

Parameter	Result	DF	PQLR	Units
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	**94.8**	70 - 125
Dibromofluoromethane	**95.4**	70 - 125
Toluene-d8	**98.2**	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2B060223B Reviewed by: XBian - 02/24/06

QC Batch ID Analysis Date: 2/23/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	20.0	µg/L	100	70 - 130
Benzene	<0.50	20	22.4	µg/L	112	70 - 130
Chlorobenzene	<0.50	20	21.4	µg/L	107	70 - 130
Methyl-t-butyl Ether	<1.0	20	19.0	µg/L	94.9	70 - 130
Toluene	<0.50	20	20.9	µg/L	104	70 - 130
Trichloroethene	<0.50	20	22.2	µg/L	111	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**98.6**	60 - 130
Dibromofluoromethane	**98.1**	60 - 130
Toluene-d8	**93.4**	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	19.3	µg/L	96.3	**3.9**	25.0	70 - 130
Benzene	<0.50	20	20.4	µg/L	102	**9.3**	25.0	70 - 130
Chlorobenzene	<0.50	20	19.8	µg/L	99.2	**7.4**	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	17.8	µg/L	88.8	**6.6**	25.0	70 - 130
Toluene	<0.50	20	19.3	µg/L	96.4	**8.0**	25.0	70 - 130
Trichloroethene	<0.50	20	21.0	µg/L	105	**5.8**	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**96.8**	60 - 130
Dibromofluoromethane	**95.3**	60 - 130
Toluene-d8	**93.0**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2B060223B Reviewed by: XBian - 02/24/06

QC Batch ID Analysis Date: 2/23/2006

MS Sample Spiked: 47848-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	20	20.7	µg/L	2/23/2006	104	70 - 130
Benzene	ND	20	21.1	µg/L	2/23/2006	106	70 - 130
Chlorobenzene	ND	20	20.3	µg/L	2/23/2006	102	70 - 130
Methyl-t-butyl Ether	ND	20	20.3	µg/L	2/23/2006	101	70 - 130
Toluene	ND	20	19.3	µg/L	2/23/2006	96.7	70 - 130
Trichloroethene	ND	20	21.3	µg/L	2/23/2006	107	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**97.9**	60 - 130
Dibromofluoromethane	**103.0**	60 - 130
Toluene-d8	**93.3**	60 - 130

MSD Sample Spiked: 47848-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	ND	20	20.5	µg/L	2/23/2006	103	0.93	25.0	70 - 130
Benzene	ND	20	21.3	µg/L	2/23/2006	106	0.76	25.0	70 - 130
Chlorobenzene	ND	20	20.4	µg/L	2/23/2006	102	0.45	25.0	70 - 130
Methyl-t-butyl Ether	ND	20	22.2	µg/L	2/23/2006	111	9.0	25.0	70 - 130
Toluene	ND	20	19.4	µg/L	2/23/2006	96.9	0.19	25.0	70 - 130
Trichloroethene	ND	20	21.3	µg/L	2/23/2006	106	0.30	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	**98.5**	60 - 130
Dibromofluoromethane	**106.0**	60 - 130
Toluene-d8	**90.6**	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court (408) 588-0200
Santa Clara, CA 95054 (408) 588-0201 - Fax

Chain of Custody / Analysis Request

Attention to: Chris Walsh	Phone No.: 510-769-3561	Purchase Order No.:	Invoice to: (If Different) Mr. Brian Culnan	Phone:
Company Name: Cameron-Cole	Fax No.: 510-337-3994	Project No.: 2210	Company: Safety Kleen	Quote No.:
Mailing Address: 101 W. Atlantic Ave Bldg 90	Email Address:	Project Name: Sk Rohnert Park	Billing Address: (If Different) 1050 N. 3rd St.	
City: Alameda	State: CA Zip Code: 94501	Project Location: Rohnert Park	City: Laramie	State: WY Zip: 82072

Sampler: (8)

Field Org. Code:

Global ID: T0609700186

Turn Around Time
- ☐ Same Day ☐ 1 Day
- ☐ 2 Day ☐ 3 Day
- ☐ 4 Day ☐ 5 Day
- ☒ 10 Day

Order ID:

Client ID / Field Point	Lab. No.	Sample Date	Sample Time	Matrix	No. of Containers	EPA 8260B (Low Level)	BTEX ☐, MTBE ☐ TPH Gas ☐, by 8260B	5 Oxygenates (MTBE, TBA, ETBA, DIPE, TAME) ☐ Lead Scavengers (1,2-DCA & EDB) ☐, Ethanol ☐	Base/Neutral/Acid Organics 8270C ☐, PAH - 8270C ☐, PAH - 8270C SIM ☐	TPH Extractable: Diesel ☐, Motor Oil ☐, Other ☐, w/ Si-Gel Cleanup ☐	Pesticides-8081 ☐ PCBs - 8082 ☐	TPH as Gas/BTEX ☐, MTBE ☐, by 8015M/8020	Methanol by 8015M	Anions: F ☐ Cl ☐ Br ☐ SO4 ☐ NO3 ☐ NO2 ☐ PO4 ☐	pH ☐ TSS ☐ SC ☐ TOC ☐ TRPH ☐ O & G ☐	Metals - Circle Below Total ☐ Dissolved ☐ STLC ☐ TCLP ☐	Remarks
TB-01	47813-001	2/8/06	1020	W	3	X											
MW-11	002		1045														
MW-10	003		1130														
MW-12	004		1205														
MW-9	005		1235														
MW-8	006		1305														
MW-5	007		1335														
DMW-5	008		1055														
DMW-3	009		1135														
DMW-4	010		1215														
DMW-2	011		1300														
DMW-1	012		1340														
RB-02	013		1400														

Relinquished by:	Received by:	Date:	Time:
[signature]	[signature]	2/10/06	0852
[signature]	[signature]	2/10/06	1110

Special Instructions or Comments

Please send copy of COC w/ invoice to Mr. Brian Culnan

- ☒ EDD Report
- ☒ EDF Report
- ☐ Plating
- ☐ LUFT-5
- ☐ RCRA-8
- ☐ PPM-13
- ☐ CAM-17

Metals:
Al, As, Sb, Ba, Be, Bi, B, Cd, Ce, Ca, Cr, Co, Cs, Cu, Fe, Pb, Mg, Mn, Ga, Ge, Hg, In, Li, Mo, Ni, P, K, Si, Ag, Na, S, Se, Sr, Ta, Te, Tl, Sn, Ti, Zn, V, W, Zr

Entech Analytical Labs, Inc.

3334 Victor Court (408) 588-0200
Santa Clara, CA 95054 (408) 588-0201 - Fax

Chain of Custody / Analysis Request

Attention to: Chris Walsh	Phone No.: 510 772 769 3560	Purchase Order No.:	Invoice to: (If Different) Mr. Brian Culnan	Phone:	
Company Name: Cameron-Cole	Fax No.: 510 337 3994	Project No.: 2210	Company: Safety-Kleen Systems	Quote No.:	
Mailing Address: 101 W. Atlantic av Bldg #90	Email Address:	Project Name: SK Rohnert Park	Billing Address: (If Different) 1050 N 3rd street		
City: Alameda	State: CA	Zip Code: 94501	Project Location: Rohnert Park	City: Laramie	State: WY Zip: 82072

Sampler: WS SS

Field Org. Code:

Global ID: T0609700186

Turn Around Time
- ☐ Same Day
- ☐ 1 Day
- ☐ 2 Day
- ☐ 3 Day
- ☐ 4 Day
- ☒ 10 Day

Order ID:

Client ID / Field Point	Lab. No.	Date	Time	Matrix	No. of Containers	EPA 8260B (Low level)	BTEX ☐, MTBE ☐ TPH Gas ☐ by 8260B	5 Oxygenates (MTBE, TBA, ETBA, DIPE, TAME) ☐ Lead Scavengers (1,2-DCA & EDB) ☐, Ethanol ☐	Base/Neutral/Acid Organics 8270C ☐, PAH - 8270C ☐, PAH - 8270C SIM ☐	TPH Extractable: Diesel ☐, Motor Oil ☐, Other ☐ w/ Si-Gel Cleanup ☐ (TPH - DRO Extractable)	Pesticides-8081 ☐ PCBs - 8082 ☐	TPH as Gas/BTEX ☐, MTBE ☐ by 8015M/8020	Methanol by 8015M	Anions: F ☐ Cl ☐ Br ☐ SO4 ☐ NO3 ☐ NO2 ☐ PO4 ☐	pH ☐ TSS ☐ SC ☐ TOC ☐ TRPH ☐ O & G ☐	Metals - Circle Below Total ☐ Dissolved ☐ STLC ☐ TCLP ☐	Remarks
MW-7	H7813-014	2/9/06	0850	W	3	X											
MW-6	015		0915		3	X											
MW-6	015	015	0915		2					X							
MW-3	016 ~~017~~		0945		3	X											
MW-3	016 ~~017~~	016	0945		2					X							
MW-23	~~019~~	017	0955		3	X											
MW-2	~~JM020~~		1020		3	X											
MW-2	~~JM021~~	018	1020		2					X							
MW-1	~~JM022~~		1050		3	X											
MW-1	~~JM023~~	019	1050		2					X							
RR-01	024	-020	1100		3	X											

Relinquished by:	Received by:	Date:	Time:
		2/10/06	0852
Relinquished by:	Received by:	Date:	Time:
		2/10/06	1110
Relinquished by:	Received by:	Date:	Time:

Special Instructions or Comments

Please send invoice and a copy of COC to Mr. Brian Culnan

Metals:
Al, As, Sb, Ba, Be, Bi, B, Cd, Ce, Ca, Cr, Co, Cs, Cu, Fe, Pb, Mg, Mn,
Ga, Ge, Hg, In, Li, Mo, Ni, P, K, Si, Ag, Na, S, Se, Sr, Ta, Te, Tl, Sn, Ti, Zn, V, W, Zr

- ☒ EDD Report
- ☒ EDF Report
- ☐ Plating
- ☐ LUFT-5
- ☐ RCRA-8
- ☐ PPM-13
- ☐ CAM-17

APPENDIX C

ACCEPTANCE-REJECTION CRITERIA

ACCEPTANCE - REJECTION CRITERIA

The EPA has established acceptance-rejection criteria for duplicate and replicate samples for the analysis of inorganic compounds ("Laboratory Data Validation - Functional Guidelines for Evaluating Inorganic Analyses", 1988). These criteria were then modified for the analysis of VOCs. To determine whether duplicate or replicate sample results are acceptable, the relative percent difference (RPD) is calculated.

The RPD is defined as: $(|X - Y| \ / \ \text{Average of X and Y}) * 100$; or

$(|X - Z| \ / \ \text{Average of X and Z}) * 100$

X = primary sample result
Y = duplicate sample result
Z = replicate sample result

A duplicate or replicate sample result meets the acceptance criteria if:

- the relative percent difference (RPD) is below 20 percent. (If the RPD falls between 20 and 50 percent, the data is accepted but the percent difference is noted. If the RPD exceeds 50 percent the data is rejected.); and

- the sample concentration is five times higher than the quantitation limit. (The quantitation limit is provided by the analytical laboratory for each compound and is typically 2 to 5 times the method detection limit of the specific analysis.)

Since relatively small differences between low VOC concentrations will result in high RPDs, the criteria are not applied to concentrations below 10 parts per billion.