Table 1: Partial Analytical Results from Shallow Sampling Activities - Soil
4660 Hessel Road, Sebastopol

Sample ID	Date	Depth	TPH-g	B	T	E	X
		----------mg/kg----------					
B-1	12/05/94	1.5	23	ND	ND	ND	ND
B-1	12/05/94	5.0	ND	ND	ND	ND	ND
B-2	12/05/94	1.5	ND	ND	ND	ND	ND
B-2	12/05/94	4.5	ND	ND	ND	0.0016	0.0092
B-3	03/07/95	2.5	ND	ND	ND	ND	ND
B-4	03/07/95	2.5	ND	ND	ND	ND	ND
B-5	03/07/95	2.5	ND	ND	ND	ND	ND
B-6	03/07/95	2.5	ND	ND	ND	ND	ND
B-7	03/07/95	2.5	ND	ND	ND	ND	ND
B-8	03/08/95	2.5	ND	ND	ND	ND	ND
B-11	03/07/95	2.0	ND	ND	ND	ND	ND
B-12	03/07/95	2.5	ND	ND	ND	ND	ND
B-16	03/08/95	1.5	ND	ND	ND	ND	ND
B-17	03/08/95	2.0	ND	ND	ND	ND	ND
B-18	03/08/95	2.5	ND	ND	ND	ND	ND
B-19	03/08/95	2.5	ND	ND	ND	ND	ND
B-20	03/08/95	2.0	ND	ND	ND	ND	ND
HTP-1	01/17/95	2.0	ND	ND	ND	ND	ND
TR-1	01/17/95	1.5	2,200	5.2	18	23	120
TR-3	01/17/95	2.5	7.3	0.0097	0.098	0.15	0.68
TR-5	01/17/95	3.0	7,300	25	22	86	430

Table 2: Partial Analytical Results from Shallow Sampling Activities - Water
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	B	T	E	X
		ug/L				
B-3	03/07/95	690	90	24	2.6	10
B-4	03/07/95	ND	ND	2.8	0.77	2.5
B-5	03/07/95	ND	ND	ND	ND	ND
B-6	03/07/95	ND	ND	ND	ND	ND
B-7	03/07/95	ND	ND	ND	ND	ND
B-8	03/08/95	50	1.1	3.2	0.8	3.1
B-9	03/08/95	ND	ND	ND	ND	ND
B-11	03/07/95	ND	ND	ND	ND	ND
B-12	03/07/95	ND	ND	ND	ND	ND
B-13	03/07/95	ND	1.1	0.72	ND	ND
B-14	03/07/95	ND	ND	ND	ND	0.65
B-15	03/07/95	ND	ND	ND	ND	ND
B-16	03/08/95	ND	ND	ND	ND	ND
B-17	03/08/95	ND	ND	ND	ND	ND
B-18	03/08/95	ND	ND	ND	ND	ND
B-19	03/08/95	ND	ND	ND	ND	ND
B-20	03/08/95	ND	ND	ND	ND	ND
B-21	03/08/95	ND	ND	ND	ND	ND
B-22	03/08/95	ND	ND	ND	ND	ND
B-23	03/08/95	ND	ND	ND	ND	ND
B-24	03/08/95	ND	ND	ND	ND	ND
B-25	03/08/95	ND	ND	ND	ND	ND
B-26	03/08/95	ND	ND	ND	ND	ND
TP2-W	01/17/95	55,000	2,800	21,000	1,500	8,900
HW-1	01/17/95	ND	ND	ND	ND	ND
HW-2	01/17/95	ND	ND	ND	ND	ND
HW-3	01/17/95	ND	ND	ND	ND	ND
HW-4	01/17/95	ND	ND	ND	ND	ND

Table 3: Soil Sample Analytical Results from Deep Drilling Program - 1997
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	B	T	E	X	MTBE	TPH-d	TPH-mo
		----------mg/kg----------							
B-101-4.5	02/24/97	150	<0.10	0.15	0.12	0.97	<1.0	NA	NA
B-101-9.5		520	8.5	99	37	250	<20	NA	NA
B-101-13		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-101-14.5		<1.0	<0.005	<0.005	<0.005	0.029	<1.0	NA	NA
B-101-17		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-101-19.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-101-24		<1.0	<0.005	0.006	<0.005	0.0083	<1.0	NA	NA
B-102-4.5		180	<0.020	0.37	0.53	2.5	<1.0	NA	NA
B-102-9		<1.0	<0.020	<0.005	<0.005	<0.020	<1.0	NA	NA
B-102-13		<1.0	0.037	0.016	0.022	0.059	<1.0	NA	NA
B-102-19		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-103-4.5		550	<0.40	2.9	4.9	37	<20	NA	NA
B-103-9		920	<0.20	2.1	5.5	38	<10	NA	NA
B-103-13		74	0.54	1.4	1.1	6.7	<1.0	NA	NA
B-103-15		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-103-19		<1.0	<0.020	0.046	0.033	0.16	<1.0	NA	NA
B-103-23		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-4.5	02/25/97	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-9		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-12		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-14.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-19		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-104-24.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-4.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-9.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-14.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-19.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-21		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-24.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-105-25.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-106-4.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-106-9.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-106-15		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-106-19.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-106-24.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA

Table 3: Soil Sample Analytical Results from Deep Drilling Program - 1997
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	B	T	E	X	MTBE	TPH-d	TPH-mo
		----------mg/kg----------							
B-107-4.5	02/26/97	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-9.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-14.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-17		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-19.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-24		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-27		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-30		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-107-34.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-108-4.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-108-9.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-108-14		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-108-19.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-108-24		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-109-4.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-109-9.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-109-12.5		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-109-19		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	NA	NA
B-109-24		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	<1.0	<50
B-109-28		<1.0	<0.005	<0.005	<0.005	<0.005	<1.0	<1.0	<50

Table 4A: Analytical Results from Gas Pipeline Trench Sampling - Gas/BTEX/MTBE
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	B	T	E	X	MTBE
		----------mg/kg----------					
4660-PH-1-2.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-2-2.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-3-1.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-4-3.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-5-4'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-6-4'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-7-3.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-8-3.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-9-3.2'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-10-3.8'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-11-3.5'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-12-4'	11/24/98	<1.0	<0.005	<0.005	<0.005	<0.005	<1.0
4660-PH-13-4'	11/24/98	2,400	<0.005	7.7	12	110	<1.0
4660-PH-14-4'	11/24/98	4,000	<0.005	49	45	330	<1.0

Table 4B: Analytical Results from Gas Pipeline Trench Sampling - Diesel/Motor Oil
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-d	TPH-mo
		---------mg/kg--------	
4660-PH-1-2.5'	11/24/98	1.2	4.4
4660-PH-2-2.5'	11/24/98	<1.0	2.5
4660-PH-3-1.5'	11/24/98	<1.0	NA
4660-PH-4-3.5'	11/24/98	1.7	NA
4660-PH-5-4'	11/24/98	<1.0	NA
4660-PH-6-4'	11/24/98	2.3	NA
4660-PH-7-3.5'	11/24/98	<1.0	NA
4660-PH-8-3.5'	11/24/98	<1.0	NA
4660-PH-9-3.2'	11/24/98	1.1	NA
4660-PH-10-3.8'	11/24/98	<1.0	NA
4660-PH-11-3.5'	11/24/98	<1.0	NA
4660-PH-12-4'	11/24/98	<1.0	NA
4660-PH-13-4'	11/24/98	1,100	NA
4660-PH-14-4'	11/24/98	1,300	NA

Table 5: Soil Sample Analytical Results from Monitoring Wells
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	MTBE
		----------mg/kg----------							
MW-1-5	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-1-10	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-1-15'	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-1-20	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-3-5	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-3-10	06/29/99	<1.0	2.1	<2.0	<0.005	<0.005	0.009	0.034	<1.0
MW-3-15	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-5-5	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-5-10	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-5-15'	06/29/99	<1.0	<1.0	5.0	<0.005	<0.005	<0.005	0.0051	<1.0
MW-8-10'	10/12/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-8-14'	10/12/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-10-10.5'	10/11/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-10-14'	10/11/00	<1.0	3.7	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-12-9'	10/12/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-12-12'	10/12/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-12-14'	10/12/00	<1.0	<1.0	<2.0	<0.005	<0.005	0.023	0.06	<1.0
MW-14-10'	10/11/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-14-12.5'	10/11/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-14-13.5'	10/11/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-16-5'	10/25/00	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-16-10'	10/25/00	3.4	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
MW-16-15.5'	10/25/00	5.2	2.7	3.2	<0.005	<0.005	<0.005	<0.005	<1.0

Table 6: Soil Sample Analytical Results from 1999 Borings
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	MTBE
		----------mg/kg----------							
B-110-5	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-110-10	06/29/99	<1.0	<1.0	<2.0	0.0082	<0.005	0.0092	0.027	<1.0
B-110-15'	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-111-5	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	0.029	<1.0
B-111-10	06/29/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-112-5	06/30/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-112-10	06/30/99	26	1.6	<2.0	0.58	0.13	0.43	2.0	<1.0
B-112-15	06/30/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-113-5	07/01/99	<1.0	<1.0	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0
B-113-10	07/01/99	450	130	<5.0	<0.30	1.2	2.7	11	<3.0
B-113-13.5'	07/01/99	5.3	2.4	<2.0	<0.030	0.03	<0.030	0.12	<1.0
B-114-5	07/01/99	230	2,200	<5.0	<0.30	3.6	10	74	<3.0
B-114-10'	07/01/99	1,700	450	<10	<0.60	16	14	87	<5.0
B-114-13	07/01/99	1,700	2,200	100	<0.30	8.9	7.2	47	<3.0
B-114-15	07/01/99	3.0	1.2	<2.0	<0.005	<0.005	<0.005	<0.005	<1.0

Table 7: Soil Analytical Results from 2001 Borings
4660 Hessel Road, Sebastopol, California

Sample ID	Date	TPH-g	TPH-d	B	T	E	X	MTBE
		----------mg/kg----------						
B-201-4'	08/23/01	930	690	13	33	38	140	<5.0
B-201-8'	08/23/01	1,100	490	13	52	36	130	<5.0
B-203-4'	08/23/01	430	240	1.5	3.6	8.1	22	<5.0
B-203-7.5'	08/23/01	820	180	13	37	32	110	<5.0
B-204-4'	08/23/01	1.1	<10	0.031	0.046	0.066	0.38	<0.025
B-204-8'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-205-4'	08/23/01	<50	50	<0.50	<0.50	0.76	3.1	<2.5
B-205-8'	08/23/01	8.0	NA	0.075	0.14	0.22	0.78	<0.025
B-206-4'	08/23/01	NA	300	NA	NA	NA	NA	NA
B-206-8'	08/23/01	NA	190	NA	NA	NA	NA	NA
B-207-4'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-207-8'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-208-4'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-208-8'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-209-4'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-209-8'	08/23/01	NA	<10	NA	NA	NA	NA	NA
B-210-4'	08/23/01	<1.0	<10	<0.005	0.006	0.047	0.053	<0.025
B-210-8'	08/23/01	<1.0	<10	0.011	<0.005	<0.005	<0.015	<0.025
B-211-4'	08/23/01	NA	920	NA	NA	NA	NA	NA
B-211-8'	08/23/01	NA	27	NA	NA	NA	NA	NA
B-212-4'	08/23/01	<1.0	<10	<0.005	<0.005	<0.005	0.02	<0.025
B-212-8'	08/23/01	<1.0	<10	<0.005	0.008	0.012	0.03	<0.025
B-213-4'	08/23/01	<1.0	NA	<0.005	<0.005	<0.005	<0.015	<0.025
B-213-8'	08/23/01	6.8	NA	0.51	0.62	0.2	0.81	<0.025
B-214-5'	08/24/01	<1.0	NA	<0.005	<0.005	<0.005	<0.015	<0.025
B-214-8'	08/24/01	6.4	50	0.22	0.4	0.22	1.2	<0.025
B-215-6'	08/24/01	NA	120	NA	NA	NA	NA	NA
B-215-9'	08/24/01	NA	700	NA	NA	NA	NA	NA
B-216-6'	08/24/01	1.1	<10	0.21	0.22	0.049	0.2	<0.025
B-216-9'	08/24/01	840	<10	16	43	20	73	<2.5
B-216-11.5'	08/24/01	NA	1,400	NA	NA	NA	NA	NA
B-217-6'	08/24/01	1,110	590	14	45	35	140	<5.0
B-218-6'	08/24/01	<1.0	NA	0.34	<0.005	<0.005	<0.015	<0.025
B-218-9'	08/24/01	10	NA	3.2	2.1	1.4	2.9	<0.50
B-219-9'	08/24/01	NA	920	NA	NA	NA	NA	NA
B-220-7'	08/24/01	NA	<10	NA	NA	NA	NA	NA
B-220-9'	08/24/01	100	NA	1.8	3.9	3.1	11	<2.5
B-221-9'	08/24/01	1,300	310	20	18	23	82	<5.0
B-222-9'	08/24/01	NA	<10	NA	NA	NA	NA	NA
B-223-9'	08/24/01	15	NA	1.9	0.9	4.7	7.4	<0.50
B-223-11.5'	08/24/01	NA	<10	NA	NA	NA	NA	NA
B-224-9'	08/24/01	<1.0	NA	<0.005	<0.005	<0.005	<0.015	<0.025
B-225-11.5'	08/24/01	400	110	11	33	17	70	<5.0
B-226-9'	08/24/01	4.1	NA	0.51	0.35	0.13	0.37	<0.50

Table 8: Soil Analytical Results from 2001 Excavation
4660 Hessel Road, Sebastopol, California

Sample ID	Date	TPH-g	TPH-d	B	T	E	X	MTBE
		----------mg/kg----------						
S-1-(11')	10/09/01	<1.0	<5.0	<0.005	<0.005	<0.005	<0.015	<0.025
S-2-(11')	10/09/01	<1.0	<5.0	<0.005	<0.005	<0.005	<0.015	<0.025
S-3-(11')	10/09/01	<1.0	<5.0	0.012	<0.005	<0.005	<0.015	<0.025
S-4-(11')	10/09/01	7.7	<5.0	0.046	0.18	0.09	0.3	<0.050
S-5-(11')	10/09/01	5.0	<5.0	0.33	0.43	0.11	0.46	<0.025
S-6-(11')	10/09/01	1.6	<5.0	0.21	0.11	0.02	0.11	<0.025
S-7-(11')	10/09/01	1.8	<5.0	0.13	0.077	<0.005	<0.015	<0.025
S-8-11'	10/10/01	16	<5.0	0.15	0.31	0.24	0.63	<0.025
S-9-11'	10/10/01	<1.0	<5.0	0.015	0.018	0.006	0.02	<0.025
S-10-11'	10/10/01	<1.0	<5.0	0.033	0.005	0.043	0.076	<0.025
S-11-11'	10/11/01	100	43	0.38	1.0	0.83	3.1	<1.0
S-12-11'	10/12/01	<1.0	<5.0	0.017	0.014	<0.005	0.015	<0.025
S13-10'	10/16/01	<1.0	<5.0	0.006	<0.005	<0.005	<0.015	<0.025
S14-8'	10/16/01	<1.0	<5.0	0.005	<0.005	0.006	<0.015	<0.025
S15-9'	10/16/01	4.4	<5.0	0.4	0.21	0.12	0.28	<0.025
S16-3'	10/16/01	40	170	<0.005	0.058	0.22	0.58	<0.025
B-1-(13')	10/09/01	<1.0	<5.0	0.063	0.054	<0.005	<0.015	<0.025
B-2-(13')	10/09/01	<1.0	<5.0	0.2	0.12	<0.005	<0.015	<0.025
B-3-(13')	10/09/01	1.0	<5.0	0.092	0.16	0.017	0.087	<0.025
B-4-(13')	10/09/01	<1.0	<5.0	0.094	0.011	0.025	0.036	<0.025
B-5-(13')	10/09/01	1.3	<5.0	0.17	0.25	0.009	0.044	<0.025
B-6-13'	10/10/01	<1.0	<5.0	0.018	0.017	0.007	0.032	<0.025
B-7-13'	10/10/01	<1.0	<5.0	<0.005	<0.005	<0.005	<0.015	<0.025
B-8-13'	10/10/01	6.5	<5.0	1.1	0.93	0.15	0.74	<0.025
B-9-14'	10/11/01	<1.0	<5.0	0.022	0.006	0.005	0.015	<0.025
B-10-14'	10/11/01	2.1	<5.0	0.35	0.3	0.044	0.2	<0.025
B-11-13'	10/12/01	<1.0	<5.0	0.012	0.011	<0.005	0.019	<0.025
B12-16'	10/16/01	<1.0	<5.0	0.006	<0.005	<0.005	<0.015	<0.025
B13-9'	10/16/01	<1.0	<5.0	<0.005	<0.005	<0.005	<0.015	<0.025
EX-1	10/16/01	21	<5.0	0.2	0.27	0.17	0.82	<0.025

Table 9: Soil Boring Analytical Results - Monitoring Wells - 2004
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	Benzene	Toluene	Ethylbenzene	Xylenes	5-Oxys	n-propylbenzene*	1,3,5-trimethylbenzene*	1,2,4-trimethylbenzene*	n-butylbenzene*	naphthalene*
		----------mg/kg----------										
MW-18-5'	02/11/04	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002
MW-18-10'	02/11/04	<1.0	<0.002	<0.002	<0.002	0.035	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002
MW-20-5'	02/12/04	550	<0.4	4.9	2.3	146	<0.4 to <10	1.1	3.2	9.5	1.0	1.8
MW-20-10'	02/12/04	52	<0.1	0.31	0.38	2.18	<0.1 to <1.0	0.2	0.52	1.6	0.14	0.4

* Component of gasoline.
All other VOCs are ND.

Table 10: Domestic Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	Other VOCs
		ug/L									
DW-1	08/09/99	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	10/20/99	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/26/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/27/02	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/21/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	03/03/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/27/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DW-HD	08/09/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	<50	<50	120	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/26/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/26/02	Well was dry									
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<1.0
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	03/03/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DW-HD2	08/09/99	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	10/20/99	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/26/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/26/02	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/21/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	NA	<0.5	<0.5
	03/02/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DW-3	08/09/99	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	2.2	<0.5	NA
	10/20/99	<50	<50	<100	0.45	<0.3	<0.5	<0.5	4.9	<0.5	NA
	01/11/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	2.6	<0.5	NA
	01/17/00*	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	2.2	<0.5	NA
	04/18/00 INF	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	1.0	<0.5	NA
	04/18/00 EFF	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	1.0	<0.5	NA
	07/26/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	2.0	<0.5	NA
	11/27/00	<50	<50	<100	0.31	<0.3	<0.5	<0.5	3.2	<0.5	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/22/01	No access - Property owner not home									NA
	11/26/01	No access - Property owner not home									NA
	02/25/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	0.7	<0.5	NA
	08/26/02	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	2.1	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/21/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	03/02/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

* Confirmation sampling of January 11, 2000 detections.

Table 10: Domestic Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	Other VOCs
		ug/L									
DW-4	08/09/99	190	NA	NA	<0.3	<0.3	<0.5	3.0	11 EDC	<0.5	NA
	10/20/99	500	<50	<100	50	1.3	2.9	23	20 EDC	<0.5	NA
	01/11/00	67	<50	<100	<0.3	<0.3	<0.5	2.6	7.1 EDC	<0.5	NA
	01/17/00*	83	NA	NA	1.0	<0.3	<0.5	<0.5	7.1 EDC	<0.5	NA
	04/18/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	07/20/00	<50	<50	<100	2.3	<0.3	<0.5	<0.5	2.6 EDC	<0.5	NA
	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	02/26/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA
	08/26/02	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/21/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	03/02/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DW-4615	08/26/02	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/15/03	NA	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	08/21/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/24/05	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/27/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DW-MB	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Note: Analysis for TPH-g, TPH-d, and TPH-mo removed from analytical suite with regulatory concurrence in August 20, 2002 letter.

* Confirmation sampling of January 11, 2000 contaminant hits.

Table 11: Soil Boring Analytical Results - 2005
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	Benzene	Toluene	Ethylbenzene	Xylenes	5-Oxys	EDC	isopropylbenzene	n-propylbenzene*	1,3,5-trimethylbenzene*	1,2,4-trimethylbenzene*	sec-butylbenzene	n-butylbenzene	naphthalene*
		----------mg/kg----------													
B-115-@13.0'	01/24/05	<1.0	0.067	<0.002	0.0049	<0.002	<0.002 to <0.05	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-115-@20.5'	01/24/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-116-@25.5'	01/25/05	<1.0	0.097	<0.002	0.011	<0.002	<0.002 to <0.05	0.0096	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-116-@35.5'	01/25/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-119@20.5'	01/26/05	1.0	0.21	0.0082	0.041	0.063	<0.002 to <0.05	0.002	<0.002	0.0035	0.0086	0.025	<0.002	<0.002	0.015
B-119@31.0'	01/26/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-120@16.0'	02/07/05	12	0.0076	<0.002	0.015	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	0.0027	<0.002	<0.002	<0.002	0.0088
B-120@24'	02/07/05	<1.0	0.0032	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-120@25.5'	02/07/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-120@31.5'	02/07/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-120@36.0'	02/07/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-121@16.5	02/08/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-121@21.0	02/08/05	<1.0	0.007	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-121@26.0	02/08/05	<1.0	<0.002	<0.002	<0.002	<0.002	<0.002 to <0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
B-122@10.5	02/09/05	1,700	7.3	52	19	109	<0.5 to <25	<0.005	1.3	6.7	17	62	0.71	5.0	9.9
B-122@16.0'	02/09/05	<1.0	0.054	0.08	0.028	0.16	<0.002 to <0.05	0.0052	<0.002	0.0092	0.023	0.082	<0.002	0.0073	0.0096
B-122@31.0'	02/09/05	<1.0	<0.002	0.004	0.0018	0.0098	<0.002 to <0.05	<0.002	<0.002	<0.002	0.0022	0.0078	<0.002	<0.002	<0.002

Table 12: Groundwater Boring Analytical Results - 2005
4660 Hessel Road, Sebastopol

Sample ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	MTBE	DIPE	ETBE	TAME	TBA	EDC	n-propyl benzene	1,3,5-trimethylbenzene	n-butylbenzene	1,2,4-trimethylbenzene	naphthalene
		ug/L																	
B-115-W@4.0'	01/24/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-115-W@21.5'	01/24/05	1,400	NA	NA	1,200	11	46	29	<10	<10	<10	<10	<250	63	<10	17	<10	12	<10
B-116-W@3.0'	01/24/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-116-W@20.0'	01/25/05	360	NA	NA	2.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	44	10	<1.0	2.0	<1.0	<1.0	<1.0
B-116-W@40.0'	01/25/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-117-W@3.0'	01/24/05	<50	NA	NA	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-117-W@20.0'	01/25/05	130	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	4.8	<1.0	<1.0	<1.0	<1.0	<1.0
B-117-W@40.0'	01/25/05	110	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-118-W@3.0'	01/24/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-118-W@20.0'	01/26/05	230	NA	NA	<1.0	<1.0	2.3	<1.0	<1.0	<1.0	<1.0	<1.0	<25	4.3	<1.0	<1.0	<1.0	<1.0	<1.0
B-118-W@37.0'	01/26/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-119-W@3.0'	01/26/05	<50	NA	NA	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-119-W@20.0'	01/26/05	3,300	NA	NA	1,100	30	170	110	<20	<20	<20	<20	<500	61	<1.0	23	<1.0	40	57
B-120-W@5.0'	02/07/05	100	NA	NA	25	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	2.8	<1.0	<1.0	<1.0	<1.0	1.0
B-120-W@39.0'	02/07/05	210	NA	NA	24	1.3	5	1.8	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	1.2	1.8
B-121-W@5.0'	02/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-121-W@15.0'	02/08/05	350	NA	NA	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	2.4	1.5	<1.0	<1.0	<1.0	<1.0
B-121-W@35.0'	02/08/05	<50	NA	NA	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
B-122-W@10.0'	02/09/05	58,000	81,000*	<10,000	6,900	20,000	2,000	11,900	<100	<100	<100	<100	<2,500	<100	290	810	<100	3,000	1,100
B-122-W@35.0'	02/09/05	670	NA	NA	2.8	31	10	61	<1.0	<1.0	<1.0	<1.0	<25	<1.0	3.9	10	2.7	38	6.9

* Floating product was present. The sample chromatogram does not exhibit a pattern characteristic of diesel. Higher boiling point constituents of gasoline are clearly present.

Table 13: Groundwater Flow Direction and Gradient for Shallow Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-2	07/12/99	140.03	4.32	135.71	N20ºE i = 0.02
MW-4		137.78	3.88	133.91	
MW-6		140.00	5.56	134.44	
MW-2	10/20/99	140.03	5.73	134.30	N20ºW i = 0.04
MW-4		137.78	5.38	132.40	
MW-6		140.00	5.54	134.46	
MW-2	01/11/00	140.03	3.96	136.07	N10ºW i = 0.02
MW-4		137.78	2.69	135.09	
MW-6		140.00	4.09	135.91	
MW-2	04/18/00	140.03	2.12	137.91	N40ºW i = 0.04
MW-4		137.78	0.68	137.10	
MW-6		140.00	1.19	138.81	
MW-2	07/20/00	140.03	5.09	134.94	N45ºW i = 0.02
MW-4		137.78	2.98	134.80	
MW-6		140.00	3.75	136.25	
MW-2	11/27/00	140.03	5.47	134.56	NNE i = 0.025
MW-4		137.78	3.58	134.20	
MW-6		140.00	4.89	135.11	
MW-8		140.24	5.30	134.94	
MW-10		136.89	5.53	131.36	
MW-12		139.38	5.65	133.73	
MW-14		135.18	4.95	130.23	
MW-16		137.38	4.30	133.08	
MW-2	02/28/01	140.03	2.04	137.99	N20ºW i = 0.02
MW-4		137.78	0.57	137.21	
MW-6		140.00	1.16	138.84	
MW-8		140.24	1.64	138.60	
MW-10		136.89	0.85	136.04	
MW-12		139.39	3.75	135.64	
MW-14		135.18	0.21	134.97	
MW-16		137.38	1.72	135.66	
MW-2	05/29/01	140.03	4.78	135.25	N10ºW i = 0.03
MW-4		137.78	3.31	134.47	
MW-6		140.00	4.42	135.58	
MW-8		140.24	4.82	135.42	
MW-10		136.89	4.48	132.41	
MW-12		139.38	5.48	133.90	
MW-14		135.18	3.92	131.26	
MW-16		137.38	4.18	133.20	

Table 13: Groundwater Flow Direction and Gradient for Shallow Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-2	08/22/01	140.03	7.0	133.03	N10°W i = 0.02
MW-4		137.78	5.50	132.28	
MW-6		140.00	6.88	133.12	
MW-8		140.24	7.39	132.85	
MW-10		136.89	7.30	129.59	
MW-12		139.38	6.95	132.43	
MW-14		135.18	6.30	128.88	
MW-16		137.38	6.46	130.92	
MW-2	11/26/01	140.03	3.45	136.58	N10°W i = 0.02
MW-4		137.78	2.45	135.33	
MW-6		140.00	3.70	136.30	
MW-8		140.24	3.80	136.44	
MW-10		136.89	3.76	133.13	
MW-12		139.38	5.22	134.16	
MW-14		135.18	3.32	131.86	
MW-16		137.38	3.10	134.28	
MW-2	02/25/02	140.03	2.31	137.72	N20°W i = 0.03
MW-4		137.78	0.39	137.39	
MW-6		140.00	1.36	138.64	
MW-8		140.24	1.85	138.39	
MW-10		136.89	0.95	135.94	
MW-12		139.38	3.72	135.66	
MW-14		135.18	0.30	134.88	
MW-16		137.38	2.01	135.37	
MW-2	05/29/02	140.03	4.12	135.91	Northerly i = 0.02
MW-4		137.78	2.0	135.78	
MW-6		140.00	3.36	136.64	
MW-8		140.24	3.86	136.38	
MW-10		136.89	3.23	133.66	
MW-12		139.38	5.26	134.12	
MW-14		135.18	2.66	132.52	
MW-16		137.38	3.31	134.07	
MW-2	08/26/02	140.03	6.05	133.98	Northerly i = 0.01
MW-4		137.78	4.46	133.32	
MW-6		140.00	6.51	133.49	
MW-8		140.24	7.38	132.86	
MW-10		136.89	6.34	130.55	
MW-12		139.38	6.0	133.38	
MW-14		135.18	5.47	129.71	
MW-16		137.38	5.49	131.89	

Table 13: Groundwater Flow Direction and Gradient for Shallow Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-2	11/19/02	140.03	5.35	134.68	N to NE i = 0.02
MW-4		137.78	3.78	134.00	
MW-6		140.00	5.75	134.25	
MW-8		140.24	6.48	133.76	
MW-10		136.89	5.92	130.97	
MW-12		139.38	5.50	133.88	
MW-14		135.18	5.46	129.72	
MW-16		137.38	4.77	132.61	
MW-2	02/18/03	140.03	2.03	138.00	Apparent N-NE Gradient not calculated
MW-4		137.78	0.40	137.38	
MW-6		140.00	1.31	138.69	
MW-8		140.24	1.78	138.46	
MW-10		136.89	0.80	136.09	
MW-12		139.38	3.65	135.73	
MW-14		135.18	0.10	135.08	
MW-16		137.38	1.79	135.59	
MW-2	05/14/03	140.03	2.82	137.21	Northerly i = 0.02
MW-4		137.78	0.98	136.80	
MW-6		140.00	2.04	137.96	
MW-8		140.24	2.53	137.71	
MW-10		136.89	1.74	135.15	
MW-12		139.38	4.31	135.07	
MW-14		135.18	1.02	134.16	
MW-16		137.38	2.45	134.93	
MW-2	08/20/03	140.03	5.41	134.62	Northeasterly i = 0.01
MW-4		137.78	4.05	133.73	
MW-6		140.00	5.98	134.02	
MW-8		140.24	6.77	133.47	
MW-10		136.89	5.77	131.12	
MW-12		139.38	5.82	133.56	
MW-14		135.18	4.72	130.46	
MW-16		137.38	5.33	132.05	
MW-2	11/20/03	140.03	5.33	134.70	Northeasterly i = 0.02
MW-4		137.78	3.47	134.31	
MW-6		140.00	5.45	134.55	
MW-8		140.24	6.13	134.11	
MW-10		136.89	5.90	130.99	
MW-12		139.38	5.58	133.80	
MW-14		135.18	5.25	129.93	
MW-16		137.38	4.71	132.67	

Table 13: Groundwater Flow Direction and Gradient for Shallow Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-2	03/02/04*	135.97	2.56	133.41	Northerly i = 0.03
MW-4		133.74	0.10	133.64	
MW-6		135.97	1.60	134.37	
MW-8		136.20	1.57	134.63	
MW-10		132.85	1.0	131.85	
MW-12		135.32	3.79	131.53	
MW-14		131.15	Artesian conditions		
MW-16		133.33	1.78	131.55	
MW-18		137.95	1.0	136.95	
MW-20		136.93	1.59	135.34	
Stand Pipe		135.11	5.20**	129.91	
Bridge		132.97	7.72	125.25	
MW-2	06/07/04	135.97	4.14	131.83	Northerly i = 0.03
MW-4		133.74	2.88	130.86	
MW-6		135.97	4.39	131.58	
MW-8		136.20	5.05	131.15	
MW-10		132.85	4.34	128.51	
MW-12		135.32	5.43	129.89	
MW-14		131.15	3.58	127.57	
MW-16		133.33	4.12	129.21	
MW-18		137.95	4.24	133.71	
MW-20		136.93	4.38	132.55	
Stand Pipe		135.11	6.14	128.97	
Bridge		132.97	7.84	125.13	
MW-2	09/02/04	135.97	2.87	133.10	N-NE i = 0.03
MW-4		133.74	3.97	129.77	
MW-6		135.97	5.61	130.36	
MW-8		136.20	6.32	129.88	
MW-10		132.85	5.99	126.86	
MW-12		135.32	5.35	129.97	
MW-14		131.15	4.86	126.29	
MW-16		133.33	5.58	127.75	
MW-18		137.95	4.47	133.48	
MW-20		136.93	4.33	132.60	
Stand Pipe		135.11	6.62	128.49	
Bridge		132.97	7.88	125.09	

* Previously existing wells were re-surveyed and MW-18 and MW-20 were surveyed to msl on February 26 and March 4, 2004.

** Measurement collected on March 12, 2004.

Table 13: Groundwater Flow Direction and Gradient for Shallow Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-2	01/04/05	135.97	1.33	134.64	N-NW i = 0.05
MW-4		133.74	Artesian conditions		
MW-6		135.97	0.56	135.41	
MW-8		136.20	1.15	135.05	
MW-10		132.85	0.39	132.46	
MW-12		135.32	4.11	131.21	
MW-14		131.15	Artesian conditions		
MW-16		133.33	1.21	132.12	
MW-18		137.95	0.47	137.48	
MW-20		136.93	0.76	136.17	
Stand Pipe		135.11	NM		
Bridge		132.97	NM		
MW-2	03/22/05	135.97	0.59	135.38	NW i = 0.04
MW-4		133.74	0.03	133.71	
MW-6		135.97	0.86	135.11	
MW-8		136.20	0.94	135.26	
MW-10		132.85	0.39	132.46	
MW-12		135.32	3.33	131.99	
MW-14		131.15	Artesian conditions		
MW-16		133.33	1.29	132.04	
MW-18		137.95	Artesian conditions		
MW-20		136.93	0.85	136.08	
Stand Pipe		135.11	3.87	131.24	
Bridge		132.97	NM		
MW-2	06/08/05	135.97	3.10	132.87	N-NW i = 0.04
MW-4		133.74	3.75	129.99	
MW-6		135.97	2.70	133.27	
MW-8		136.20	3.10	133.10	
MW-10		132.85	2.46	130.39	
MW-12		135.32	5.10	130.22	
MW-14		131.15	1.96	129.19	
MW-16		133.33	3.42	129.91	
MW-18		137.95	2.61	135.34	
MW-20		136.93	2.57	134.36	
Stand Pipe		135.11	5.81	131.24	
Bridge		132.97	NM		
MW-2	09/26/05	135.97	4.87	131.10	N-NW i = 0.03
MW-4		133.74	3.09	130.65	
MW-6		135.97	3.71	132.26	
MW-8		136.20	4.13	132.07	
MW-10		132.85	2.95	129.90	
MW-12		135.32	5.36	129.96	
MW-14		131.15	3.75	127.40	
MW-16		133.33	3.56	129.77	
MW-18		137.95	4.84	133.11	
MW-20		136.93	4.84	132.09	
Stand Pipe		135.11	6.05	131.24	
Bridge		132.97	NM		

Table 14: Groundwater Flow Direction and Gradient for Deep Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-1	07/12/99	139.76	2.26	137.50	N85°E i = 0.02
MW-3		137.79	2.41	135.38	
MW-5		139.40	5.20	134.20	
MW-1	10/20/99	139.76	3.13	136.63	N75°E i = 0.03
MW-3		137.79	4.26	133.53	
MW-5		139.40	7.10	132.30	
MW-1	01/11/00	139.76	2.0	137.76	N15°E i = 0.02
MW-3		137.79	1.97	135.82	
MW-5		139.40	2.56	136.84	
MW-1	04/18/00	139.76	0.41	139.35	Not calculated
MW-3		137.79	Artesian conditions encountered		
MW-5		139.40	0.57	138.83	
MW-1	07/20/00	139.76	2.59	137.17	N5°E i = 0.01
MW-3		137.79	1.63	136.16	
MW-5		139.40	2.72	136.68	
MW-1	11/27/00	139.75	3.49	136.26	N35°E i = 0.025
MW-3		137.79	2.29	135.50	
MW-5		139.40	3.62	135.78	
MW-7D		140.14	4.32	135.82	
MW-9D		136.92	7.13	129.29	
MW-11D		139.41	2.74	136.67	
MW-13D		135.30	6.84	128.46	
MW-15D		137.22	5.78	131.44	
MW-1	02/28/01	139.75	0.56	139.19	N5°E i = 0.02
MW-3		137.79	Artesian conditions		
MW-5		139.40	0.17	139.23	
MW-7D		140.14	0.79	139.35	
MW-9D		136.92	2.91	134.01	
MW-11D		139.41	0.04	139.37	
MW-13D		135.30	0.59	134.71	
MW-15D		137.22	2.26	134.96	
MW-1	05/29/01	139.75	2.65	137.10	North i = 0.05
MW-3		137.79	1.70	136.09	
MW-5		139.40	2.86	136.54	
MW-7D		140.14	3.53	136.61	
MW-9D		136.92	4.80	132.12	
MW-11D		139.41	1.96	137.45	
MW-13D		135.30	5.87	129.43	
MW-15D		137.22	4.99	132.23	

Table 14: Groundwater Flow Direction and Gradient for Deep Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-1	08/22/01	139.75	4.75	135.00	N5°E i = 0.04
MW-3		137.79	3.82	133.97	
MW-5		139.40	5.07	134.33	
MW-7D		140.14	5.73	134.41	
MW-9D		136.92	6.78	130.14	
MW-11D		139.41	4.08	135.33	
MW-13D		135.30	5.99	129.31	
MW-15D		137.22	6.88	130.34	
MW-1	11/26/01	139.75	2.80	136.95	North i = 0.03
MW-3		137.79	1.92	135.87	
MW-5		139.40	3.40	136.00	
MW-7D		140.14	4.10	136.04	
MW-9D		136.92	3.71	133.21	
MW-11D		139.41	2.13	137.28	
MW-13D		135.30	3.49	131.81	
MW-15D		137.22	4.30	132.92	
MW-1	02/25/02	139.75	0.68	139.07	N35°E i = 0.03
MW-3		137.79	Artesian conditions		
MW-5		139.40	0.60	138.80	
MW-7D		140.14	1.16	138.98	
MW-9D		136.92	1.55	135.37	
MW-11D		139.41	0.12	139.29	
MW-13D		135.30	0.57	134.73	
MW-15D		137.22	2.50	134.72	
MW-1	05/29/02	139.75	1.91	137.84	N to NE i = 0.02
MW-3		137.79	1.20	136.59	
MW-5		139.40	2.36	137.04	
MW-7D		140.14	3.0	137.14	
MW-9D		136.92	3.14	133.78	
MW-11D		139.41	1.23	138.18	
MW-13D		135.30	2.65	132.65	
MW-15D		137.22	3.93	133.29	
MW-1	08/26/02	139.75	4.25	135.50	N to NE i = 0.02
MW-3		137.79	3.45	134.34	
MW-5		139.40	4.96	134.44	
MW-7D		140.14	5.59	134.55	
MW-9D		136.92	6.41	130.51	
MW-11D		139.41	3.60	135.81	
MW-13D		135.30	5.10	130.20	
MW-15D		137.22	6.05	131.17	

Table 14: Groundwater Flow Direction and Gradient for Deep Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-1	11/19/02	139.75	4.08	135.67	N to NE i = 0.02
MW-3		137.79	2.93	134.86	
MW-5		139.40	4.36	135.04	
MW-7D		140.14	4.99	135.15	
MW-9D		136.92	4.81	132.11	
MW-11D		139.41	2.97	136.44	
MW-13D		135.30	4.96	130.34	
MW-15D		137.22	5.57	131.65	
MW-1	02/18/03	139.75	1.03	138.72	Apparent N-NE Gradient not calculated
MW-3		137.79	Artesian conditions encountered		
MW-5		139.40	0.07	139.33	
MW-7D		140.14	1.24	138.90	
MW-9D		136.92	2.92	134.00	
MW-11D		139.41	0.20	139.21	
MW-13D		135.30	0.50	134.80	
MW-15D		137.22	2.27	134.95	
MW-1	05/14/03	139.75	1.19	138.56	N-NE i = 0.02
MW-3		137.79	0.15	137.64	
MW-5		139.40	1.08	138.32	
MW-7D		140.14	1.66	138.48	
MW-9D		136.92	0.50	136.42	
MW-11D		139.41	0.38	139.03	
MW-13D		135.30	1.15	134.15	
MW-15D		137.22	2.86	134.36	
MW-1	08/20/03	139.75	3.90	135.85	N-NE i = 0.02
MW-3		137.79	2.99	134.80	
MW-5		139.40	4.42	134.98	
MW-7D		140.14	5.03	135.11	
MW-9D		136.92	5.93	130.99	
MW-11D		139.41	3.14	136.27	
MW-13D		135.30	4.60	130.70	
MW-15D		137.22	5.67	131.55	
MW-1	11/20/03	139.75	3.93	135.82	N-NE i = 0.02
MW-3		137.79	2.77	135.02	
MW-5		139.40	4.15	135.25	
MW-7D		140.14	4.78	135.36	
MW-9D		136.92	6.98	129.94	
MW-11D		139.41	3.13	136.28	
MW-13D		135.30	4.81	130.49	
MW-15D		137.22	5.36	131.86	

Table 14: Groundwater Flow Direction and Gradient for Deep Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-1	3/2/2004*	135.69	1.00	134.69	Northerly i = 0.04
MW-3		133.75	1.65	132.10	
MW-5		135.36	0.30	135.06	
MW-7D		136.08	1.40	134.68	
MW-9D		132.88	4.40	128.48	
MW-11D		135.35	1.05	134.30	
MW-13D		131.28	Artesian conditions		
MW-15D		133.19	2.69	130.50	
MW-17D		137.84	1.60	136.24	
MW-19D		137.05	1.10	135.95	
MW-1	06/07/04	135.69	2.79	132.90	N-NE i = 0.04
MW-3		133.75	2.01	131.74	
MW-5		135.36	3.24	132.12	
MW-7D		136.08	3.85	132.23	
MW-9D		132.88	7.67	125.21	
MW-11D		135.35	2.18	133.17	
MW-13D		131.28	3.42	127.86	
MW-15D		133.19	4.55	128.64	
MW-17D		137.84	4.26	133.58	
MW-19D		137.05	3.73	133.32	
MW-1	09/02/04	135.69	4.24	131.45	Northerly i = 0.03
MW-3		133.75	2.98	130.77	
MW-5		135.36	4.20	131.16	
MW-7D		136.08	4.78	131.30	
MW-9D		132.88	11.58	121.30	
MW-11D		135.35	3.49	131.86	
MW-13D		131.28	5.21	126.07	
MW-15D		133.19	6.01	127.18	
MW-17D		137.84	4.16	133.68	
MW-19D		137.05	4.07	132.98	

* Previously existing wells were re-surveyed and new wells were surveyed to msl on February 26 and March 4, 2004

Table 14: Groundwater Flow Direction and Gradient for Deep Wells
4660 Hessel Road, Sebastopol

Well #	Date	Top of Casing Elevation (feet > msl)	Depth to Groundwater (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
MW-1	01/04/05	135.69	0.76	134.93	Northerly i = 0.03
MW-3		133.75	Artesian conditions		
MW-5		135.36	0.11	135.25	
MW-7D		136.08	1.00	135.08	
MW-9D		132.88	3.93	128.95	
MW-11D		135.35	0.31	135.04	
MW-13D		131.28	0.52	130.76	
MW-15D		133.19	1.18	132.01	
MW-17D		137.84	1.57	136.27	
MW-19D		137.05	1.34	135.71	
MW-1	03/22/05	135.69	1.39	134.30	N-NW i = 0.02
MW-3		133.75	Artesian conditions		
MW-5		135.36	0.86	134.50	
MW-7D		136.08	2.20	133.88	
MW-9D		132.88	7.12	125.76	
MW-11D		135.35	1.03	134.32	
MW-13D		131.28	0.20	131.08	
MW-15D		133.19	2.66	130.53	
MW-17D		137.84	1.14	136.70	
MW-19D		137.05	2.01	135.04	
MW-1	06/08/05	135.69	1.70	133.99	Northerly i = 0.03
MW-3		133.75	1.00	132.75	
MW-5		135.36	2.03	133.33	
MW-7D		136.08	2.83	133.25	
MW-9D		132.88	7.16	125.72	
MW-11D		135.35	0.45	134.90	
MW-13D		131.28	2.87	128.41	
MW-15D		133.19	2.90	130.29	
MW-17D		137.84	3.07	134.77	
MW-19D		137.05	2.57	134.48	
MW-1	09/26/05	135.69	4.33	131.36	N-NW i = 0.04
MW-3		133.75	2.55	131.20	
MW-5		135.36	2.95	132.41	
MW-7D		136.08	3.56	132.52	
MW-9D		132.88	18.51	114.37	
MW-11D		135.35	3.49	131.86	
MW-13D		131.28	2.91	128.37	
MW-15D		133.19	4.89	128.30	
MW-17D		137.84	5.64	132.20	
MW-19D		137.05	5.29	131.76	

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-1	07/12/99	<50	<50	<100	2.5	0.88	3.0	2.7	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	<50	<50	<100	0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	<50	<50	<100	<0.3	0.78	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	<50	<50	<200	1.1	0.52	0.68	1.7	<2.0	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	<50	<50	<100	0.43	<0.3	0.87	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	170	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/01	97	<50	<100	2.1	9.9	3.0	11	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	53	<50	<100	2.2	1.3	2.1	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	<50	<50	<200	3.0	0.64	1.4	3.8	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	<50	NA	NA	0.98	0.32	1.1	1.6	NA	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	0.83	<0.5	<0.5
	11/20/02	<50	NA	NA	4.2	0.58	1.9	2.4	NA	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	0.59	<0.5	0.76	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	0.76	<0.5	1.2	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/05/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-2	07/12/99	<50	<50	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	<50	<50	<100	<0.5	<0.5	<0.5	<1.5	<2.0	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	<50	<50	<100	<0.3	<0.3	0.86	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	54	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	64	<50	<100	2.2	6.1	2.4	7.9	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/01	<50	<50	<100	<0.3	1.3	<0.5	0.79	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	<50	<50	<100	0.94	0.58	0.71	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	<50	<50	<200	1.5	<0.5	0.71	1.8	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	<50	NA	NA	2.9	0.67	2.8	3.4	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.77	<0.5	1.0	0.79	0.78
	11/20/02	<50	NA	NA	2.5	0.37	1.2	1.7	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.67	<0.5	0.80
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.52
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/05/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-3	07/12/99	180	<50	<100	25	3.8	5.9	20	0.58	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	<50	<50	<100	0.32	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	<50	<50	<100	0.90	0.61	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<2.0	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	<50	<50	<100	3.1	4.5	1.4	4.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	85	79	<100	4.0	9.0	1.6	6.4	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	<50	<50	<100	0.57	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	0.34	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	<50	<50	<100	2.6	0.45	0.66	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/02	<50	NA	NA	0.4	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	19	1.2	<1.0	<1.0	7.5	<1.0	8.6	<1.0	42	1.4	<1.0
	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	<50	NA	NA	1.0	<1.0	<1.0	4.2	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	<1.0	<1.0
	06/08/05	400	NA	NA	<1.0	9.6	2.8	16.5	1.7	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.2	1.6	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-4	07/12/99	19000	3000	<100	4000	680	990	3200	57	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	38000	1200	<100	6100	330	1300	3100	<10	<10	<10	<10	<10	<200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	30000	1200	<100	4100	350	550	1600	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	30000	3300[1]	ND	6600	750	1000	2700	80	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	19000	3,200[1]	<200	4700	890	920	2200	62	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	24000	2,000[1]	<100	6700	330	1200	2400	67	<10	<10	<10	<10	<200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	29000	3900	330	4200	410	830	2800	<50	<50	<50	<50	<50	<500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	32000	1,400[1]	<110	4200	490	920	2700	42	<5.0	<5.0	<5.0	<5.0	<100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	14000	530[1]	<110	2500	150	540	640	21	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	10000	410[1]	<100	2100	70	90	800	16	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	23000	1,100[1]	<100	3200	<150	440	860	<250	<250	<250	<250	<250	<5,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	7400	1,000[1]	<200	2400	40	390	290	<50	<50	<50	<50	<50	<1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	10000	NA	NA	3500	6.6	540	9.8	23	<0.5	NA	NA	NA	NA	8.8	4.3	<1.0	<0.5	21	2.4	11	51	100	1.2	<0.5
	11/19/02	9100	NA	NA	3300	9.2	380	26	23	<0.5	NA	NA	NA	NA	6.3	2.8	<1.0	<0.5	18	1.4	13	45	46	2.1	<0.5
	02/19/03	3100	NA	NA	910	<25	120	<25	<25	<25	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	29	<1.0	<1.0	<1.0
	05/15/03	3300	NA	NA	800	<15	110	<25	<25	<25	NA	NA	NA	NA	<25	<25	<50	<25	<25	<25	<25	36	<25	<25	<25
	08/21/03	1400	NA	NA	35	<3.0	80	<5.0	9.1	<5.0	NA	NA	NA	NA	<5.0	<5.0	<10	<5.0	9.7	<5.0	<5.0	27	<5.0	<5.0	<5.0
	11/20/03	1300	NA	NA	85	2.3	36	19.2	11	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	670	NA	NA	8.1	<1.0	7.6	<1.0	5.7	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	4.4	<1.0	<1.0	11	<1.0	<1.0	<1.0
	06/08/04	460	NA	NA	1.6	<1.0	1.4	<1.0	2.4	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	2.5	<1.0	<1.0	5.9	<1.0	<1.0	<1.0
	09/02/04	350	NA	NA	1.3	<1.0	<1.0	<1.0	2.3	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/05/05	540	NA	NA	5.1	<1.0	<1.0	<1.0	3	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.7	<1.0	<1.0
	03/22/05	540	NA	NA	<1.0	<1.0	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	730	NA	NA	<1.0	6.4	5.7	43	<1.0	<1.0	<1.0	<1.0	<1.0	<25	6.0	<1.0	<1.0	<1.0	<1.0	<1.0	25	4.2	58	14	<1.0
	09/27/05	310	NA	NA	2.3	<1.0	<1.0	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

[1] According to the laboratory report, results in the diesel organics range are primarily due to overlap from a gasoline range product.

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-5	07/12/99	1,200	ND[2]	<100	13	0.89	19	7.3	0.92	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	760	58	<100	0.86	0.34	34	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	<50	<50	<100	1.1	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	ND	ND[1]	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	<50	170[1]	<200	0.84	0.54	1.1	2.8	<2.0	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	54	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	0.59	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/19/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-6	07/12/99	<50	<50	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/20/99	<50	<50	<100	0.38	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	01/11/00	650	150	<100	6.7	<0.3	8.3	1.9	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/18/00	240	200	ND	4.7	1.1	3.6	3.2	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	07/20/00	230	170[1]	ND	1.4	<0.5	1.8	1.4	<2.0	<2.0	<2.0	<2.0	<2.0	<50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/00	220	59[1]	<100	1.6	3.1	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	240	120	<100	1.0	<0.3	4.9	2.9	<0.5	1.4	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	590	120[1]	<100	36	<0.3	21	1.6	1.6	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	170	110[1]	<100	9.0	<0.3	6.0	<0.5	<0.5	0.99	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	390	<50	<100	3.5	<0.3	5.6	<0.5	1	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	<0.5	<0.5	<0.5
	02/25/02	280	95[1]	<100	1.3	<0.3	7.5	2.6	<0.5	0.64	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	110	55[1]	<200	1.5	0.88	3.3	1.6	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	910	NA	NA	8.6	<0.3	29	3.2	3.5	<0.5	NA	NA	NA	NA	<0.5	2.2	<1.0	<0.5	4.8	0.92	3.7	8.3	2.8	2.5	<0.5
	11/19/02	950	NA	NA	8.8	0.38	19	1.6	2.6	<0.5	NA	NA	NA	NA	<0.5	1.7	1.3	<0.5	4.1	<0.5	4.5	5.3	1.2	0.62	<0.5
	02/19/03	780	NA	NA	8.6	<1.0	5.7	2.5	<1.0	<1.0	NA	NA	NA	NA	<1.0	1.0	<1.0	<1.0	3.5	<1.0	8.8	2.4	3.5	2.2	<1.0
	05/15/03	210	NA	NA	1.1	<0.3	4.4	1.5	<0.5	<0.5	NA	NA	NA	NA	0.9	2.0	2.1	<0.5	0.96	<0.5	2.4	1.7	2.5	1.7	<0.5
	08/21/03	640	NA	NA	5.0	<0.3	17	3.4	<0.5	<0.5	NA	NA	NA	NA	1.2	0.81	<1.0	<0.5	2.4	<0.5	4.9	5.0	3.6	3.3	<0.5
	11/20/03	1300	NA	NA	13	<1.0	27	3.9	<1.0	<1.0	<1.0	<1.0	<1.0	<25	11	2.1	<1.0	<1.0	9.7	<1.0	22	<1.0	5.1	7.8	<1.0
	03/03/04	170	NA	NA	<1.0	<1.0	3.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	1.2	1.0	<1.0
	06/08/04	120	NA	NA	<1.0	<1.0	2.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.7	1.0	<1.0
	09/02/04	150	NA	NA	<1.0	<1.0	4.4	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	260	NA	NA	<1.0	<1.0	2.5	1.0	<1.0	1.2	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	<1.0	<1.0
	03/22/05	270	NA	NA	<1.0	<1.0	2.4	1.4	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.8	1.1	<1.0
	06/08/05	94	NA	NA	<1.0	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	<1.0	<1.0
	09/26/05	71	NA	NA	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

[1] According to the laboratory report, results in the diesel organics range are primarily due to overlap from a gasoline range product.

[2] Also ND for TPH-k.

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-7D	11/27/00	<50	<50	<100	0.47	<0.3	1.3	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	83	70	<100	2.4	9.3	2.3	8.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/19/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-8	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	0.98	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	52	<100	0.65	2.1	1.1	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	0.6	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5
	11/19/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	1.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-9D	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	<50	<50	<100	<0.3	0.32	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	<50	NA	NA	0.44	<0.3	<0.5	0.99	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/02	<50	NA	NA	3.0	<0.3	0.71	0.87	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	0.54	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/15/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	0.54	<0.5	<0.5
	08/15/03	<50	NA	NA	0.42	1.1	0.55	2.2	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/21/03	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	74	NA	NA	<1.0	<1.0	<1.0	3.1	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.2	<1.0	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-10	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	71	<100	0.85	3.9	1.4	4.0	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/19/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	0.54	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-11D	11/27/00	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	61	<100	4.6	29	3.7	15	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	130	<50	<100	4.3	17	3.6	12	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/01	<50	<50	<100	0.65	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	70	<50	<100	3.9	2.2	3.2	5.4	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	<50	<50	<200	5.8	0.6	1.7	3.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/27/02	<50	NA	NA	0.78	<0.3	0.86	1.0	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/02	<50	NA	NA	4.0	0.57	1.9	2.3	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	0.55	<0.5	0.71	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/14/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	0.54	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/21/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/05/05	<50	NA	NA	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-12	11/27/00	67,000	4,900	<100	2,100	14,000	1,700	8,800	<50	<50	<50	<50	<50	<1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	33,000	1,800	160	1,500	5,700	630	3,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	64,000	2,900[1]	<100	2,200	7,200	1,000	5,300	19	<5.0	<5.0	<5.0	<5.0	<100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	59,000	2,500[1]	<100	1,700	8,200	1,500	7,400	<50	<50	<50	<50	<50	<100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/27/01	40,000	800	<100	640	5,300	820	3,600	2.8	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	23,000	1,400[1]	<100	1,600	760	660	1,300	<250	<250	<250	<250	<250	<5,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	16,000	2,000[1]	<200	2,300	280	790	1,600	<50	<50	<50	<50	<50	<1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	28,000	NA	NA	2,300	280	2,200	4,000	12	<5.0	NA	NA	NA	NA	<5.0	18	12	7	74	16	730	250	2,600	520	<5.0
	11/20/02	28,000	NA	NA	1,000	200	940	1,700	<0.5	<0.5	NA	NA	NA	NA	20	7.9	<1.0	<0.5	45	4.1	420	88	<0.5	260	<0.5
	02/19/03	14,000	NA	NA	1,200	200	680	920	<25	<25	NA	NA	NA	NA	<25	<25	<25	<25	29	<25	300	94	650	210	<25
	05/15/03	16,000	NA	NA	2,200	250	1,100	900	<50	<50	NA	NA	NA	NA	<50	<50	<100	<50	78	<50	500	140	950	300	<50
	08/21/03	18,000	NA	NA	840	340	790	1,200	<250	<250	NA	NA	NA	NA	<250	<250	<500	<250	<250	<250	300	<250	980	270	<250
	11/21/03	16,000	NA	NA	790	380	810	706	<20	<20	<20	<20	<20	<500	130	<20	<20	<20	37	<20	350	<20	1,100	290	<20
	03/04/04	7,800	NA	NA	710	180	490	442	<10	<10	<10	<10	<10	<250	<10	<10	<10	<10	26	<10	180	89	700	180	<10
	06/08/04	7,600	NA	NA	960	820	1,200	1,940	<10	<25	<25	<25	<25	<500	<25	<25	<25	<25	60	<25	480	210	1,600	440	<25
	09/02/04	11,000	NA	NA	460	720	670	1,185	<25	<25	<25	<25	<25	<500	<25	<25	<25	<25	36	<25	270	140	1,100	300	<25
	01/05/05	5,500	NA	NA	100	41	130	112	<2.0	<2.0	<2.0	<2.0	<2.0	<50	<2.0	3.0	<2.0	<2.0	9.2	3.8	62	36	240	65	<2.0
	03/22/05	8,800	NA	NA	21	5.8	39	31	<5.0	<5.0	<5.0	<5.0	<5.0	<100	7.1	<5.0	<5.0	<5.0	<5.0	<5.0	26	18	110	30	<5.0
	06/08/05	14,000	NA	NA	340	560	470	1,010	<5.0	<5.0	<5.0	<5.0	<5.0	<120	24	5.0	<5.0	<5.0	27	10	180	400	800	200	<5.0
	09/27/05	13,000	NA	NA	230	380	410	874	<5.0	<5.0	<5.0	<5.0	<5.0	<120	19	<5.0	<5.0	<5.0	23	<5.0	140	87	710	170	<5.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-13D	11/27/00	150	<50	<100	36	0.55	1.1	1.5	3.7	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	360	65	<100	110	<0.3	<0.5	<0.5	10	<0.5	<0.5	<0.5	<0.5	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	390	<50	<100	100	<0.3	<0.5	<0.5	11	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	330[3]	<50	<100	79	<0.3	<0.5	<0.5	15	<0.5	<0.5	<0.5	<0.5	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	300	<50	<100	67	<0.3	<0.5	0.5	17	<0.5	<0.5	<0.5	<0.5	25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	190	<50	<100	45	1.6	0.58	<0.5	16	<0.5	<0.5	<10	<0.5	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	72	<50	<200	34	<0.5	<0.5	<1.5	15	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	130	NA	NA	20	<0.3	<0.5	<0.5	19	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/19/02	130	NA	NA	8.8	<0.3	<0.5	<0.5	22	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	73	NA	NA	5.7	<1.0	<1.0	<1.0	15	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/15/03	<50	NA	NA	1.4	<0.3	<0.5	<0.5	19	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/21/03	53	NA	NA	0.5	0.77	<0.5	1.4	11	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	16	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	51	NA	NA	<1.0	<1.0	<1.0	<1.0	13	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	100	NA	NA	<1.0	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	65	NA	NA	<1.0	<1.0	<1.0	2.1	9.8	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	<1.0	<1.0
	03/22/05	85	NA	NA	<1.0	<1.0	<1.0	<1.0	9.7	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/27/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	6.5	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

[3] According to laboratory report, gasoline results are primarily due to the presence of benzene.

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-14	11/27/00	<50	<50	<100	0.40	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	<50	82	<100	0.82	<0.3	1.1	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/22/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	<50	<50	<100	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/25/02	<50	<50	<100	<0.3	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/02	<50	<50	<200	<0.5	<0.5	<0.5	<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/26/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/19/02	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/15/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/20/03	<50	NA	NA	<0.3	<0.3	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/20/03	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	2.2	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	6.3	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-15D	11/27/00	32,000	2,600	<100	5,900	490	1,200	3,100	91	<25	<25	<25	<25	<500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	39,000	2,900	<100	7,500	510	1500	3,500	96	<0.5	<0.5	<0.5	<0.5	650	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	39,000	840[1]	<100	6,000	360	940	2,100	80	<5.0	<5.0	<5.0	<5.0	330	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	45,000	1,700[1]	<100	6,900	410	1,300	2,900	99	<50	<50	<50	<50	<1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	42,000	1700	<100	7900	520	1600	3,600	120	<50	<50	<50	<50	<1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	35,000	1,800[1]	<100	4,800	<300	710	1,300	<500	<500	<500	<500	<500	<10,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	14,000	1,300[1]	<200	4,600	220	680	1,300	2.1	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	32,000	NA	NA	4,300	310	840	1,300	81	<50	NA	NA	NA	NA	<5.0	9.4	<5.0	<5.0	37	8.8	320	110	550	240	<5.0
	11/20/02	32,000	NA	NA	4,100	260	660	1,900	67	<10	NA	NA	NA	NA	12	11	<20	<10	29	<10	360	79	590	180	<10
	12/30/02[4]	15,000	NA	NA	3,700	86	81	310	69	<0.5	NA	NA	NA	NA	1.4	0.65	<1.0	<0.5	1.4	<0.5	5.1	2.1	48	32	<0.5
	02/19/03	17,000	NA	NA	4,200	200	660	1200	64	<1.0	NA	NA	NA	NA	<50	<50	<50	<50	<50	<50	170	53	330	130	<50
	05/15/03	17,000	NA	NA	5300	200	820	1,000	64	<0.5	NA	NA	NA	NA	<50	<50	<100	<50	57	<50	220	79	280	130	<50
	08/21/03	27,000	NA	NA	4300	200	740	1300	<250	<250	NA	NA	NA	NA	<250	<250	<500	<250	<250	<250	<250	<250	380	<250	<250
	11/21/03	14,000	NA	NA	4300	190	810	610	<50	<50	<50	<50	<50	<1,000	<50	<50	<50	<50	<50	<50	230	68	470	150	<50
	03/04/04	11,000	NA	NA	3800	180	660	1,153	50	<50	<50	<50	<50	<1,000	<50	<50	<50	<50	<50	<50	210	74	380	140	<50
	06/08/04	9,100	NA	NA	3200	120	580	870	<50	<50	<50	<50	<50	<1,000	<50	<50	<50	<50	<50	<50	180	<50	290	110	<50
	09/02/04	9,700	NA	NA	4,400	180	850	1,100	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	190	68	470	150	<1.0
	01/04/05	17,000	NA	NA	4,100	140	750	910	<50	<50	<50	<50	<50	<1,000	<50	<50	<50	<50	<50	<50	210	60	360	140	<50
	03/22/05	22,000	NA	NA	3,500	320	700	1,520	<50	<50	<50	<50	<50	<1,200	<50	<50	<50	<50	<50	<50	<50	76	520	160	<50
	06/08/05	12,000	NA	NA	2,400	100	450	540	<50	<50	<50	<50	<50	<1,200	<50	<50	<50	<50	<50	<50	120	<50	250	78	<50
	09/27/05	18,000	NA	NA	2,400	58	460	370	14	<10	<10	<10	<10	<250	<10	<10	<10	<10	13	<10	110	39	170	74	<10

[1] According to the laboratory report, results in the diesel organics range are primarily due to overlap from a gasoline range product.

[4] Confirmation sample collected on December 30, 2002, as the sample collected on November 20, 2002 was inadvertently collected from MW-15D and labeled as MW-16.

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-16	11/27/00	250	<50	<100	16	2.9	1.4	3.3	3.6	<0.5	<0.5	<0.5	<0.5	22	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/01	300	60	<100	48	0.67	1.5	2.5	3.7	<0.5	<0.5	<0.5	<0.5	46	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/29/01	390	<50	<100	47	<0.3	<0.5	<0.5	3.4	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/24/01	550	<50	<100	29	<0.3	0.51	0.61	4.9	<0.5	<0.5	<0.5	<0.5	33	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/26/01	370	73	<100	16	0.55	2	3.4	5.9	<0.5	<0.5	<0.5	<0.5	34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/26/02	150	<50	<100	15	<0.3	1.2	2.1	2.6	<0.5	<0.5	<0.5	<0.5	18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	05/30/02	72	<50	<200	9.9	0.52	1.6	2.4	2.1	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/27/02	140	NA	NA	7.3	0.4	1.3	1.3	2.8	<0.5	NA	NA	NA	NA	<0.5	<0.5	<0.5	<0.5	0.67	<0.5	<0.5	<0.5	0.79	<0.5	<0.5
	12/30/02[4]	200	NA	NA	5.9	<0.3	<0.5	1.2	5	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	0.84	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/19/03	120	NA	NA	4.5	<1.0	<1.0	<1.0	2.7	<1.0	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	05/15/03	110	NA	NA	5.4	<0.3	<0.5	<0.5	2.7	<0.5	NA	NA	NA	NA	<0.5	<0.5	<1.0	<0.5	0.81	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/21/03	190	NA	NA	2.8	<1.5	<2.5	<2.5	3.8	<2.5	NA	NA	NA	NA	<2.5	<2.5	<5.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	11/21/03	190	NA	NA	<1.0	<1.0	<1.0	<1.0	3.8	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/03/04	150	NA	NA	1.5	<1.0	<1.0	<1.0	2.4	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	180	NA	NA	<1.0	<1.0	<1.0	<1.0	2.9	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	130	NA	NA	1.2	<1.0	<1.0	<1.0	3.7	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	230	NA	NA	3.9	<1.0	<1.0	1.5	4.3	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	120	NA	NA	2.0	<1.0	<1.0	<1.0	2.5	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	8,500	NA	NA	8.8	420	190	1,290	<1.0	<1.0	<1.0	<1.0	<1.0	<25	69	9.6	<1.0	<1.0	17	22	300	76	1,000	250	<1.0
	09/27/05	110	NA	NA	7.9	<1.0	1.8	1.7	2.2	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

[4] Confirmation sample collected on December 30, 2002, as the sample collected on November 20, 2002 was inadvertently collected from MW-15D and labeled as MW-16.

Table 15: Monitoring Well Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
MW-17D	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	450	NA	NA	2.0	27	6.6	43	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.6	1.5	16	3.7	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/26/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-18	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/22/05	720	NA	NA	1.8	38	11	70	<1.0	<1.0	<1.0	<1.0	<1.0	<25	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	4.7	3.2	26	8.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/26/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-19D	03/03/04	<50	NA	NA	<1.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	8.5	<1.0	<1.0	<1.0	<1.0
	06/08/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.4	<1.0	<1.0	<1.0	<1.0
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/04/05	78	NA	NA	<1.0	2.2	<1.0	6.9	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.8	1.1	<1.0
	03/22/05	<50	NA	NA	<1.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/26/05	<50	NA	NA	<1.0	2.4	1.1	6.3	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.7	<1.0	<1.0
MW-20	03/03/04	7,800	NA	NA	400	2,600	460	3,420	<25	<25	<25	<25	<25	<500	<25	<25	<25	<25	26	<25	250	87	1,100	300	<25
	06/08/04	14,000	NA	NA	320	1,300	240	1,490	<25	<25	<25	<25	<25	<600	<25	<25	<25	<25	<25	<25	120	47	440	140	<25
	09/02/04	16,000	NA	NA	340	1,700	350	1,830	<25	<25	<25	<25	<25	<500	36	<25	<25	<25	<25	<25	170	78	840	250	<25
	01/04/05	15,000	NA	NA	330	1,100	150	1,470	<25	<25	<25	<25	<25	<500	<25	<25	<25	<25	<25	<25	140	51	590	180	<25
	03/22/05	42,000	NA	NA	640	4,200	980	6,100	<25	<25	<25	<25	<25	<600	75	<25	<25	<25	65	<25	680	230	2,600	680	<25
	06/08/05	370000[5]	NA	NA	2,200	24,000	7,200	57,000	<200	<200	<200	<200	<200	<5,000	22,000	2,700	<200	<200	1,900	2,100	46,000	12,000	150,000	42,000	<200

Note: TPH-d and TPH-mo removed from analytical suite for all wells with regulatory concurrence in August 20, 2002 letter.

[1] According to the laboratory report, results in the diesel organics range are primarily due to overlap from a gasoline range product.

[2] Also ND for TPH-k.

[3] According to laboratory report, gasoline results are primarily due to the presence of benzene.

[4] Confirmation sample collected on December 30, 2002, as the sample collected on November 20, 2002 was inadvertently collected from MW-15D and labeled as MW-16.

5 The sample exhibited floating product. The sample for analysis was taken from beneath the floating product surface.

Table 16: Surface Water Analytical Results
4660 Hessel Road, Sebastopol

ID	Date	TPH-g	TPH-d	TPH-mo	B	T	E	X	EDC	MTBE	DIPE	ETBE	TAME	TBA	n-butylbenzene	sec-butylbenzene	Methyl ethyl ketone	Styrene	isopropylbenzene	p-isopropyltoluene	naphthalene	n-propylbenzene	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Chloroform
		ug/L																							
Stand Pipe	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/05/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/08/05	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Stream 1	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Stream 2	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Stream 3	03/02/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Stream 1	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Stream 2	06/07/04	<50	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA