GETTLER-RYAN INC.

TRANSMITTAL

April 24, 2006
G-R #385105

TO: Mr. Albert Simmons
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Chevron Service Station
#9-0308
2399 Market Street at 17th Street
San Francisco, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	April 21, 2006	Groundwater Monitoring and Sampling Report First Quarter - Event of March 15, 2006

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to ***May 5, 2006***, at which time the final report will be distributed to the following:

cc: Ms. Stacie Hartung-Frerichs, Chevron Environmental Management Company, P.O. Box 6012, Room K2200, San Ramon, CA 94583
Mr. Albert Lee, City & County of San Francisco, Dept. of Public Health, Bureau of Environmental Health Management, 1390 Market Street, Suite 210, San Francisco, CA 94102
Mr. Dave Sahagun Enterprises, Inc. DBA Castro Street Chevron, 2399 Market Street, San Francisco, CA, 94114

Enclosures

trans/9-0308-SHF

GETTLER-RYAN INC.

April 21, 2006
G-R Job #385105

Ms. Stacie Hartung-Frerichs
Chevron Environmental Management Company
P.O. Box 6012, Room K2200
San Ramon, CA 94583

RE: First Quarter Event of March 15, 2006
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0308
2399 Market Street at 17th Street
San Francisco, California

Dear Ms. Hartung-Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

PROFESSIONAL GEOLOGIST
ROBERT A. LAURITZEN
No. 7504
STATE OF CALIFORNIA

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504

Figure 1:	Potentiometric Map
Table 1:	Groundwater Monitoring Data and Analytical Results
Table 2:	Groundwater Analytical Results – Oxygenate Compounds
Attachments:	Standard Operating Procedure - Groundwater Sampling
	Field Data Sheets
	Chain of Custody Document and Laboratory Analytical Reports

6747 Sierra Court, Suite J • **Dublin**, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • **Rancho Cordova**, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • **Petaluma**, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



EXPLANATION

- Groundwater monitoring well
- Abandoned well
- 99.99 — Groundwater elevation in feet referenced to Mean Sea Level
- 99.99 — Groundwater elevation contour, dashed where inferred

Approximate groundwater flow direction at a gradient of 0.05 to 0.09 Ft./Ft.

N

0 40

Scale in Feet

Source: Figure modified from drawing provided by Cambria Fig 2 Site Plan dated 12/02/04

FIGURE 1

GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
Chevron Service Station #9-0308
2399 Market Street
San Francisco, California

PROJECT NUMBER	REVIEWED BY	DATE	REVISED DATE
385105		March 15, 2006	

FILE NAME: P:\Enviro\Chevron\9-0308\Q06-9-0308.dwg | Layout Tab: Pot1

Table 1

Groundwater Monitoring Data and Analytical Results

Chevron Service Station #9-0308

2399 Market Street

San Francisco, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4									
12/23/04[1,2]	144.19	19.82	124.37	64	0.6	<0.5	<0.5	2	5
03/21/05[2]	144.19	19.50	124.69	<50	<0.5	<0.5	<0.5	<0.5	3
06/15/05[2]	144.19	19.45	124.74	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05[2]	144.19	19.93	124.26	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/16/05[2]	144.19	20.21	123.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/06[2]	**144.19**	**19.37**	**124.82**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<0.5**
MW-5									
12/23/04[1,2]	144.42	22.93	121.49	3,200	36	1	0.9	2	0.6
03/21/05[2]	144.42	22.05	122.37	2,700	120	2	3	3	2
06/15/05[2]	144.42	21.22	123.20	2,800	290	6	6	6	4
09/14/05[2,3]	144.42	21.96	122.46	12,000	1,000	1,300	390	1,800	160
12/16/05[2]	144.42	23.02	121.40	2,400	55	2	1	2	1
03/15/06[2]	**144.42**	**22.10**	**122.32**	**2,500**	**96**	**2**	**2**	**2**	**2**
MW-6									
12/23/04[1,2]	142.68	21.80	120.88	45,000	5,100	6,200	1,100	4,600	1,900
03/21/05[2]	142.68	20.89	121.79	56,000	3,900	5,900	2,200	9,900	700
06/15/05[2]	142.68	21.18	121.50	47,000	2,700	4,600	2,400	11,000	210
09/14/05[2]	142.68	21.99	120.69	64,000	5,900	7,300	2,200	11,000	790
12/16/05[2]	142.68	23.40	119.28	67,000	5,800	5,800	1,900	8,500	770
03/15/06[2]	**142.68**	**21.12**	**121.56**	**67,000**	**6,200**	**6,400**	**1,900**	**8,100**	**770**
MW-7									
12/23/04[1,2]	141.15	22.25	118.90	22,000	330	8	700	100	1,300
03/21/05[2]	141.15	21.90	119.25	3,400	110	8	170	28	800
06/15/05[2]	141.15	21.97	119.18	140	1	<0.5	<0.5	<0.5	82
09/14/05[2]	141.15	22.56	118.59	130	0.6	<0.5	<0.5	<0.5	56
12/16/05[2]	141.15	23.11	118.04	110	<0.5	<0.5	<0.5	<0.5	51
03/15/06[2]	**141.15**	**22.46**	**118.69**	**97**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**45**

Table 1

Groundwater Monitoring Data and Analytical Results

Chevron Service Station #9-0308

2399 Market Street

San Francisco, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK									
QA									
12/23/04[2]	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/05[2]	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/05[2]	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05[2]	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/16/05[2]	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/06[2]	--	--	--	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<0.5**

Table 1

Groundwater Monitoring Data and Analytical Results

Chevron Service Station #9-0308
2399 Market Street
San Francisco, California

EXPLANATIONS:

TOC = Top of Casing
(ft.) = Feet
DTW = Depth to Water
GWE = Groundwater Elevation
(msl) = Mean sea level

TPH-G = Total Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes

MTBE = Methyl tertiary butyl ether
(ppb) = Parts per billion
-- = Not Measured/Not Analyzed
QA = Quality Assurance/Trip Blank

* TOC elevations for were surveyed on January 31, 2005, by Virgil Chavez Land Surveying. The benchmark for this survey was a cut crow's foot in the outer rim of a catch basin at the northwest corner of South Van Ness Ave. and 17th St., (Benchmark Elevation = 22.90 feet, NGVD 29).

[1] Well development performed.
[2] BTEX and MTBE by EPA Method 8260.
[3] Analytical results confirmed.

Table 2

Groundwater Analytical Results - Oxygenate Compounds

Chevron Service Station #9-0308

2399 Market Street

San Francisco, California

WELL ID	DATE	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-4	12/23/04	<5	5	<0.5	<0.5	<0.5
	03/21/05	<5	3	<0.5	<0.5	<0.5
	06/15/05	<5	<0.5	<0.5	<0.5	<0.5
	09/14/05	<5	<0.5	<0.5	<0.5	<0.5
	12/16/05	<5	<0.5	<0.5	<0.5	<0.5
	03/15/06	**<5**	**<0.5**	**<0.5**	**<0.5**	**<0.5**
MW-5	12/23/04	38	0.6	<0.5	<0.5	<0.5
	03/21/05	<5	2	<0.5	<0.5	<0.5
	06/15/05	16	4	<0.5	<0.5	<0.5
	09/14/05	39	160	<1	<1	<1
	12/16/05	22	1	<0.5	<0.5	<0.5
	03/15/06	**17**	**2**	**<0.5**	**<0.5**	**<0.5**
MW-6	12/23/04	560	1,900	<3	<3	4
	03/21/05	<50	700	<5	<5	<5
	06/15/05	37	210	<3	<3	<3
	09/14/05	200	790	<5	<5	<5
	12/16/05	190	770	<10	<10	<10
	03/15/06	**160**	**770**	**<10**	**<10**	**<10**
MW-7	12/23/04	710	1,300	<3	<3	<3
	03/21/05	420	800	<1	<1	<1
	06/15/05	17	82	<0.5	<0.5	<0.5
	09/14/05	9	56	<0.5	<0.5	<0.5
	12/16/05	8	51	<0.5	<0.5	<0.5
	03/15/06	**8**	**45**	**<0.5**	**<0.5**	**<0.5**

As of 03/15/06

Table 2

Groundwater Analytical Results - Oxygenate Compounds

Chevron Service Station #9-0308
2399 Market Street
San Francisco, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
(ppb) = Parts per billion

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.

GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0308
Site Address: 2399 Market Street
City: San Francisco, CA

Job Number: 385105
Event Date: 3-15-06 (inclusive)
Sampler: Joe

Well ID: MW-4
Date Monitored: 3-15-06
Well Condition: o.k

Well Diameter: 2 in.
Total Depth: 32.90 ft.
Depth to Water: 19.37 ft.

Volume Factor (VF)				
	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

13.53 xVF 0.17 = 2.30 x3 case volume= Estimated Purge Volume: 7 gal.

Purge Equipment:
Disposable Bailer ✓
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Other:

Sampling Equipment:
Disposable Bailer ✓
Pressure Bailer
Discrete Bailer
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: Ø ft
Visual Confirmation/Description:
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1155
Sample Time/Date: 1230 3-15-06
Purging Flow Rate: 0.5 gpm.
Did well de-water? If yes, Time: Volume: gal.
Weather Conditions: cloudy
Water Color: clear
Odor: none
Sediment Description:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
1214	2.5	7.48	1295	63.1		
1220	5	7.50	1301	62.4		
1224	7	7.42	1316	62.3		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- 4	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS(8260)

COMMENTS:

Add/Replaced Lock:
Add/Replaced Plug: Size:

GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0308
Site Address: 2399 Market Street
City: San Francisco, CA

Job Number: 385105
Event Date: 3-15-06 (inclusive)
Sampler: Joe

Well ID: MW-5
Date Monitored: 3-15-06
Well Condition: O.K.

Well Diameter: 2 in.
Total Depth: 30.16 ft.
Depth to Water: 22.10 ft.

Volume Factor (VF)				
	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

8.06 xVF 0.17 = 1.37 x3 case volume= Estimated Purge Volume: 4.1 gal.

Purge Equipment:
- Disposable Bailer ✓
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Other:

Sampling Equipment:
- Disposable Bailer ✓
- Pressure Bailer
- Discrete Bailer
- Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1305
Sample Time/Date: 1335 / 3-15-06
Purging Flow Rate: 0.5 gpm.
Did well de-water? If yes, Time: Volume: gal.

Weather Conditions: cloudy
Water Color: clear
Odor: mild
Sediment Description:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
1315	1.5	6.90	1211	62.2		
1319	3	6.80	1141	63.1		
1325	4.5	6.73	1143	62.8		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS(8260)

COMMENTS:

Add/Replaced Lock:
Add/Replaced Plug: Size:

GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0308
Site Address: 2399 Market Street
City: San Francisco, CA

Job Number: 385105
Event Date: 3-15-06 (inclusive)
Sampler: Joe

Well ID: MW-6
Date Monitored: 3.15.06
Well Condition: o.k.

Well Diameter: 2 in.
Total Depth: 29.76 ft.
Depth to Water: 21.12 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

8.64 xVF 0.17 = 1.47 x3 case volume= Estimated Purge Volume: 4.5 gal.

Purge Equipment:
Disposable Bailer ✓
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Other:

Sampling Equipment:
Disposable Bailer ✓
Pressure Bailer
Discrete Bailer
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1343
Weather Conditions: cloudy
Sample Time/Date: 1408 / 3-15-06
Water Color: clear
Odor: yes
Purging Flow Rate: 0.5 gpm.
Sediment Description:
Did well de-water? If yes, Time: Volume: gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
1350	1.5	6.71	931	61.6		
1355	3	6.67	986	62.3		
1359	4.5	6.66	992	62.5		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-6	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS(8260)

COMMENTS:

Add/Replaced Lock:
Add/Replaced Plug: Size:

GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0308
Site Address: 2399 Market Street
City: San Francisco, CA

Job Number: 385105
Event Date: 3-15-06 (inclusive)
Sampler: Joe

Well ID: MW-7
Date Monitored: 3-15.06
Well Condition: ok

Well Diameter: 2 in.
Total Depth: 30.06 ft.
Depth to Water: 22.46 ft.

Volume Factor (VF)				
	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

7.60 xVF 0.17 = 1.29 x3 case volume= Estimated Purge Volume: 4 gal.

Purge Equipment:
Disposable Bailer ✓
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Other:

Sampling Equipment:
Disposable Bailer ✓
Pressure Bailer
Discrete Bailer
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description:
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1242
Sample Time/Date: 1305 / 3-15-06
Purging Flow Rate: 0.5 gpm.
Did well de-water? If yes, Time: Volume: gal.

Weather Conditions: cloudy
Water Color: clear
Odor: mild
Sediment Description:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
1250	1.5	6.97	1204	63.2		
1254	3	7.18	1167	63.1		
1258	4	7.37	1168	62.7		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-7	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS(8260)

COMMENTS:

Add/Replaced Lock:
Add/Replaced Plug: Size:

Chevron California Region Analysis Request/Chain of Custody

Lancaster Laboratories
Where quality is a science.

For Lancaster Laboratories use only
Acct. #: 10904 Sample #: 4732981-85 SCR#:
032006-09 ~~05~~ QA1057 3-20-06
Group# 982362

Facility #: SS#9-0308-OML G-R#385105 Global ID#T0607500077
Site Address: 2399 MARKET STREET, SAN FRANCISCO, CA
Chevron PM: SHF Lead Consultant: CAMBRIAAS
Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
Sampler: JOE ASEMIAN
Service Order #: ☐ Non SAR:

Analyses Requested / Preservation Codes

Sample Identification	Date Collected	Time Collected	Grab	Composite	Matrix: Soil	Matrix: Water (☐ Potable ☐ NPDES)	Matrix: Oil ☐ Air ☐	Total Number of Containers	BTEX + MTBE 8260 ☒ 8021 ☐ (H)	TPH 8015 MOD GRO (H)	TPH 8015 MOD DRO ☐ Silica Gel Cleanup	8260 full scan	5 Oxygenates (8260) (H)	Lead 7420 ☐ 7421 ☐
QA	—	—	✓			✓		2	✓	✓				
MW-4	3-15-06	1230	"			"		6	✓	✓			✓	
MW-5	"	1335	"			"		6	✓	✓			✓	
MW-6	"	1408	"			"		6	✓	✓			✓	
MW-7	"	1305	"			"		6	✓	✓			✓	

Preservative Codes
H = HCl T = Thiosulfate
N = HNO_3 B = NaOH
S = H_2SO_4 O = Other

☐ J value reporting needed
☒ Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
☐ Confirm highest hit by 8260
☐ Confirm all hits by 8260
☐ Run ____ oxy s on highest hit
☐ Run ____ oxy s on all hits

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
STD. TAT 72 hour 48 hour
24 hour 4 day 5 day

Data Package Options (please circle if required)
QC Summary Type I — Full
Type VI (Raw Data) ☐ Coelt Deliverable not needed
WIP (RWQCB) **EDF/EDD**
Disk

Relinquished by:	Date	Time	Received by:	Date	Time
[signature]	3-17-06	0700	D Vance	3/20/06	
D Vance	3/20/06		Kevin Wright	3/20/06	1135
Kevin Wright	3/20/06	1550	DHL	3/20/06	1530
Relinquished by Commercial Carrier: UPS FedEx Other DHL			[signature]	3/21/06	1000

Temperature Upon Receipt 2.5°, 2.4° c° 2.8° Custody Seals Intact? Yes No

3460 Rev. 7/30/01

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 982362. Samples arrived at the laboratory on Tuesday, March 21, 2006. The PO# for this group is 0015003943 and the release number is HARTUNG-FRERICH.

Client Description			Lancaster Labs Number
QA-T-060315	NA	Water	4732981
MW-4-W-060315	Grab	Water	4732982
MW-5-W-060315	Grab	Water	4732983
MW-6-W-060315	Grab	Water	4732984
MW-7-W-060315	Grab	Water	4732985

ELECTRONIC COPY TO Cambria c/o Gettler-Ryan Attn: Cheryl Hansen

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Lynn M Frederiksen at (717) 656-2300

Respectfully Submitted,

Robin C. Runkle
Senior Specialist

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4732981

QA-T-060315 NA Water GRD
Facility# 90308 Job# 385105
2399 Market-San Francisco T0607500077 QA
Collected:03/15/2006

Account Number: 10904

Submitted: 03/21/2006 10:00
Reported: 03/29/2006 at 18:34
Discard: 04/29/2006

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

239QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	03/22/2006 15:04	Steven A Skiles	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/28/2006 12:33	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2006 15:04	Steven A Skiles	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/28/2006 12:33	Dawn M Harle	1

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4732982

MW-4-W-060315 Grab Water
Facility# 90308 Job# 385105 GRD
2399 Market-San Francisco T0607500077 MW-4
Collected:03/15/2006 12:30 by JA

Account Number: 10904

Submitted: 03/21/2006 10:00
Reported: 03/29/2006 at 18:34
Discard: 04/29/2006

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

239M4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06056	BTEX+5 Oxygenates by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	03/22/2006 22:22	Kathie J Bowman	1
06056	BTEX+5 Oxygenates by 8260B	SW-846 8260B	1	03/28/2006 13:34	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2006 22:22	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/28/2006 13:34	Dawn M Harle	1

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4732983

MW-5-W-060315 Grab Water
Facility# 90308 Job# 385105 GRD
2399 Market-San Francisco T0607500077 MW-5
Collected:03/15/2006 13:35 by JA

Account Number: 10904

Submitted: 03/21/2006 10:00
Reported: 03/29/2006 at 18:34
Discard: 04/29/2006

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

239M5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	2,500.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06056	BTEX+5 Oxygenates by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	17.	5.	ug/l	1
05401	Benzene	71-43-2	96.	0.5	ug/l	1
05407	Toluene	108-88-3	2.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	2.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	2.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	03/22/2006 22:51	Kathie J Bowman	5
06056	BTEX+5 Oxygenates by 8260B	SW-846 8260B	1	03/28/2006 13:58	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2006 22:51	Kathie J Bowman	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/28/2006 13:58	Dawn M Harle	1

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4732984

MW-6-W-060315 Grab Water
Facility# 90308 Job# 385105 GRD
2399 Market-San Francisco T0607500077 MW-6
Collected:03/15/2006 14:08 by JA

Account Number: 10904

Submitted: 03/21/2006 10:00
Reported: 03/29/2006 at 18:34
Discard: 04/29/2006

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

239M6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	67,000.	2,500.	ug/l	50
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06056	BTEX+5 Oxygenates by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	770.	10.	ug/l	20
02011	di-Isopropyl ether	108-20-3	N.D.	10.	ug/l	20
02013	Ethyl t-butyl ether	637-92-3	N.D.	10.	ug/l	20
02014	t-Amyl methyl ether	994-05-8	N.D.	10.	ug/l	20
02015	t-Butyl alcohol	75-65-0	160.	100.	ug/l	100
05401	Benzene	71-43-2	6,200.	50.	ug/l	100
05407	Toluene	108-88-3	6,400.	50.	ug/l	20
05415	Ethylbenzene	100-41-4	1,900.	10.	ug/l	20
06310	Xylene (Total)	1330-20-7	8,100.	10.	ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	03/22/2006 23:21	Kathie J Bowman	50
06056	BTEX+5 Oxygenates by 8260B	SW-846 8260B	1	03/28/2006 14:47	Dawn M Harle	20
06056	BTEX+5 Oxygenates by 8260B	SW-846 8260B	1	03/28/2006 15:12	Dawn M Harle	100
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2006 23:21	Kathie J Bowman	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/28/2006 14:47	Dawn M Harle	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	03/28/2006 15:12	Dawn M Harle	100

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4732985

MW-7-W-060315 Grab Water
Facility# 90308 Job# 385105 GRD
2399 Market-San Francisco T0607500077 MW-7
Collected:03/15/2006 13:05 by JA

Account Number: 10904

Submitted: 03/21/2006 10:00
Reported: 03/29/2006 at 18:34
Discard: 04/29/2006

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

239M7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	97.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06056	BTEX+5 Oxygenates by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	45.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	8.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	03/22/2006 23:50	Kathie J Bowman	1
06056	BTEX+5 Oxygenates by 8260B	SW-846 8260B	1	03/28/2006 15:36	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/22/2006 23:50	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/28/2006 15:36	Dawn M Harle	1

Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: Chevron
Reported: 03/29/06 at 06:34 PM

Group Number: 982362

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 06081A08A	Sample number(s): 4732981-4732985							
TPH-GRO - Waters	N.D.	50.	ug/l	107	101	70-130	6	30
Batch number: Z060871AA	Sample number(s): 4732982-4732985							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	92		73-119		
di-Isopropyl ether	N.D.	0.5	ug/l	88		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	90		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	92		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	81		69-127		
Benzene	N.D.	0.5	ug/l	90		85-117		
Toluene	N.D.	0.5	ug/l	93		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		
Batch number: Z060872AA	Sample number(s): 4732981							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	90		73-119		
Benzene	N.D.	0.5	ug/l	96		85-117		
Toluene	N.D.	0.5	ug/l	102		85-115		
Ethylbenzene	N.D.	0.5	ug/l	102		82-119		
Xylene (Total)	N.D.	0.5	ug/l	103		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 06081A08A	Sample number(s): 4732981-4732985 UNSPK: P732968								
TPH-GRO - Waters	122		63-154						
Batch number: Z060871AA	Sample number(s): 4732982-4732985 UNSPK: P732969								
Methyl Tertiary Butyl Ether	91	92	69-127	2	30				
di-Isopropyl ether	88	89	75-130	1	30				
Ethyl t-butyl ether	88	89	78-119	1	30				
t-Amyl methyl ether	88	89	72-125	1	30				
t-Butyl alcohol	80	79	64-130	1	30				
Benzene	97	98	83-128	1	30				
Toluene	99	101	83-127	1	30				
Ethylbenzene	99	99	82-129	0	30				
Xylene (Total)	101	102	82-130	1	30				
Batch number: Z060872AA	Sample number(s): 4732981 UNSPK: P732229								
Methyl Tertiary Butyl Ether	91	93	69-127	3	30				
Benzene	92	87	83-128	3	30				

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The background result was more than four times the spike added.

Lancaster Laboratories
2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: Chevron
Reported: 03/29/06 at 06:34 PM

Group Number: 982362

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Toluene	105	103	83-127	1	30				
Ethylbenzene	103	102	82-129	1	30				
Xylene (Total)	102	101	82-130	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO - Waters
Batch number: 06081A08A

	Trifluorotoluene-F
4732981	68
4732982	66
4732983	68
4732984	71
4732985	67
Blank	66
LCS	72
LCSD	71
MS	68
Limits:	63-135

Analysis Name: BTEX+5 Oxygenates by 8260B
Batch number: Z060871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4732982	90	83	88	86
4732983	85	80	88	98
4732984	86	81	91	87
4732985	88	84	88	86
Blank	88	84	89	86
LCS	87	84	89	89
MS	90	84	89	89
MSD	89	83	89	88
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z060872AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4732981	92	84	94	85
Blank	90	84	94	86
LCS	89	86	95	89
MS	92	84	94	89
MSD	93	85	93	89

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The background result was more than four times the spike added.

Lancaster Laboratories
2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Quality Control Summary

Client Name: Chevron
Reported: 03/29/06 at 06:34 PM

Group Number: 982362

Surrogate Quality Control

Limits:	80-116	77-113	80-113	78-113

*- Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The background result was more than four times the spike added.

Lancaster Laboratories
Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected
TNTC	Too Numerous To Count
IU	International Units
umhos/cm	micromhos/cm
C	degrees Celsius
Cal	(diet) calories
meq	milliequivalents
g	gram(s)
ug	microgram(s)
ml	milliliter(s)
m3	cubic meter(s)
BMQL	Below Minimum Quantitation Level
MPN	Most Probable Number
CP Units	cobalt-chloroplatinate units
NTU	nephelometric turbidity units
F	degrees Fahrenheit
lb.	pound(s)
kg	kilogram(s)
mg	milligram(s)
l	liter(s)
ul	microliter(s)
fib >5 um/ml	fibers greater than 5 microns in length per ml

< less than – The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quatitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.