GROUNDWATER MONITORING REPORT
FIRST QUARTER 2006



Dorris Maintenance Station
Dorris, California

PREPARED FOR:

CALIFORNIA DEPARTMENT OF TRANSPORTATION
DISTRICT 3
P.O. BOX 911
MARYSVILLE, CALIFORNIA 95901

PREPARED BY:

GEOCON CONSULTANTS, INC.
3160 GOLD VALLEY DRIVE, SUITE 800
RANCHO CORDOVA, CALIFORNIA 95742

GEOCON PROJECT NO. S8875-06-49
TASK ORDER NO. 49

APRIL 2006

GEOCON
CONSULTANTS, INC.
GEOTECHNICAL ■ ENVIRONMENTAL ■ MATERIALS

Project No. S8875-06-49
April 17, 2006

Mr. Doug Coleman
California Department of Transportation
District 3
P.O. Box 911
Marysville, California 95901

Subject: DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA
CONTRACT NO. 03A0937
TASK ORDER NO. 49
GROUNDWATER MONITORING REPORT – FIRST QUARTER 2006

Dear Mr. Coleman:

In accordance with California Department of Transportation Contract No. 03A0937, Task Order No. 49, we have performed groundwater monitoring activities at the Dorris Maintenance Station located on State Highway 97 in Dorris, California (the Site). The approximate site location is depicted on the attached Vicinity Map, Figure 1. The scope of services we provided included depth to groundwater measurements, the sampling of eight groundwater monitoring wells, submittal of the water samples to a California-certified analytical laboratory and preparation of this report.

BACKGROUND

The Site consists of a Caltrans Maintenance Station containing a salt-storage building and sand/gravel/volcanic cinder piles. Based on information provided by Caltrans, two underground storage tanks (USTs), one 1,000-gallon gasoline UST and one 550-gallon diesel UST, were removed in 1987. Following the UST removals, approximately 60 cubic yards of impacted soil were removed and aerated onsite. The treated material was reportedly re-used on highway shoulders.

Groundwater monitoring has been conducted at the Site since 1991. Historical groundwater monitoring data is presented on Tables 1 through 3. A soil vapor extraction/air sparge (SVE/AS) remediation system was installed at the Site in March and April 2003. The SVE system consists of a blower removing soil gas from three extraction wells. The gas is treated to remove contaminants through three carbon vessels. Monitoring of the system is currently performed by Cal Inc. The system was shut down on October 11, 2004, due to an expiring Caltrans contract, and was restarted on January 18, 2005. The system was shut down again on August 12, 2005, due to low influent concentrations.

In correspondence dated February 8, 2006, Mr. Ron Allen with the North Coast Regional Water Quality Control Board (NCRWQCB) requested additional sampling at the Site to evaluate potential rebound effects since the system was shut down. Mr. Allen indicated that MW-1, MW-2 and MW-7 do not need to be sampled. He requested sampling of MW-3 through MW-6 and MW-8 through MW-11, for total petroleum hydrocarbons as gasoline and diesel (TPHg and TPHd), benzene, toluene, ethylbenzene, and total xylenes (BTEX), volatile organic compounds (VOCs) and fuel oxygenate compounds (FOCs).

3160 Gold Valley Drive, Suite 800 ■ Rancho Cordova, California 95742 ■ Telephone (916) 852-9118 ■ Fax (916) 852-9132

FIELD ACTIVITIES

Depth to Groundwater Measurements

On March 23, 2006, we measured the depth to groundwater in monitoring wells MW-1 through MW-11 using a battery-operated water level meter. Measurements were obtained from a reference point at the top of the well casings (TOC). Wells MW-3 and MW-8 were disconnected from the onsite treatment system to be sampled. The approximate well locations and site features are depicted on Figure 2, Groundwater Elevation Map – March 2006.

During the First Quarter – 2006, depth to groundwater at the Site ranged from 20.11 (MW-5) to 22.08 (MW-10) feet below TOC. Based on the March 2006 groundwater elevation data, the groundwater flow is toward the southeast at an average gradient of 0.007. A summary of the TOC elevations, depth to groundwater measurements and groundwater elevations is presented on Table 1. Groundwater elevation contours, flow direction and gradient are depicted on Figure 2.

Well Purging and Sampling

On March 23, 2006, we purged approximately three well volumes of water (6.5 to 28 gallons) from wells MW-3 through MW-6 and MW-8 through MW-11 using a portable, 12-volt submersible pump. The pump was decontaminated before and after each use by washing in an Alconox® solution followed by fresh and distilled water rinses. During the well purging activities, the groundwater was monitored for pH, electrical conductivity and temperature. This information is included on the Monitoring Well Sampling Data sheets presented in Appendix A.

Following the purging activities, groundwater samples were collected from the wells using disposable bailers and decanted through a low-flow sample release tube into six laboratory-provided, hydrochloric acid-preserved 40-milliliter volatile organic analysis vials and one amber liter bottle for each well. The samples were sealed, labeled, placed in an ice chest containing ice and subsequently transported to the laboratory using standard chain-of-custody protocol.

The extracted groundwater was placed into three Department of Transportation-approved, 17-H, 55-gallon drums, which were stored onsite pending receipt of laboratory analysis. The purge water will be transported to an appropriate disposal facility in April 2006.

ANALYTICAL METHODS AND RESULTS

Laboratory Analysis

The groundwater samples were delivered to Advanced Technology Laboratories, a Caltrans-approved and California-certified analytical laboratory, for the analyses of TPHg and TPHd following United States Environmental Protection Agency (EPA) Test Method 8015 modified. Each of the samples was further analyzed for VOCs and FOCs following EPA Test Method 8260B. Groundwater analytical results are summarized on Tables 1 through 3. The laboratory reports and chain-of-custody documentation are presented in Appendix B.

Analytical Results

TPHg was reported for the samples from MW-3, MW-6 and MW-8 at respective concentrations of 320, 74 and 5,000 micrograms per liter (µg/l). TPHd was reported for the samples from MW-3, MW-5, MW-6 and MW-8 at respective concentrations of 420, 84, 76 and 3,600 µg/l. Benzene was reported for the samples from MW-3, MW-6 and MW-8 at concentrations of 4.9, 1.0 and 39 µg/l, respectively. Toluene was reported for the samples from MW-6 and MW-8 at respective concentrations of 0.71 and 7.9 µg/l. Ethylbenzene and total xylenes were reported for the samples from MW-3 and MW-8 at concentrations ranging from 9.0 (ethylbenzene, MW-3) to 376 (total xylenes, MW-8) µg/l. MTBE was reported for the sample from MW-6 at 0.96 µg/l. VOCs including 1,2-dichloroethane, isopropyl benzene, naphthalene, n-propylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and 4-isopropyl toluene were reported for the samples from MW-3 and/or MW-8 at concentrations ranging from 1.6 (isopropyl benzene, MW-3) to 760 (1,2,4-trimethylbenzene, MW-8) µg/l. TPHg, TPHd and benzene concentrations for the First Quarter – 2006 groundwater monitoring event are depicted on Figure 3.

The field quality assurance/quality control (QA/QC) implemented for the First Quarter – 2006 groundwater monitoring at the Site included the collection of a duplicate groundwater sample and equipment blank, and the submittal of a trip blank sample. The groundwater sample collected from MW-5 was duplicated and labeled as non-existent monitoring well MW-12. When comparing the results of primary sample MW-5 to the duplicate sample (see Appendix B for MW-12 results), TPHg, BTEX, FOCs and VOCs were not reported for either sample at concentrations greater than their respective laboratory test method detection limits. TPHd was reported for sample MW-5 at 84 µg/l; however, TPHd was reported for sample MW-12 at 64 µg/l. The resulting relative percent difference (RPDs) is 27%. Based on an RPD greater than 25%, the TPHd results reported herein must be qualified as estimated with the potential to be less than or greater than the reported value. None of the tested analytes were reported at concentrations greater than their respective laboratory test method detection limits for the equipment blank or trip blank, with the exception of 1.5 µg/l chloroform reported for the equipment blank. The chloroform detection is likely the result of laboratory contamination. Chloroform was not reported for each of the groundwater samples analyzed, therefore the chloroform detection does not appear to have impacted the sample results.

We also reviewed the analytical laboratory QA/QC provided with the laboratory report. These data show that concentrations of the selected analytes were not reported at concentrations greater than their respective analytical laboratory method detection limits for any of the method blanks and that the method blank surrogate recoveries are acceptable. The analytical laboratory QA/QC data further showed acceptable recoveries and relative percent differences for the matrix spikes and matrix spike duplicates. Appropriate recoveries were noted for the laboratory control samples. Based on this limited data review, no additional qualifications of the First Quarter – 2006 data are necessary, and the data are considered of sufficient quality for the purposes of this report.

Geotracker Submittal

The laboratory prepared electronic data files for submittal to the State Water Resources Control Board Geotracker database. The Geotracker database is accessible via the Geotracker website at http://geotracker.waterboards.ca.gov. The electronic data was uploaded to Geotracker on April 13, 2006. The confirmation numbers are 2663787662 and 5234716653.

RECOMMENDATIONS

We recommend that quarterly groundwater monitoring continue at the Site to evaluate seasonal trends in groundwater elevation and contaminant concentrations in the vicinity of the former UST locations and to continue to monitor rebound effects since the onsite groundwater treatment system was shut down. The Second Quarter – 2006 groundwater monitoring event is scheduled for May 2006.

Please contact us if there are any questions concerning the contents of this Report or if we may be of further service.

Sincerely,

GEOCON CONSULTANTS, INC.

Rebecca L. Silva, REA
Project Manager

Jim Brake, PG
Senior Geologist

PROFESSIONAL GEOLOGIST
JAMES F. BRAKE
NO. 5753
06/30/06
STATE OF CALIFORNIA

RLS:JFB:jaj

(3) Addressee

Attachments:

Figure 1, Vicinity Map
Figure 2, Groundwater Elevation Map – March 2006
Figure 3, Petroleum Hydrocarbons in Groundwater – March 2006

Table 1, Summary of Groundwater Elevation and Analytical Data
Table 2, Summary of Groundwater Analytical Data – Fuel Oxygenates
Table 3, Summary of Groundwater Analytical Data – VOCs

Appendix A, Monitoring Well Sampling Data Sheets
Appendix B, Laboratory Report and Chain-of-Custody Documentation



GEOCON
CONSULTANTS, INC.
3160 GOLD VALLEY DR. – SUITE 800 - RANCHO CORDOVA, CA. 95742
PHONE 916 852-9118 – FAX 916 852-9132

Dorris Maintenance Station	
Post Mile 49.8 Highway 97 Dorris, California	**VICINITY MAP**
GEOCON Proj. No. S8875-06-49	
Task Order No. 49	April 2006	Figure 1



LEGEND:

MW-2 Approximate Monitoring Well Location

Groundwater Elevation Contour (Interval = 0.25 Ft.)

0.007 Approximate Groundwater Gradient

4,221.56 MSL Elevation of Groundwater Measured on 3/23/06

0 40
Scale in Feet

GEOCON
CONSULTANTS, INC.
3160 GOLD VALLEY DR. – SUITE 800 - RANCHO CORDOVA, CA. 95742
PHONE 916 852-9118 – FAX 916 852-9132

Dorris Maintenance Station		
Post Mile 49.8 Highway 97 Dorris, California	**GROUNDWATER ELEVATION MAP-MARCH 2006**	
GEOCON Proj. No. S8875-06-49		
Task Order No. 49	April 2006	Figure 2



LEGEND:

MW-2 Approximate Monitoring Well Location

TPHg = Total Petroleum Hydrocarbons as Gasoline (ug/l)
TPHd = Total Petroleum Hydrocarbons as Diesel (ug/l)
B = Benzene (ug/l)

0 40
Scale in Feet

GEOCON
CONSULTANTS, INC.
3160 GOLD VALLEY DR. – SUITE 800 - RANCHO CORDOVA, CA. 95742
PHONE 916 852-9118 – FAX 916 852-9132

Dorris Maintenance Station

Post Mile 49.8 Highway 97
Dorris, California

Petroleum Hydrocarbons in Groundwater- March 2006

GEOCON Proj. No. S8875-06-49

Task Order No. 49 | April 2006 | Figure 3

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-1	6/5/91	98.86	23.20	75.66	ND	ND	ND	ND	ND	ND	---
MW-1	2/24/92	98.86	22.81	78.05	ND	ND	ND	ND	ND	ND	---
MW-1	6/5/92	4,239.12	24.10	4,215.02	3,200	ND	32	18	7.6	19	---
MW-1	7/14/92	4,239.12	24.53	4,214.59	ND	ND	ND	ND	ND	ND	---
MW-1	9/3/92	4,239.12	24.74	4,214.38	ND	ND	0.86	ND	1.1	1.8	---
MW-1	12/11/92	4,239.12	24.45	4,214.67	ND	ND	ND	ND	ND	ND	---
MW-1	4/20/93	4,239.12	22.57	4,216.55	ND	ND	ND	ND	ND	ND	---
MW-1	7/21/93	4,239.12	22.75	4,216.37	ND	ND	ND	ND	ND	ND	---
MW-1	9/7/96	4,239.12	24.81	4,214.31	<50	---	<0.5	<0.5	<0.5	<0.5	---
MW-1	3/10/97	4,239.12	22.85	4,216.27	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	9/15/97	4,239.12	23.68	4,215.44	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	5/11/98	4,239.12	22.06	4,217.06	<50	100*	0.67	<0.5	<0.5	0.61	<0.5
MW-1	9/21/98	4,239.12	22.67	4,216.45	<50	<50*	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	4/6/99	4,239.12	21.43	4,217.69	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	6/8/99	4,239.12	21.50	4,217.62	<50	70*	<0.5	<0.5	<0.5	<0.5	---
MW-1	8/31/99	4,239.12	21.55	4,217.57	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	11/16/99	4,239.12	21.24	4,217.88	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	4/4/00	4,239.12	21.27	4,217.85	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	6/30/00	4,239.12	25.62	4,213.50	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	9/12/00	4,239.12	21.93	4,217.19	<50	<50	1.1	2	<0.5	0.62	---
MW-1	12/22/00	4,239.12	22.19	4,216.93	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	2/28/01	4,239.12	22.45	4,216.67	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	5/29/01	4,239.12	23.04	4,216.08	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-1	10/11/01	4,239.12	24.39	4,214.73	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-1	12/18/01	Well not found									
MW-1	3/20/02	4242.62***	23.54	4,219.08	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-1	5/30/02	4242.62***	24.08	4,218.54	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-1	7/31/02	4242.62***	24.89	4,217.73	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-1	11/14/02	4242.62***	23.72	4,218.90	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-1	3/13/03	4242.62***	22.80	4,218.82	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-1	5/7/03	4242.62***	22.90	4,218.72	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-1	9/30/03	4242.62***	23.65	4,218.97	Analysis Discontinued			---	---	---	---
MW-1	11/13/03	4242.62***	23.27	4,219.35	---	---	---	---	---	---	---
MW-1	2/3/04	4242.62***	23.96	4,218.66	---	---	---	---	---	---	---
MW-1	5/26/04	4242.62***	24.58	4,218.04	---	---	---	---	---	---	---

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-1	9/23/04	4242.62***	25.46	4,217.16	---	---	---	---	---	---	---
MW-1	2/2/05	4242.62***	23.13	4,219.49	---	---	---	---	---	---	---
MW-1	4/26/05	4242.62***	23.03	4,219.59	---	---	---	---	---	---	---
MW-1	3/23/06	4242.62***	20.71	4,221.91	---	---	---	---	---	---	---
MW-2	6/5/91	98.67	23.60	75.07	ND	ND	ND	ND	ND	1.5	---
MW-2	2/24/92	98.67	23.20	75.47	ND	ND	ND	ND	ND	ND	---
MW-2	6/5/92	4,238.89	23.76	4,215.13	ND	ND	ND	ND	ND	2	---
MW-2	7/14/92	4,238.89	24.20	4,214.69	ND	ND	ND	ND	ND	ND	---
MW-2	9/3/92	4,238.89	25.07	4,213.82	ND	ND	ND	ND	ND	ND	---
MW-2	12/11/92	4,238.89	24.82	4,214.07	ND	ND	ND	ND	ND	ND	---
MW-2	4/20/93	4,238.89	22.92	4,215.97	ND	ND	ND	ND	ND	ND	---
MW-2	7/21/93	4,238.89	23.03	4,215.86	ND	ND	ND	ND	ND	ND	---
MW-2	9/6/96	4,238.89	25.01	4,213.88	<50	---	<0.5	<0.5	<0.5	<0.5	---
MW-2	3/10/97	4,238.89	23.01	4,215.88	<50	880	<0.5	<0.5	<0.5	<0.5	---
MW-2	9/15/97	4,238.89	23.94	4,214.95	<50	60	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2	5/11/98	4,238.89	---	---	---	---	---	---	---	---	---
MW-2	9/21/98	4,238.89	---	---	---	---	---	---	---	---	---
MW-2	4/6/99	4,238.89	21.40	4,217.49	<50	200*	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2	6/8/99	4,238.89	21.47	4,217.42	<50	70*	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2	8/31/99	4,238.89	21.67	4,217.22	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	11/16/99	4,238.89	21.26	4,217.63	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	4/4/00	4,238.89	---	---	---	---	---	---	---	---	---
MW-2	6/30/00	4,238.89	26.78	4,212.11	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	9/12/00	4,238.89	22.45	4,216.44	<50	100	<0.5	<0.5	<0.5	<0.5	---
MW-2	12/22/00	4,238.89	22.33	4,216.56	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	2/28/01	4,238.89	22.55	4,216.34	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	5/29/01	4,238.89	23.89	4,215.06	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	10/11/01	4,238.89	24.59	4,214.30	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-2	12/18/01	4,242.43	Not measured		<100	<1,000	<1	<1	<1	<1	<1
MW-2	3/20/02	4,242.43	23.91	4,218.52	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-2	5/30/02	4,242.43	24.21	4,218.22	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-2	7/31/02	4,242.43	25.04	4,217.39	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-2	11/14/02	4,242.43	23.85	4,218.58	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-2	3/13/03	4,242.43	22.87	4,219.56	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-2	5/7/03	4,242.43	22.92	4,219.51	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-2	9/30/03	4,242.43	23.87	4,218.56		Analysis Discontinued		---	---	---	---
MW-2	11/13/03	4,242.43	23.51	4,218.92	---	---	---	---	---	---	---
MW-2	2/3/04	4,242.43	Covered		---	---	---	---	---	---	---
MW-2	5/26/04	4,242.43	Covered		---	---	---	---	---	---	---
MW-2	9/23/04	4,242.43	25.27	4,217.16	---	---	---	---	---	---	---
MW-2	2/2/05	4,242.43	23.20	4,219.23	---	---	---	---	---	---	---
MW-2	4/26/05	4,242.43	23.08	4,219.35	---	---	---	---	---	---	---
MW-2	3/23/06	4,242.43	20.46	4,221.97	---	---	---	---	---	---	---
MW-3	6/5/91	99.23	24.00	75.23	18,000	14,000	12,000	13,000	ND	7,000	---
MW-3	2/24/92	99.23	23.43	75.8	40,000	3,200	7,800	4,100	960	6,400	---
MW-3	6/5/92	4,239.44	24.38	4,215.06	76,000	1,100	13,000	5,900	17,000	14,000	---
MW-3	7/14/92	4,239.44	24.81	4,214.63	120,000	38,000	11,000	5,000	1,400	9,900	---
MW-3	9/3/92	4,239.44	25.32	4,214.12	---	---	---	---	---	---	---
MW-3	12/11/92	4,239.44	---	---	---	---	---	---	---	---	---
MW-3	4/20/93	4,239.44	23.16	4,216.28	27,000	370	6,800	2,900	790	4,600	---
MW-3	7/21/93	4,239.48	23.35	4,216.13	34,000	390	8,000	2,800	1,000	5,000	---
MW-3	9/7/96	4,239.48	25.71	4,213.77	56,000	---	4,100	3,000	2,200	8,700	---
MW-3	3/10/97	4,239.48	23.52	4,215.96	23,000	1600*	3,550	1,270	870	3,730	15
MW-3	9/15/97	4,239.48	25.54	4,213.94	280,000	270,000	8,520	5,010	3,930	12,000	970
MW-3	5/11/98	4,239.48	22.95	4,216.65[1]	Not sampled due to the presence of product						
MW-3	9/21/98	4,239.48	23.76	4,215.72[1]	Not sampled due to the presence of product						
MW-3	4/6/99	4,239.48	21.97	4,217.57[1]	Not sampled due to the presence of product						
MW-3	8/31/99	4,239.48	22.13	4,217.43[1]	Not sampled due to the presence of product						
MW-3	11/16/99	4,239.48	21.81	4,217.72[1]	Not sampled due to the presence of product						
MW-3	4/4/00	4,239.48	21.78	4,217.69[1]	Not sampled due to the presence of product						
MW-3	6/30/00	4,239.48	26.02	4,213.49[1]	Not sampled due to the presence of product						
MW-3	9/12/00	4,239.48	23.00	4,216.53[1]	Not sampled due to the presence of product						
MW-3	12/22/00	4,239.48	22.80	4,216.70[1]	Not sampled due to the presence of product						
MW-3	2/28/01	4,239.48	23.02	4,216.47[1]	Not sampled due to the presence of product						
MW-3	5/30/01	4,239.48	23.52	4,215.98[1]	Not sampled due to the presence of product						
MW-3	10/11/01	4,239.48	25.93	4,213.57[1]	Not sampled due to the presence of product						
MW-3	3/13/03	4,242.13	---	---	27,700	5,070	3,840	174	498	2,150	<25
MW-3	5/7/03	4,242.13	---	---	60,800	3,640	2,780	2460	1280	11,500	<5.0

TABLE I
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-3	9/30/03	4,242.13	---	---	50.5	11,700	<0.5	<0.5	<0.5	<1.0	<1.0
MW-3	11/13/03	4,242.13	---	---	201	13,600	2.0	1.3	0.9	1.3	<1.0
MW-3	2/3/04	4,242.13	---	---	238	4,770	<0.5	1.7	1.5	32.3	<1.0
MW-3	5/26/04	4,242.13	---	---	<50	---	<0.5	<0.5	<0.5	<1.0	<1.0
MW-3	9/23/04	4,242.13	Not accessible		---	---	---	---	---	---	---
MW-3	2/2/05	4,242.13	Not accessible		---	---	---	---	---	---	---
MW-3	4/26/05	4,242.13	Not accessible		---	---	---	---	---	---	---
MW-3	3/23/06	4,242.13	20.69	4,221.44	320	420	4.9	<0.5	9.0	20.6	<0.5
MW-4	6/5/92	4,239.22	24.27	4,214.95	ND	ND	ND	ND	ND	ND	---
MW-4	7/14/92	4,239.22	24.72	4,214.50	370	ND	4.9	ND	ND	18	---
MW-4	9/3/92	4,239.22	25.24	4,213.98	210	ND	2.6	0.89	1.5	45	---
MW-4	12/11/92	4,239.22	24.96	4,214.26	ND	ND	2.9	ND	ND	ND	---
MW-4	4/20/93	4,239.22	---	---	---	---	---	---	---	---	---
MW-4	7/21/93	4,239.21	23.21	4,216.00	100	ND	3.2	ND	ND	1.2	---
MW-4	9/7/96	4,239.21	25.35	4,213.86	<50	---	<0.5	<0.5	<0.5	<0.5	---
MW-4	3/10/97	4,239.21	23.24	4,215.97	<50	<50	0.62	<0.5	<0.5	<0.5	<0.5
MW-4	9/15/97	4,239.21	24.14	4,215.07	1,900	60	410	1.1	41	0.7	36
MW-4	5/11/98	4,239.21	22.44	4,216.77	170	120*	2.7	<0.5	3.2	0.59	1.6
MW-4	9/21/98	4,239.21	23.01	4,216.20	<50	<50[2]	0.9	<0.5	1.6	<0.5	<0.5
MW-4	4/6/99	4,239.21	21.73	4,217.48	200	<50	2.7	<0.5	6.3	0.8	<0.5/<5
MW-4	6/8/99	4,239.21	21.82	4,217.39	<50	300*	2.3	<0.5	5	<0.5	---
MW-4	8/31/99	4,239.21	21.91	4,217.30	<50	<50	3	<0.5	3.6	1	---
MW-4	11/16/99	4,239.21	21.53	4,217.68	<50	<50	0.9	<0.5	<0.5	<0.5	---
MW-4	4/4/00	4,239.21	21.62	4,217.59	100[3]	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	6/30/00	4,239.21	26.02	4,213.19	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	9/12/00	4,239.21	22.78	4,216.43	110	<50	0.98	1.5	1.1	1	---
MW-4	12/22/00	4,239.21	22.58	4,216.63	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	2/28/01	4,239.21	22.84	4,216.37	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	5/30/01	4,239.21	23.04	4,216.17	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	10/11/01	4,239.21	24.79	4,214.42	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-4	12/18/01	4,242.73	24.16	4,218.57	<100	<1,000	<1	<1	<1	<1	<1
MW-4	3/20/02	4,242.73	23.90	4,218.83	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-4	5/30/02	4,242.73	24.46	4,218.27	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-4	7/31/02	4,242.73	25.31	4,217.42	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-4	11/14/02	4,242.73	24.12	4,218.61	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-4	3/13/03	4,242.73	23.15	4,219.58	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-4	5/7/03	4,242.73	23.21	4,219.52	<50	62	<0.5	<0.5	<0.5	1.9	<0.5
MW-4	9/30/03	4,242.73	24.60	4,218.13	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-4	11/13/03	4,242.73	23.79	4,218.94	<50	<50	<0.5	<0.5	<0.5	<0.5	<1.0
MW-4	2/3/04	4,242.73	25.52	4,217.21	<50.0	<50	<0.5	<0.5	<0.5	<0.5	<1.0
MW-4	5/26/04	4,242.73	24.99	4,217.74	<50.0	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-4	9/23/04	4,242.73	25.93	4,216.80	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-4	2/2/05	4,242.73	23.53	4,219.20	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-4	4/26/05	4,242.73	23.37	4,219.36	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-4	3/23/06	4,242.73	20.87	4,221.86	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	6/5/92	4,238.39	23.92	4,214.47	100	ND	2.1	ND	ND	ND	---
MW-5	7/14/92	4,238.39	24.31	4,214.08	ND	ND	ND	ND	ND	ND	---
MW-5	9/3/92	4,238.39	24.83	4,213.56	ND	ND	ND	ND	ND	ND	---
MW-5	12/11/92	4,238.39	---	---	---	---	---	---	---	---	---
MW-5	4/20/93	4,238.39	22.73	4,215.66	ND	ND	ND	ND	ND	ND	---
MW-5	7/21/93	4,238.35	22.80	4,215.55	ND	ND	ND	ND	ND	ND	---
MW-5	9/7/96	4,238.35	24.77	4,213.58	<50	---	<0.5	<0.5	<0.5	<0.5	---
MW-5	3/10/97	4,238.35	22.68	4,215.67	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	9/15/97	4,238.35	23.61	4,214.74	<50	590	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	5/11/98	4,238.35	21.78	4,216.57	<50	11*	0.79	<0.5	<0.5	<0.5	<0.5
MW-5	9/21/98	4,238.35	22.51	4,215.84	<50	<50[2]	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	4/6/99	4,238.35	22.11	4,216.24	<50	<200*	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	6/8/99	4,238.35	21.25	4,217.10	<50	100*	<0.5	<0.5	<0.5	<0.5	---
MW-5	8/31/99	4,238.35	21.36	4,216.99	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	11/16/99	4,238.35	20.95	4,217.40	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	4/4/00	4,238.35	21.00	4,217.35	100[3]	<50	1.2	<0.5	<0.5	<0.5	---
MW-5	6/30/00	4,238.35	24.89	4,213.46	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	9/12/00	4,238.35	22.21	4,216.14	<50	80	0.82	1.2	<0.5	<0.5	---
MW-5	12/22/00	4,238.35	22.05	4,216.30	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	2/28/01	4,238.35	22.23	4,216.12	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	5/29/01	4,238.35	23.59	4,214.76	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-5	10/11/01	4,238.35	24.29	4,214.06	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-5	12/18/01	4,241.90	23.53	4,218.37	<100	<1,000	<1	<1	<1	<1	<1

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-5	3/20/02	4,241.90	23.30	4,218.60	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	5/30/02	4,241.90	23.92	4,217.98	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-5	7/31/02	4,241.90	24.80	4,217.10	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	11/14/02	4,241.90	23.58	4,218.32	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	3/13/03	4,241.90	22.59	4,219.31	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	5/7/03	4,241.90	22.63	4,219.27	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-5	9/30/03	4,241.90	23.70	4,218.20		Analysis Discontinued		---	---	---	---
MW-5	11/13/03	4,241.90	23.30	4,218.60	---	---	---	---	---	---	---
MW-5	2/3/04	4,241.90	23.19	4,218.71	---	---	---	---	---	---	---
MW-5	5/26/04	4,241.90	24.10	4,217.80	---	---	---	---	---	---	---
MW-5	9/23/04	4,241.90	Well not located		---	---	---	---	---	---	---
MW-5	2/2/05	4,241.90	Well not located		---	---	---	---	---	---	---
MW-5	4/26/05	4,241.90	22.83	4,219.07	---	---	---	---	---	---	---
MW-5	3/23/06	4,241.90	20.11	4,221.79	<50	84	<0.5	<0.5	<0.5	<1.0	<0.5
MW-6	6/5/92	4,238.83	24.16	4,214.67	100	ND	15	6.4	9.2	12	---
MW-6	7/14/92	4,238.83	24.55	4,214.28	8,100	ND	680	1.5	240	390	---
MW-6	9/3/92	4,238.83	25.05	4,213.78	4,500	ND	770	ND	430	550	---
MW-6	12/11/92	4,238.83	---	---	---	---	---	---	---	---	---
MW-6	4/20/93	4,238.83	22.97	4,215.86	8,000	ND	1,200	ND	380	420	---
MW-6	7/21/93	4,238.79	23.12	4,215.67	6,500	ND	1,100	18	250	260	---
MW-6	9/7/96	4,238.79	25.07	4,213.72	2,400	---	470	6.6	120	90	---
MW-6	3/10/97	4,238.79	23.00	4,215.79	7,000	2,30*	450	<0.5	195	60	62
MW-6	9/15/97	4,238.79	23.94	4,214.85	<50	280	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	5/11/98	4,238.79	22.17	4,216.62	5,200	1,40*	380	6.2	200	61	72
MW-6	5/11/98	4,238.79	22.80	4,215.99	2,000	600[2,*]	244	0.8	113	1.2	36
MW-6	4/6/99	4,238.79	21.53	4,217.26	3,000	1200*	332	4.4	263	25	33/<5
MW-6	6/8/99	4,238.79	21.64	4,217.15	1,300	500*	78	<0.5	154	<0.5	---
MW-6	8/31/99	4,238.79	21.65	4,217.14	1,200[3]	540*	59	<0.5	6.4	5.1	---
MW-6	11/16/99	4,238.79	21.31	4,217.48	2,000	790*	157	<0.5	102	<0.5	---
MW-6	4/4/00	4,238.79	21.32	4,217.47	1,000	200*	40	<0.5	<0.5	0.7	---
MW-6	6/30/00	4,238.79	24.13	4,214.66	900	300*	33	<0.5	67	<0.5	---
MW-6	9/12/00	4,238.79	23.17	4,215.62	700	200	4.4	<0.5	32	<0.5	---
MW-6	12/22/00	4,238.79	22.73	4,216.06	630	<50	290	<0.5	3.3	<0.5	---
MW-6	2/28/01	4,238.79	22.55	4,216.24	450	<50	200	<0.5	2.1	<0.5	---

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-6	5/30/01	4,238.79	23.95	4,214.84	1,100	210	340	<0.5	15	0.58	---
MW-6	10/11/01	4,238.79	24.60	4,214.19	290	310	60	<0.5	3.7	<1.0	---
MW-6	12/18/01	4,242.28	23.93	4,218.35	230	<1,000	56	<1	4.4	<1	<1
MW-6	3/20/02	4,242.28	23.65	4,218.63	93	803	334	0.6	66.7	28	<0.5
MW-6	5/30/02	4,242.28	24.28	4,218.00	1310	253	370	2.8	93.6	<1	<0.5
MW-6	7/31/02	4,242.28	25.18	4,217.10	2460	891 *	<2.5	<2.5	<2.5	<5.0	<2.5
MW-6	11/14/02	4,242.28	23.96	4,218.32	1100	936 *	9.6	<0.5	9.4	<1.0	<0.5
MW-6	3/13/03	4,242.28	22.98	4,219.30	1480	186	21	<5	70	<10	<5
MW-6	5/7/03	4,242.28	23.00	4,219.28	651	117	11.7	<0.5	80.8	<1.0	<0.5
MW-6	9/30/03	4,242.28	23.95	4,218.33	<50	113	<0.5	<0.5	<0.5	<1.0	<1.0
MW-6	11/13/03	4,242.28	23.52	4,218.76	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-6	2/3/04	4,242.28	24.25	4,218.03	<50.0	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-6	5/26/04	4,242.28	25.03	4,217.25	<50.0	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-6	9/23/04	4,242.28	25.87	4,216.41	<50	160	<0.5	<0.5	<0.5	<0.5	---
MW-6	2/2/05	4,242.28	23.37	4,218.91	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-6	4/26/05	4,242.28	23.24	4,219.04	<50	120	0.94	<0.5	<0.5	<1.0	---
MW-6	3/23/06	4,242.28	20.61	4,221.67	74	76	1.0	0.71	<0.5	<1.0	0.96
MW-7	6/5/92	4,239.29	23.82	4,215.47	ND	ND	ND	ND	ND	ND	---
MW-7	7/14/92	4,239.29	24.25	4,215.04	ND	ND	ND	ND	ND	ND	---
MW-7	9/3/92	4,239.29	24.77	4,214.52	ND	ND	ND	0.8	1.7	7.3	---
MW-7	12/11/92	4,239.29	24.45	4,214.84	ND	ND	ND	ND	ND	ND	---
MW-7	4/20/93	4,239.29	22.58	4,216.71	ND	ND	ND	ND	ND	ND	---
MW-7	7/21/93	4,239.26	22.82	4,216.44	ND	ND	ND	ND	ND	ND	---
MW-7	9/7/96	4,239.26	24.88	4,214.38	<50	---	<0.5	<0.5	<0.5	<0.5	---
MW-7	3/10/97	4,239.26	22.98	4,216.28	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	9/15/97	4,239.26	23.79	4,215.47	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	5/11/98	4,239.26	22.18	4,217.08	<50	13*	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	9/21/98	4,239.26	22.79	4,216.47	200	---	1.6	<0.5	1.7	1.5	<0.5
MW-7	4/6/99	4,239.26	21.51	4,217.75	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	6/8/99	4,239.26	21.66	4,217.60	<50	50*	<0.5	<0.5	<0.5	<0.5	---
MW-7	8/31/99	4,239.26	21.62	4,217.64	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	11/16/99	4,239.26	21.34	4,217.92	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	4/4/00	4,239.26	21.35	4,217.91	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	6/30/00	4,239.26	28.63	4,210.63	<50	90*	<0.5	<0.5	<0.5	<0.5	---

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-7	9/12/00	4,239.26	22.47	4,216.79	<50	70	<0.5	0.69	<0.5	0.57	---
MW-7	12/22/00	4,239.26	22.30	4,216.96	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	2/28/01	4,239.26	22.59	4,216.67	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	5/29/01	4,239.26	23.72	4,215.54	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-7	10/11/01	4,239.26	24.49	4,214.77	50	330	<0.5	<0.5	<0.5	<1.0	---
MW-7	12/18/01	4,242.77	23.90	4,218.87	<100	<1,000	<1	<1	<1	<1	<1
MW-7	3/20/02	4,242.77	23.63	4,219.14	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-7	5/30/02	4,242.77	24.20	4,218.57	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-7	7/31/02	4,242.77	24.99	4,217.78	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-7	11/14/02	4,242.77	23.85	4,218.92	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-7	3/13/03	4,242.77	22.95	4,219.82	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-7	5/7/03	4,242.77	23.05	4,219.72	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-7	9/30/03	4,242.77	23.93	4,218.84		Analysis Discontinued		---	---	---	---
MW-7	11/13/03	4,242.77	23.55	4,219.22	---	---	---	---	---	---	---
MW-7	2/3/04	4,242.77	23.77	4,219.00	---	---	---	---	---	---	---
MW-7	5/26/04	4,242.77	24.35	4,218.42	---	---	---	---	---	---	---
MW-7	9/23/04	4,242.77	25.09	4,217.68	---	---	---	---	---	---	---
MW-7	2/2/05	4,242.77	23.33	4,219.44	---	---	---	---	---	---	---
MW-7	4/26/05	4,242.77	23.24	4,219.53	---	---	---	---	---	---	---
MW-7	3/23/06	4,242.77	20.95	4,221.82	---	---	---	---	---	---	---
MW-8	11/3/00	4,239.31	22.56	4,216.75	2,200	210	290	18	<0.50	84	---
MW-8	12/22/00	4,239.31	22.51	4,216.80	19,000	<50	660	220	840	2,600	---
MW-8	2/28/01	4,239.31	22.78	4,216.53	9,800	<50	1,000	77	720	1,500	---
MW-8	5/30/01	4,239.31	24.09	4,215.22	16,000,000	41,000	<2,500	7,900	89,000	490,000	---
MW-8	10/11/01	4,239.31	24.85	4,214.46	10,000	5,300	479	55	369	1,360	---
MW-8	12/18/01	4,242.77	---		89,000	18,000	870	1,600	1,600	5,970	<50
MW-8	3/20/02	4,242.77	23.87	4,218.90	7,850	7,600	1430	96.6	531	887	<0.5
MW-8	5/30/02	4,242.77	24.47	4,218.30	3,970	355 *	599	29.1	351	377	<0.5
MW-8	7/31/02	4,242.77	25.31	4,217.46	2,800	713 *	584	17.2	173	223	<0.5
MW-8	11/14/02	4,242.77	24.11	4,218.66	4,870	3,600 *	398	32.6	272	634	<0.5
MW-8	3/13/03	4,242.77	---	---	57,400	4,730	655	535.0	960	4,970	<25
MW-8	5/7/03	4,242.77	---	---	25,000	6,380	761	974.0	745	4,590	<50
MW-8	9/30/03	4,242.77	---	---	<50	338	<0.5	<0.5	<0.5	<1.0	<1.0
MW-8	11/13/03	4,242.77	---	---	<50	171	<0.5	<0.5	<0.5	<1.0	<1.0

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-8	2/3/04	4,242.77	---	---	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-8	5/26/04	4,242.77	---	---	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-8	9/23/04	4,242.77	Not accessible		---	---	---	---	---	---	---
MW-8	2/2/05	4,242.77	Not accessible		---	---	---	---	---	---	---
MW-8	4/26/05	4,242.77	Not accessible		---	---	---	---	---	---	---
MW-8	3/23/06	4,242.77	21.09	4,221.68	5,000	3,600	39	7.9	170	376	<0.5
MW-9	11/3/00	4,240.09	23.52	4,216.57	<50	<50	<0.5	<0.5	<0.5	0.75	---
MW-9	12/22/00	4,240.09	23.51	4,216.58	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-9	2/28/01	4,240.09	23.80	4,216.29	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-9	5/30/01	4,240.09	25.15	4,214.94	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-9	10/11/01	4,240.09	25.85	4,214.24	<50	<50	<0.5	<0.5	<0.5	1.1	---
MW-9	12/18/01	4,243.60	25.18	4,218.42	<100	<1,000	<1	<1	<1	<1	<1
MW-9	3/20/02	4,243.60	24.87	4,218.73	67	<50	15.7	<0.5	1.3	2	<0.5
MW-9	5/30/02	4,243.60	25.51	4,218.09	<50	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-9	7/31/02	4,243.60	26.40	4,217.20	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-9	11/14/02	4,243.60	25.21	4,218.39	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-9	3/13/03	4,243.60	24.20	4,219.40	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-9	5/7/03	4,243.60	24.26	4,219.34	<50	262	<0.5	<0.5	<0.5	<1.0	<0.5
MW-9	9/30/03	4,243.60	24.90	4,218.70	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-9	11/13/03	4,243.60	24.77	4,218.83	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-9	2/3/04	4,242.60	24.96	4,217.64	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-9	5/26/04	4,242.60	25.95	4,216.65	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-9	9/23/04	4,242.60	26.76	4,215.84	<50	<53	<0.5	<0.5	<0.5	<0.5	---
MW-9	2/2/05	4,242.60	24.65	4,217.95	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-9	4/26/05	4,242.60	24.51	4,218.09	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-9	3/23/06	4,242.60	21.99	4,220.61	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-10	11/3/00	4,240.26	23.60	4,216.66	<50	<50	<0.5	<0.5	0.73	1.5	---
MW-10	12/22/00	4,240.26	23.48	4,216.78	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-10	2/28/01	4,240.26	23.73	4,216.53	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-10	5/30/01	4,240.26	25.00	4,215.26	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-10	10/11/01	4,240.26	25.73	4,214.53	50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-10	12/18/01	4,243.81	25.12	4,218.69	<100	<1,000	<1	<1	<1	<1	<1
MW-10	3/20/02	4,243.81	24.84	4,218.97	<50	<50	0.9	<0.5	<0.5	<1.0	<0.5

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)
MW-10	5/30/02	4,243.81	25.43	4,218.38	62	<50	<0.5	<0.5	<0.5	<1	<0.5
MW-10	7/31/02	4,243.81	26.29	4,217.52	<50	244	<0.5	<0.5	<0.5	<1.0	<0.5
MW-10	11/14/02	4,243.81	25.13	4,218.68	<50	<50	<0.5	<0.5	<0.5	<1.0	0.6
MW-10	3/13/03	4,243.81	24.19	4,219.62	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-10	5/7/03	4,243.81	24.23	4,219.58	<50	1310	<0.5	<0.5	<0.5	<1.0	<0.5
MW-10	9/30/03	4,243.81	25.20	4,218.61	<50	<50		Analysis Discontinued		---	---
MW-10	11/13/03	4,243.81	24.81	4,219.00	<50	<50	---	---	---	---	---
MW-10	2/3/04	4,243.81	24.95	4,218.86	<50	<50	---	---	---	---	---
MW-10	5/26/04	4,243.81	25.72	4,218.09	<50	<50	---	---	---	---	---
MW-10	9/23/04	4,243.81	26.43	4,217.38	<50	<50	---	---	---	---	---
MW-10	2/2/05	4,243.81	24.60	4,219.21	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-10	4/26/05	4,243.81	24.49	4,219.32	<50	<50	---	---	---	---	---
MW-10	3/23/06	4,243.81	22.08	4,221.73	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5
MW-11	11/3/00	4,239.63	23.39	4,216.24	350	81	3.3	<0.5	3.5	<0.5	---
MW-11	12/22/00	4,239.63	24.02	4,215.61	260	<50	37	<0.5	2.9	<0.5	---
MW-11	2/28/01	4,239.63	23.56	4,216.07	210	<50	26	<0.5	2.9	<0.5	---
MW-11	5/30/01	4,239.63	25.03	4,214.60	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-11	10/11/01	4,239.63	25.68	4,213.95	70	80	4.0	<0.5	<0.5	1.1	---
MW-11	12/18/01	4,243.18	24.98	4,218.20	<100	---	2.1	<1	<1	<1	<1
MW-11	3/20/02	4,243.18	24.67	4,218.51	79	308	24.2	<0.5	1.3	<1.0	<0.5
MW-11	5/30/02	4,243.18	25.37	4,217.81	89	<50	17.1	<0.5	2.6	<1	<0.5
MW-11	7/31/02	4,243.18	26.26	4,216.92	305	562 *	62.4	0.7	24.5	<1.0	<0.5
MW-11	11/14/02	4,243.18	25.04	4,218.14	291	<50	14.5	<0.5	19.5	<1.0	<0.5
MW-11	3/13/03	4,243.18	24.00	4,219.18	111	<50	0.9	<0.5	4.7	<1.0	<0.5
MW-11	5/7/03	4,243.18	24.05	4,219.13	53	164	4.6	<0.5	3.6	<1.0	<0.5
MW-11	9/30/03	4,243.18	25.25	4,217.93	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-11	11/13/03	4,243.18	24.78	4,218.40	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-11	2/3/04	4,243.18	25.02	4,218.16	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-11	5/26/04	4,243.18	25.78	4,217.40	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0
MW-11	9/23/04	4,243.18	26.56	4,216.62	<50	<50	<0.5	<0.5	<0.5	<0.5	---
MW-11	2/2/05	4,243.18	24.42	4,218.76	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-11	4/26/05	4,243.18	24.27	4,218.91	<50	<50	<0.5	<0.5	<0.5	<1.0	---
MW-11	3/23/06	4,243.18	21.62	4221.56	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5

TABLE 1
SUMMARY OF GROUNDWATER ELEVATION AND ANALYTICAL DATA
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	DATE	TOC ELEVATION (feet MSL)	DEPTH TO GROUNDWATER (feet)	GROUNDWATER ELEVATION (feet MSL)	TPHg (µg/l)	TPHd (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (µg/l)

Notes:
TOC = Top of casing
MSL = Mean Sea Level
µg/L = micrograms per liter
ND = Not detected above laboratory test method detection limit
***Elevation of MW-1 was assumed based on new elevation data
--- = Not tested or not measured

MTBE = Methyl tert-buytl ehter
TPH-G = Total petroleum hydrocarbons as gasoline
TPH-D = Total petroleum hydrocarbons as diesel
< = Not detected above laboratory test method detection limit
Where two results given, MTBE concentration is presented as 8020/8260
* = Non-typical diesel pattern

1 = Elevation corrected for the presence of free-product
2 = Diesel samples obtained on January 6, 1999, due to laboratory contamination.
3 = Laboratory report notation "Sample contains hydrocarbons that do not match the gasoline pattern. However, quantitation is based on gasoline standard."

Elevation of groundwater corrected due to presence of floating product using equation: $Ec = (SG*PT) + Ew$
Where: Ec = Corrected elevation of water; SG = Specific Gravity of gasoline = 0.75;
PT = Product Thickness in feet; Ew = Elevation of water beneath floating product

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - FUEL OXYGENATES
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	MTBE 8020/8260 (µg/l)	TBA 8020/8260 (µg/l)	DIPE 8020/8260 (µg/l)	TAME 8020/8260 (µg/l)	ETBE 8020/8260 (µg/l)
MW-1	3/10/1997	<0.5	---	---	---	---
MW-1	9/15/1997	<0.5	---	---	---	---
MW-1	5/11/1998	<0.5	---	---	---	---
MW-1	9/21/1998	<0.5	---	---	---	---
MW-1	4/6/1999	<0.5	<200	<5	<5	<5
MW-1	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-1	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-1	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-1	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-1	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-1	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
			Analysis Discontinued			
MW-2	3/10/1997	<0.5	---	---	---	---
MW-2	9/15/1997	<0.5	---	---	---	---
MW-2	4/6/1999	<0.5	<200	<5	<5	<5
MW-2	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-2	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-2	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-2	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-2	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-2	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-2	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
			Analysis Discontinued			
MW-3	3/10/1997	15	---	---	---	---
MW-3	9/15/1997	970	---	---	---	---
MW-3	4/6/1999	<0.5	<200	<5	<5	<5
MW-3	3/13/2003	<25	<2500	<25	<25	<25
MW-3	5/7/2003	<5.0	<500	<5.0	<5.0	<5.0
MW-3	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-3	11/13/2003	<1.0	<50	<0.5	<0.5	<0.5
MW-3	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-3	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-3	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5
MW-4	3/10/1997	<0.5	---	---	---	---
MW-4	9/15/1997	36	---	---	---	---
MW-4	5/11/1998	1.6	---	---	---	---
MW-4	9/21/1998	<0.5	---	---	---	---
MW-4	4/6/1999	<0.5/<5	590/<100	<5/<5	37/<5	64/<5
MW-4	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-4	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-4	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-4	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-4	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-4	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-4	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-4	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-4	11/13/2003	<1.0	<50	<0.5	<0.5	<0.5
MW-4	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-4	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-4	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - FUEL OXYGENATES
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	MTBE 8020/8260 (µg/l)	TBA 8020/8260 (µg/l)	DIPE 8020/8260 (µg/l)	TAME 8020/8260 (µg/l)	ETBE 8020/8260 (µg/l)
MW-5	3/10/1997	<0.5	---	---	---	---
MW-5	9/15/1997	<0.5	---	---	---	---
MW-5	5/11/1998	<0.5	---	---	---	---
MW-5	9/21/1998	<0.5	---	---	---	---
MW-5	4/6/1999	<0.5	<200	<5	<5	<5
MW-5	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-5	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-5	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-5	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-5	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-5	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-5	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-5	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5
MW-6	3/10/1997	62	---	---	---	---
MW-6	9/15/1997	<0.5	---	---	---	---
MW-6	5/11/1998	72	---	---	---	---
MW-6	5/11/1998	36	---	---	---	---
MW-6	4/6/1999	33/<5	11,700/<100	<5/<5	4,540/<5	977/<5
MW-6	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-6	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-6	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-6	7/31/2002	<2.5	<250	<2.5	<2.5	<2.5
MW-6	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-6	3/13/2003	<5	<500	<5	<5	<5
MW-6	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-6	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-6	11/13/2003	<1.0	<50	<0.5	<0.5	<0.5
MW-6	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-6	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-6	3/23/2006	0.96	<10	<0.5	<0.5	<0.5
MW-7	3/10/1997	<0.5	---	---	---	---
MW-7	9/15/1997	<0.5	---	---	---	---
MW-7	5/11/1998	<0.5	---	---	---	---
MW-7	9/21/1998	<0.5	---	---	---	---
MW-7	4/6/1999	<0.5	<200	<5	<5	<5
MW-7	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-7	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-7	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-7	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-7	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-7	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-7	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
			Analysis Discontinued			
MW-8	12/18/2001	<50	<1200	<100	<100	<100
MW-8	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-8	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-8	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-8	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-8	3/13/2003	<25	<2500	<25	<25	<25
MW-8	5/7/2003	<50	<5000	<50	<50	<50

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - FUEL OXYGENATES
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	MTBE 8020/8260 (µg/l)	TBA 8020/8260 (µg/l)	DIPE 8020/8260 (µg/l)	TAME 8020/8260 (µg/l)	ETBE 8020/8260 (µg/l)
MW-8	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-8	11/13/2003	<1.0	<50	<0.5	<0.5	<0.5
MW-8	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-8	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-8	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5
MW-9	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-9	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-9	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-9	7/31/2002	<0.5	95.0	<0.5	<0.5	<0.5
MW-9	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-9	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-9	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-9	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-9	11/13/2003	<1.0	<50	<0.5	<0.5	<0.5
MW-9	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-9	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-9	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5
MW-10	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-10	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-10	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-10	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-10	11/14/2002	0.6	<50	<0.5	<0.5	<0.5
MW-10	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-10	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-10	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5
MW-11	12/18/2001	<1.0	<25	<2.0	<2.0	<2.0
MW-11	3/20/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-11	5/30/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-11	7/31/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-11	11/14/2002	<0.5	<50	<0.5	<0.5	<0.5
MW-11	3/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-11	5/7/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-11	9/30/2003	<1.0	<50	<0.5	<5.0	<5.0
MW-11	11/13/2003	<0.5	<50	<0.5	<0.5	<0.5
MW-11	2/3/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-11	5/26/2004	<1.0	<50	<0.5	<0.5	<0.5
MW-11	3/23/2006	<0.5	<10	<0.5	<0.5	<0.5

Notes:
µg/l = Micrograms per liter
< = Less than the laboratory test method detection limit
--- = Not tested
MTBE = Methyl tert-butyl ether
TBA = Tert-butanol
DIPE = Di-isopropyl ether
ETBE = Ethyl tert-butyl ether
TAME = Tert-amyl methyl ether
Where two results are given, concentrations are presented as 8020/8260

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-1	6/5/91	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	2/24/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	7/14/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	12/11/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	4/20/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	7/21/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	9/7/96	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	3/10/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	9/15/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	5/11/98	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	9/21/98	ND	ND	1.0	ND	ND	ND	ND	---	---	---	---
MW-1	4/6/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	6/8/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	8/31/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-1	11/16/99	ND	0.6	ND	ND	ND	ND	ND	---	---	---	---
MW-1	4/4/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-1	6/30/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-1	9/12/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	2/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	5/29/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-1	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
			Analysis Discontinued									
MW-2	6/5/91	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	2/24/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	7/14/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	12/11/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	4/20/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	7/21/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-2	9/6/96	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	3/10/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	9/15/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	5/11/98	---	---	---	---	---	---	---	---	---	---	---
MW-2	9/21/98	---	---	---	---	---	---	---	---	---	---	---
MW-2	4/6/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	6/8/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	8/31/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-2	6/30/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-2	9/12/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	2/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	5/29/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-2	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-2	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
			Analysis Discontinued									
MW-3	6/5/91	ND	500	ND	ND	ND	ND	ND	---	---	---	---
MW-3	2/24/92	ND	370	ND	ND	ND	ND	ND	---	---	---	---
MW-3	7/14/92	ND	1,600	19	17	45	ND	18[1]	---	---	---	---
MW-3	4/20/93	ND	620	ND	ND	ND	ND	ND	---	---	---	---
MW-3	7/21/93	ND	1,100	ND	ND	ND	ND	ND	---	---	---	---
MW-3	9/7/96	ND	109	ND	2.2	ND	ND	ND	---	---	---	---
MW-3	3/10/97	ND	250	ND	ND	ND	ND	ND	---	---	---	---
MW-3	9/15/97	32	328	ND	9.0	ND	1.0	ND	---	---	---	---
MW-3	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-3	3/13/03	<25	167	<25	<25	<25	<25	<25	56	<25	108	1,540
MW-3	5/7/03	<5.0	184	<5.0	<5.0	<5.0	<5.0	<5.0	74.4	844	147	5,860
MW-3	9/30/03	<0.5	2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3	11/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.6
MW-3	2/3/04	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	30.4

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-3	5/26/04	<0.5	1.9	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3	3/23/06	<0.5	6.2	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	7.5	2.8	42 [7]
MW-4	7/14/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	12/11/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	7/21/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	9/7/96	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	3/10/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	9/15/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	5/11/98	ND	ND	ND	ND	ND	0.53	ND	---	---	---	---
MW-4	9/21/98	ND	ND	0.7[2]	ND	ND	ND	ND	---	---	---	---
MW-4	4/6/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	6/8/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	8/31/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-4	4/4/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-4	6/30/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-4	9/12/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	2/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	5/30/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-4	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-4	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5
MW-4	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	22.4	<0.5	3.1
MW-4	9/30/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	11/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	2/3/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	5/26/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	9/23/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	2/2/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	4/26/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-5	7/14/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	4/20/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	7/21/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	9/7/96	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	3/10/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	9/15/97	ND	0.5	ND	ND	ND	ND	0.6	---	---	---	---
MW-5	5/11/98	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	9/21/98	ND	ND	0.6[2]	ND	ND	ND	ND	---	---	---	---
MW-5	4/6/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	6/8/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	8/31/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-5	4/4/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-5	6/30/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-5	9/12/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	2/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	5/29/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-5	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-5	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	7/14/92	ND	52	ND	ND	ND	ND	ND	---	---	---	---
MW-6	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-6	4/20/93	ND	120	ND	ND	ND	ND	ND	---	---	---	---
MW-6	7/21/93	ND	110	ND	ND	ND	ND	ND	---	---	---	---
MW-6	9/7/96	ND	13	ND	ND	ND	ND	ND	---	---	---	---
MW-6	3/10/97	ND	15	ND	ND	ND	ND	ND	---	---	---	---
MW-6	9/15/97	ND	17	ND	0.6	ND	ND	ND	---	---	---	---
MW-6	5/11/98	ND	13	ND	ND	ND	ND	ND	---	---	---	---
MW-6	9/21/98	ND	16	0.7[2]	ND	ND	ND	ND	---	---	---	---

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-6	4/6/99	ND	11	ND	ND	ND	ND	ND	---	---	---	---
MW-6	6/8/99	ND	15	ND	ND	ND	ND	ND	---	---	---	---
MW-6	8/31/99	ND	12	ND	ND	ND	ND	ND	---	---	---	---
MW-6	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-6	4/4/00	<1.0	12	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-6	6/30/00	<1.0	11	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-6	9/12/00	<0.5	13	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-6	12/22/00	<0.5	13	<0.5	<0.5	<0.5	<0.5	1.2	---	---	---	---
MW-6	2/28/01	<0.5	8.0[3]	<0.5	0.6	<0.5	<0.5	4.5	---	---	---	---
MW-6	5/30/01	<0.5	26	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-6	10/11/01	<0.5	6.6	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-6	12/18/01	<1.0	16	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-6	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-6	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-6	7/31/02	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	---	---	---	---
MW-6	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	0.5	<0.5
MW-6	3/13/03	<5	<5	<5	<5	<5	<5	<5	31	<5	87	12
MW-6	5/7/03	<0.5	9.7	<0.5	<0.5	<0.5	<0.5	<0.5	32.7	427	91.2	62.1
MW-6	9/30/03	<0.5	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/13/03	<0.5	6.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	2/3/04	<0.5	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	5/26/04	<0.5	2.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	9/23/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	2/2/05	<0.5	3.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	4/26/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	7/14/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	9/3/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	12/11/92	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	4/20/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	7/21/93	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	9/7/96	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	3/10/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	9/15/97	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	5/11/98	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	9/21/98	ND	ND	1.2[2]	ND	ND	ND	ND	---	---	---	---
MW-7	4/6/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-7	6/8/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	8/31/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	11/16/99	ND	ND	ND	ND	ND	ND	ND	---	---	---	---
MW-7	4/4/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-7	6/30/00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-7	9/12/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	2/28/01	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	---	---	---	---
MW-7	5/29/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-7	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-7	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	3/13/03	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
			Analysis Discontinued									
MW-8	11/3/00	<5	23	<5	<5	<5	<5	<5	---	---	---	---
MW-8	12/22/00	<0.5	2.9	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-8	2/28/01	0.8[4]	14[5]	0.5[6]	0.7	<0.5	<0.5	5.9	---	---	---	---
MW-8	5/30/01	<500	<500	<500	<500	<500	<500	<500	---	---	---	---
MW-8	10/11/01	<5	11	<5	<5	<5	<5	<5	---	---	---	---
MW-8	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-8	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-8	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-8	7/31/02	<0.5	23.1	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-8	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	30.0	151	107	690
MW-8	3/13/03	<25	<25	<25	<25	<25	<25	<25	84	712	288	<25
MW-8	5/7/03	<50	<50	<50	<50	<50	<50	<50	64	508	218	1420
MW-8	9/30/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	11/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	2/3/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	5/26/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	38	120	79	760[8,9]

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-9	11/3/00	<5	<5	<5	<5	<5	<5	<5	---	---	---	---
MW-9	12/22/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	2/28/01	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	5/30/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-9	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-9	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.4	<0.5	0.7
MW-9	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	9/30/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	11/13/03	<0.5	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	2/3/04	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	5/26/04	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	9/23/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	2/2/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	4/26/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/3/00	<5	<5	<5	<5	<5	<5	<5	---	---	---	---
MW-10	12/22/00	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	---	---	---	---
MW-10	2/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	5/30/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	10/11/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	12/18/01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-10	3/20/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	5/30/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	7/31/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-10	11/14/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	3/13/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	5/7/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	2/2/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	11/3/00	<5	7.8	<5	<5	<5	<5	<5	---	---	---	---
MW-11	12/22/00	<0.5	8.3	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - VOCs
DORRIS MAINTENANCE STATION
DORRIS, CALIFORNIA

SAMPLE I.D.	SAMPLE DATE	Dibromo-chloromethane (µg/l)	1,2-Dichloroethane (µg/l)	trans-1,2-Dichloroethene (µg/l)	1,2-Dichloro-propane (µg/l)	Trichloro-ethene (µg/l)	Tetrachloro-ethene (µg/l)	1,1,1-Trichloro-ethane (µg/l)	Iso-propyl-benzene (µg/l)	Naphthalene (µg/l)	N-Propyl-benzene (µg/l)	1,2,4-Trimethyl-benzene (µg/l)
MW-11	2/28/01	<0.5	8.5	<0.5	0.6	<0.5	<0.5	<0.5	---	---	---	---
MW-11	5/30/01	<0.5	6.2	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-11	10/11/01	<0.5	2.6	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-11	12/18/01	<1.0	4.9	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	---	---
MW-11	3/20/02	<0.5	10.8	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-11	5/30/02	<0.5	11.1	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-11	7/31/02	<0.5	16.6	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---
MW-11	11/14/02	<0.5	17.0	<0.5	<0.5	<0.5	<0.5	<0.5	7.7	<0.5	16.0	<0.5
MW-11	3/13/03	<0.5	6.9	<0.5	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	4.6	<0.5
MW-11	5/7/03	<0.5	8.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	3.8	1.0
MW-11	9/30/03	<0.5	2.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	11/13/03	<0.5	4.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	2/3/04	<0.5	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	2/26/04	<0.5	3.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	9/23/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	2/2/05	<0.5	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	4/26/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	3/23/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes:
µg/l = Micrograms per liter
<, ND = Reported as less than the laboratory test method detection limit
1 = Also reported 160 µg/l 1,1,2-Trichloroethane
2 = Reported as 1,1-Dichloroethene
3 = Also reported 1.9 µg/l 1,1-dichloroethane
4 = Reported as chloromethane
5 = Also reported 3.3 µg/l 1,1-dichloroethane
6 = Reported as cis-1,2-dichloroethene
7 = Also reported 8.9 µg/l 1,3,5-Trimethylbenzene
8 = Also reported 180 µg/l 1,3,5-Trimethylbenzene
9 = Also reported 7.8 µg/l 4-Isopropyltoluene

APPENDIX A

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-1	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 33.35 feet	Screened Casing Length:
Well Elevation: 4242.62 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.71 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: Gal.	Volumes Purged:
Start Purging Time:	End Purging Time:
Total Time: min.	Flow Gauge: to
Total Volume Purged: Gal.	Avg. Flow Rate: gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS	
Purging Method:	Sampling Method:
Laboratory Analysis:	

TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged

comments: **Depth to water only.**

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-2	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 31.25 feet	Screened Casing Length:
Well Elevation: 4242.43 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.46 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: Gal.	Volumes Purged:
Start Purging Time:	End Purging Time:
Total Time: min.	Flow Gauge: to
Total Volume Purged: Gal.	Avg. Flow Rate: gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS	
Purging Method:	Sampling Method:
Laboratory Analysis:	

TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged

comments: **Depth to water only.**

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-3	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 33.35 feet	Screened Casing Length:
Well Elevation: 4242.13 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.69 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 8.26 Gal.	Volumes Purged: 3.0
Start Purging Time: 1404	End Purging Time: 1421
Total Time: 17 min.	Flow Gauge: to
Total Volume Purged: 25 Gal.	Avg. Flow Rate: 1.5 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inch

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: disposable bailer		
Laboratory Analysis: TPHg, TPHd, VOCS, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1409	12.9	1880	7.79	8
1415	13.0	1841	7.80	16
1421	13.1	1785	7.79	25
1430				Sample

comments: Water black with odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-4	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 32.95 feet	Screened Casing Length:
Well Elevation: 4242.73 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.87 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 7.89 Gal.	Volumes Purged: 3.0
Start Purging Time: 1120	End Purging Time: 1140
Total Time: 20 min.	Flow Gauge: to
Total Volume Purged: 24 Gal.	Avg. Flow Rate: 1.2 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS	
Purging Method: 2-inch submersible pump	Sampling Method: disposable bailer
Laboratory Analysis: TPHg, TPHd, VOCS, FOCs	

TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1125	11.7	1329	7.80	8
1130	11.9	1387	7.81	16
1140	11.9	1379	7.85	24
1150				Sample

comments: Purge water slightly turbid; no odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-5	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 34.40 feet	Screened Casing Length:
Well Elevation: 4241.90 MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.11 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 9.33 Gal.	Volumes Purged: 3.0
Start Purging Time: 1145	End Purging Time: 1202
Total Time: 17 min.	Flow Gauge: to
Total Volume Purged: 28 Gal.	Avg. Flow Rate: 1.6 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS	
Purging Method: 2-inch submersible pump	Sampling Method: disposable bailer
Laboratory Analysis: TPHg, TPHd, VOCS, FOCs	

TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1151	11.5	1447	8.18	9
1156	11.6	1432	8.11	18
1202	11.5	1489	8.08	28
1210				Sample

comments: Water turbid;; no odor.
Duplicate MW-12 collected at 1200.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-6	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 33.7 feet	Screened Casing Length:
Well Elevation: 4242.28 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.61 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 8.55 Gal.	Volumes Purged: 3.0
Start Purging Time: 1328	End Purging Time: 1346
Total Time: 18 min.	Flow Gauge: to
Total Volume Purged: 26 Gal.	Avg. Flow Rate: 1.4 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: disposable bailer		
Laboratory Analysis: TPHg, TPHd, VOCS, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1334	12.3	2349	6.93	9
1340	12.5	2243	6.93	18
1346	12.6	2194	6.93	26
1355				Sample

comments: Clear water, no odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-7	Date: 3/23/06
Well Diameter: 4 in.	Field Personnel: JE
Casing Length: 33.55 feet	Screened Casing Length:
Well Elevation: 4242.77 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 20.95 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: Gal.	Volumes Purged:
Start Purging Time:	End Purging Time:
Total Time: min.	Flow Gauge: to
Total Volume Purged: Gal.	Avg. Flow Rate: gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS	
Purging Method:	Sampling Method:
Laboratory Analysis:	

TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged

comments: **Depth to water only.**

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-8	Date: 3/23/06
Well Diameter: 2 in.	Field Personnel: JE
Casing Length: 35.33 feet	Screened Casing Length:
Well Elevation: 4242.77 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 21.09 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 2.32 Gal.	Volumes Purged: 3.0
Start Purging Time: 1441	End Purging Time: 1446
Total Time: 5 min.	Flow Gauge: to
Total Volume Purged: 7 Gal.	Avg. Flow Rate: 1.4 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: disposable bailer		
Laboratory Analysis: TPHg, TPHd, VOCS, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1442	13.1	2116	7.06	2
1444	13.3	2096	7.03	5
1446	13.1	2015	7.08	7
1455				Sample

comments: Water black with odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-9	Date: 3/23/06
Well Diameter: 2 in.	Field Personnel: JE
Casing Length: 35 feet	Screened Casing Length:
Well Elevation: 4242.60 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 21.99 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 2.12 Gal.	Volumes Purged: 3.1
Start Purging Time: 1243	End Purging Time: 1247
Total Time: 4 min.	Flow Gauge: to
Total Volume Purged: 6.5 Gal.	Avg. Flow Rate: 1.6 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: Disposable bailer		
Laboratory Analysis: TPHg, TPHd, VOCs, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1244	12.6	1407	8.07	2
1245	12.8	1443	7.96	4
1247	12.8	1431	7.94	6.5
1255				Sample

comments: Purge water slightly turbid; no odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-10	Date: 3/23/06
Well Diameter: 2 in.	Field Personnel: JE
Casing Length: 35 feet	Screened Casing Length:
Well Elevation: 4243.81 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 22.08 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 2.11 Gal.	Volumes Purged: 3.1
Start Purging Time: 1222	End Purging Time: 1226
Total Time: 4 min.	Flow Gauge: to
Total Volume Purged: 6.5 Gal.	Avg. Flow Rate: 1.6 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: Disposable Bailer		
Laboratory Analysis: TPHg, TPHd, VOCs, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1223	11.6	1763	7.97	2
1224	12.1	1741	7.91	4
1226	12.2	1827	7.91	6.5
1235				Sample

comments: Purge water slightly turbid; no odor.

MONITORING WELL SAMPLING DATA

Project Name: Dorris Maintenance Station	**Project Number**: S8875-06-49
Well No.: MW-11	Date: 3/23/06
Well Diameter: 2 in.	Field Personnel: JE
Casing Length: 35 feet	Screened Casing Length:
Well Elevation: 4243.18 feet MSL	

PURGE CHARACTERISTICS	
Water Depth Before Purging: 21.62 ft.	2 in. = .1632 Gal/ft. 4 in. = .6528 Gal/ft.
Calculated Water Column Volume: 2.18 Gal.	Volumes Purged: 3.2
Start Purging Time: 1303	End Purging Time: 1308
Total Time: 5 min.	Flow Gauge: to
Total Volume Purged: 7 Gal.	Avg. Flow Rate: 1.4 gpm
Water Depth After Purging: feet	Time:
Dissolved Oxygen: mg/l	Free Product: (N); Thickness: inches

SAMPLING CHARACTERISTICS				
Purging Method: 2-inch submersible pump		Sampling Method: Submersible Pump		
Laboratory Analysis: TPHg, TPHd, VOCs, FOCs				
TIME	TEMPERATURE (°C)	CONDUCTIVITY (umhos/cm)	pH	Gallons Purged
1304	12.5	994	8.03	2
1306	12.7	894	7.94	4
1308	12.9	739	7.93	7
1315				Sample

comments: Purge water slightly turbid; no odor.

APPENDIX B

April 03, 2006

ACCREDITED IN ACCORDANCE WITH nelac

Rebecca Silva
Geocon Consultants, Inc.
3160 Gold Valley Drive, Suite 800
Rancho Cordova, CA 95742
TEL: (916) 852-9118
FAX: (916) 852-9132

RECEIVED
APR 10 2006
BY: GEOCON

ELAP No.: 1838
NELAP No.: 02107CA
NEVADA.: CA-401
Arizona: AZ0689
CSDLAC No.: 10196
Workorder No.: 083225

RE: Dorris M.S., S8875-06-49

Attention: Rebecca Silva

Enclosed are the results for sample(s) received on March 25, 2006 by Advanced Technology Laboratories . The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (562)989-4045 if I can be of further assistance to your company.

Sincerely,

Eddie F. Rodriguez
Laboratory Director

The cover letter is an integral part of this analytical report. This Laboratory Report cannot be reproduced in part or in its entirety without written permission from the client and Advanced Technology Laboratories.

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-4
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:50:00 AM
Lab ID:	083225-001A	**Matrix:**	WATER

VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES

8260+OX

RunID: MS11_060328B QC Batch: A06VW076 PrepDate: Analyst: **HH**

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-4
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:50:00 AM
Lab ID:	083225-001A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-4
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:50:00 AM
Lab ID:	083225-001B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-4
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:50:00 AM
Lab ID:	083225-001C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C			**EPA 8015B(M)**			
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	ND	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-5
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:10:00 PM
Lab ID:	083225-002A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-5
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:10:00 PM
Lab ID:	083225-002A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch: A06VW076			PrepDate:		Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-5
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:10:00 PM
Lab ID:	083225-002B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
			EPA 8015B(M)			
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-5
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:10:00 PM
Lab ID:	083225-002C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381				PrepDate: 3/30/2006	Analyst: **CBR**
DRO	0.084	0.050		mg/L	1	3/30/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-12
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:00:00 PM
Lab ID:	083225-003A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-12
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:00:00 PM
Lab ID:	083225-003A	**Matrix:**	WATER

VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES

8260+OX

RunID: MS11_060328B QC Batch: A06VW076 PrepDate: Analyst: **HH**

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-12
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:00:00 PM
Lab ID:	083225-003B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
			EPA 8015B(M)			
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-12
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:00:00 PM
Lab ID:	083225-003C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381				PrepDate: 3/30/2006	Analyst: **CBR**
DRO	0.064	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-10
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:35:00 PM
Lab ID:	083225-004A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-10
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:35:00 PM
Lab ID:	083225-004A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch: A06VW076			PrepDate:		Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-10
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:35:00 PM
Lab ID:	083225-004B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-10
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:35:00 PM
Lab ID:	083225-004C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	ND	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-9
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:55:00 PM
Lab ID:	083225-005A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-9
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:55:00 PM
Lab ID:	083225-005A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch: A06VW076			PrepDate:		Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-9
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:55:00 PM
Lab ID:	083225-005B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
			EPA 8015B(M)			
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-9
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 12:55:00 PM
Lab ID:	083225-005C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	ND	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-11
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:15:00 PM
Lab ID:	083225-006A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch: A06VW076			PrepDate:		Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/28/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/28/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/28/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/28/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/28/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/28/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/28/2006
Benzene	ND	0.50		µg/L	1	3/28/2006
Bromobenzene	ND	0.50		µg/L	1	3/28/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/28/2006
Bromoform	ND	0.50		µg/L	1	3/28/2006
Bromomethane	ND	0.50		µg/L	1	3/28/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/28/2006
Chlorobenzene	ND	0.50		µg/L	1	3/28/2006
Chloroethane	ND	0.50		µg/L	1	3/28/2006
Chloroform	ND	0.50		µg/L	1	3/28/2006
Chloromethane	ND	0.50		µg/L	1	3/28/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-11
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:15:00 PM
Lab ID:	083225-006A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060328B	QC Batch:	A06VW076			PrepDate:	Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/28/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/28/2006
Dibromomethane	ND	0.50		µg/L	1	3/28/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/28/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/28/2006
Ethylbenzene	ND	0.50		µg/L	1	3/28/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/28/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/28/2006
m,p-Xylene	ND	1.0		µg/L	1	3/28/2006
Methylene chloride	ND	0.50		µg/L	1	3/28/2006
MTBE	ND	0.50		µg/L	1	3/28/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/28/2006
Naphthalene	ND	0.50		µg/L	1	3/28/2006
o-Xylene	ND	0.50		µg/L	1	3/28/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Styrene	ND	0.50		µg/L	1	3/28/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/28/2006
Tert-Butanol	ND	10		µg/L	1	3/28/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/28/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/28/2006
Toluene	ND	0.50		µg/L	1	3/28/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichloroethene	ND	0.50		µg/L	1	3/28/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/28/2006
Vinyl chloride	ND	0.50		µg/L	1	3/28/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-11
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:15:00 PM
Lab ID:	083225-006B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
			EPA 8015B(M)			
RunID: GC6_060329A	QC Batch: I06VW079			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/29/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-11
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:15:00 PM
Lab ID:	083225-006C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C			**EPA 8015B(M)**			
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	ND	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-6
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:55:00 PM
Lab ID:	083225-007A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch: A06VW077			PrepDate:		Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/29/2006
Benzene	1.0	0.50		µg/L	1	3/29/2006
Bromobenzene	ND	0.50		µg/L	1	3/29/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/29/2006
Bromoform	ND	0.50		µg/L	1	3/29/2006
Bromomethane	ND	0.50		µg/L	1	3/29/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/29/2006
Chlorobenzene	ND	0.50		µg/L	1	3/29/2006
Chloroethane	ND	0.50		µg/L	1	3/29/2006
Chloroform	ND	0.50		µg/L	1	3/29/2006
Chloromethane	ND	0.50		µg/L	1	3/29/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/29/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-6
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:55:00 PM
Lab ID:	083225-007A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch: A06VW077			PrepDate:		Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/29/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/29/2006
Dibromomethane	ND	0.50		µg/L	1	3/29/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/29/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/29/2006
Ethylbenzene	ND	0.50		µg/L	1	3/29/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/29/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/29/2006
m,p-Xylene	ND	1.0		µg/L	1	3/29/2006
Methylene chloride	ND	0.50		µg/L	1	3/29/2006
MTBE	0.96	0.50		µg/L	1	3/29/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/29/2006
Naphthalene	ND	0.50		µg/L	1	3/29/2006
o-Xylene	ND	0.50		µg/L	1	3/29/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Styrene	ND	0.50		µg/L	1	3/29/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/29/2006
Tert-Butanol	ND	10		µg/L	1	3/29/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/29/2006
Toluene	0.71	0.50		µg/L	1	3/29/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/29/2006
Vinyl chloride	ND	0.50		µg/L	1	3/29/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-6
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:55:00 PM
Lab ID:	083225-007B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060331A	QC Batch: I06VW082			PrepDate:		Analyst: **EA**
GRO	0.074	0.050		mg/L	1	3/31/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-6
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 1:55:00 PM
Lab ID:	083225-007C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381				PrepDate: 3/30/2006	Analyst: **CBR**
DRO	0.076	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-3
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:30:00 PM
Lab ID:	083225-008A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch: A06VW077			PrepDate:		Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trimethylbenzene	42	0.50		µg/L	1	3/29/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloroethane	6.2	0.50		µg/L	1	3/29/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,3,5-Trimethylbenzene	8.9	0.50		µg/L	1	3/29/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/29/2006
Benzene	4.9	0.50		µg/L	1	3/29/2006
Bromobenzene	ND	0.50		µg/L	1	3/29/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/29/2006
Bromoform	ND	0.50		µg/L	1	3/29/2006
Bromomethane	ND	0.50		µg/L	1	3/29/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/29/2006
Chlorobenzene	ND	0.50		µg/L	1	3/29/2006
Chloroethane	ND	0.50		µg/L	1	3/29/2006
Chloroform	ND	0.50		µg/L	1	3/29/2006
Chloromethane	ND	0.50		µg/L	1	3/29/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/29/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-3
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:30:00 PM
Lab ID:	083225-008A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch: A06VW077			PrepDate:		Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/29/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/29/2006
Dibromomethane	ND	0.50		µg/L	1	3/29/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/29/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/29/2006
Ethylbenzene	9.0	0.50		µg/L	1	3/29/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/29/2006
Isopropylbenzene	1.6	0.50		µg/L	1	3/29/2006
m,p-Xylene	19	1.0		µg/L	1	3/29/2006
Methylene chloride	ND	0.50		µg/L	1	3/29/2006
MTBE	ND	0.50		µg/L	1	3/29/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
n-Propylbenzene	2.8	0.50		µg/L	1	3/29/2006
Naphthalene	7.5	0.50		µg/L	1	3/29/2006
o-Xylene	1.6	0.50		µg/L	1	3/29/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Styrene	ND	0.50		µg/L	1	3/29/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/29/2006
Tert-Butanol	ND	10		µg/L	1	3/29/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/29/2006
Toluene	ND	0.50		µg/L	1	3/29/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/29/2006
Vinyl chloride	ND	0.50		µg/L	1	3/29/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-3
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:30:00 PM
Lab ID:	083225-008B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060331A	QC Batch: I06VW082			PrepDate:		Analyst: **EA**
GRO	0.32	0.050		mg/L	1	3/31/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-3
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:30:00 PM
Lab ID:	083225-008C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C				**EPA 8015B(M)**		
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	0.42	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-8
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:55:00 PM
Lab ID:	083225-009A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch:	A06VW077			PrepDate:	Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trimethylbenzene	760	25		µg/L	50	3/29/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,3,5-Trimethylbenzene	180	25		µg/L	50	3/29/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Isopropyltoluene	7.8	0.50		µg/L	1	3/29/2006
Benzene	39	0.50		µg/L	1	3/29/2006
Bromobenzene	ND	0.50		µg/L	1	3/29/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/29/2006
Bromoform	ND	0.50		µg/L	1	3/29/2006
Bromomethane	ND	0.50		µg/L	1	3/29/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/29/2006
Chlorobenzene	ND	0.50		µg/L	1	3/29/2006
Chloroethane	ND	0.50		µg/L	1	3/29/2006
Chloroform	ND	0.50		µg/L	1	3/29/2006
Chloromethane	ND	0.50		µg/L	1	3/29/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/29/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-8
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:55:00 PM
Lab ID:	083225-009A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS PLUS OXYGENATES						
				8260+OX		
RunID: MS11_060329A	QC Batch:	A06VW077			PrepDate:	Analyst: **HH**
Di-isopropyl ether	ND	0.50		µg/L	1	3/29/2006
Dibromochloromethane	ND	0.50		µg/L	1	3/29/2006
Dibromomethane	ND	0.50		µg/L	1	3/29/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/29/2006
Ethyl tert-butyl ether	ND	0.50		µg/L	1	3/29/2006
Ethylbenzene	170	25		µg/L	50	3/29/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/29/2006
Isopropylbenzene	38	0.50		µg/L	1	3/29/2006
m,p-Xylene	290	50		µg/L	50	3/29/2006
Methylene chloride	ND	0.50		µg/L	1	3/29/2006
MTBE	ND	0.50		µg/L	1	3/29/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
n-Propylbenzene	79	0.50		µg/L	1	3/29/2006
Naphthalene	120	25		µg/L	50	3/29/2006
o-Xylene	86	25		µg/L	50	3/29/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Styrene	ND	0.50		µg/L	1	3/29/2006
Tert-amyl methyl ether	ND	0.50		µg/L	1	3/29/2006
Tert-Butanol	ND	10		µg/L	1	3/29/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/29/2006
Toluene	7.9	0.50		µg/L	1	3/29/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/29/2006
Vinyl chloride	ND	0.50		µg/L	1	3/29/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-8
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:55:00 PM
Lab ID:	083225-009B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060331A	QC Batch: I06VW082			PrepDate:		Analyst: **EA**
GRO	5.0	0.25		mg/L	5	3/31/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	MW-8
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 2:55:00 PM
Lab ID:	083225-009C	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS BY GC/FID						
EPA 3510C			**EPA 8015B(M)**			
RunID: GC7_060330B	QC Batch: 27381			PrepDate:	3/30/2006	Analyst: **CBR**
DRO	3.6	0.050		mg/L	1	3/30/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	Equipment Blank
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:10:00 AM
Lab ID:	083225-010A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY GC/MS						
				EPA 8260B		
RunID: MS11_060329A	QC Batch: A06VW077			PrepDate:		Analyst: **HH**
1,1,1,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,1-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2,2-Tetrachloroethane	ND	0.50		µg/L	1	3/29/2006
1,1,2-Trichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
1,1-Dichloropropene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,3-Trichloropropane	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2,4-Trimethylbenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromo-3-chloropropane	ND	0.50		µg/L	1	3/29/2006
1,2-Dibromoethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloroethane	ND	0.50		µg/L	1	3/29/2006
1,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,3,5-Trimethylbenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
1,3-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
1,4-Dichlorobenzene	ND	0.50		µg/L	1	3/29/2006
2,2-Dichloropropane	ND	0.50		µg/L	1	3/29/2006
2-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Chlorotoluene	ND	0.50		µg/L	1	3/29/2006
4-Isopropyltoluene	ND	0.50		µg/L	1	3/29/2006
Benzene	ND	0.50		µg/L	1	3/29/2006
Bromobenzene	ND	0.50		µg/L	1	3/29/2006
Bromodichloromethane	ND	0.50		µg/L	1	3/29/2006
Bromoform	ND	0.50		µg/L	1	3/29/2006
Bromomethane	ND	0.50		µg/L	1	3/29/2006
Carbon tetrachloride	ND	0.50		µg/L	1	3/29/2006
Chlorobenzene	ND	0.50		µg/L	1	3/29/2006
Chloroethane	ND	0.50		µg/L	1	3/29/2006
Chloroform	1.5	0.50		µg/L	1	3/29/2006
Chloromethane	ND	0.50		µg/L	1	3/29/2006
cis-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
cis-1,3-Dichloropropene	ND	0.50		µg/L	1	3/29/2006

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	Equipment Blank
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:10:00 AM
Lab ID:	083225-010A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY GC/MS						
				EPA 8260B		
RunID: MS11_060329A	QC Batch:	A06VW077			PrepDate:	Analyst: **HH**
Dibromochloromethane	ND	0.50		µg/L	1	3/29/2006
Dibromomethane	ND	0.50		µg/L	1	3/29/2006
Dichlorodifluoromethane	ND	0.50		µg/L	1	3/29/2006
Ethylbenzene	ND	0.50		µg/L	1	3/29/2006
Hexachlorobutadiene	ND	0.50		µg/L	1	3/29/2006
Isopropylbenzene	ND	0.50		µg/L	1	3/29/2006
m,p-Xylene	ND	1.0		µg/L	1	3/29/2006
Methylene chloride	ND	0.50		µg/L	1	3/29/2006
n-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
n-Propylbenzene	ND	0.50		µg/L	1	3/29/2006
Naphthalene	ND	0.50		µg/L	1	3/29/2006
o-Xylene	ND	0.50		µg/L	1	3/29/2006
sec-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Styrene	ND	0.50		µg/L	1	3/29/2006
tert-Butylbenzene	ND	0.50		µg/L	1	3/29/2006
Tetrachloroethene	ND	0.50		µg/L	1	3/29/2006
Toluene	ND	0.50		µg/L	1	3/29/2006
trans-1,2-Dichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichloroethene	ND	0.50		µg/L	1	3/29/2006
Trichlorofluoromethane	ND	0.50		µg/L	1	3/29/2006
Vinyl chloride	ND	0.50		µg/L	1	3/29/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	Equipment Blank
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:10:00 AM
Lab ID:	083225-010B	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
			EPA 8015B(M)			
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Date: *03-Apr-06*

CLIENT:	Geocon Consultants, Inc.	**Client Sample ID:**	Trip Blank
Lab Order:	083225	**Tag Number:**	
Project:	Dorris M.S., S8875-06-49	**Collection Date:**	3/23/2006 11:10:00 AM
Lab ID:	083225-011A	**Matrix:**	WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
GASOLINE RANGE ORGANICS BY GC/FID						
				EPA 8015B(M)		
RunID: GC6_060328A	QC Batch: I06VW078			PrepDate:		Analyst: **EA**
GRO	ND	0.050		mg/L	1	3/28/2006

Qualifiers:				
	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		

Advanced Technology Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015_W_DSL LL

Sample ID: **MB-27381** SampType: **MBLK** TestCode: **8015_W_DSL** Units: **mg/L** Prep Date: **3/30/2006** RunNo: **61420**
Client ID: **PBW** Batch ID: **27381** TestNo: **EPA 8015B(M EPA 3510C** Analysis Date: **3/30/2006** SeqNo: **909373**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	ND	0.050									

Sample ID: **LCS-27381** SampType: **LCS** TestCode: **8015_W_DSL** Units: **mg/L** Prep Date: **3/30/2006** RunNo: **61420**
Client ID: **LCSW** Batch ID: **27381** TestNo: **EPA 8015B(M EPA 3510C** Analysis Date: **3/30/2006** SeqNo: **909374**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.92	0.050	1.000	0	92.4	60	130				

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015_W_GP LL

Sample ID: **I032806LCS2** SampType: **LCS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61240**
Client ID: **LCSW** Batch ID: **I06VW078** TestNo: **EPA 8015B(M** Analysis Date: **3/28/2006** SeqNo: **907275**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	1.1	0.050	1.000	0	105	71	122				

Sample ID: **I032806MB2MS** SampType: **MS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61240**
Client ID: **ZZZZZZ** Batch ID: **I06VW078** TestNo: **EPA 8015B(M** Analysis Date: **3/28/2006** SeqNo: **907276**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.98	0.050	1.000	0	98.5	71	122				

Sample ID: **I032806MB2MSD** SampType: **MSD** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61240**
Client ID: **ZZZZZZ** Batch ID: **I06VW078** TestNo: **EPA 8015B(M** Analysis Date: **3/28/2006** SeqNo: **907277**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	1.0	0.050	1.000	0	100	71	122	0.9850	1.91	30	

Sample ID: **I032806MB3** SampType: **MBLK** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61240**
Client ID: **PBW** Batch ID: **I06VW078** TestNo: **EPA 8015B(M** Analysis Date: **3/28/2006** SeqNo: **907278**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									

Sample ID: **083225-001B** SampType: **DUP** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61240**
Client ID: **MW-4** Batch ID: **I06VW078** TestNo: **EPA 8015B(M** Analysis Date: **3/28/2006** SeqNo: **907286**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050						0.04800	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015_W_GP LL

Sample ID: **I032906MB2MS** SampType: **MS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61312**
Client ID: **ZZZZZZ** Batch ID: **I06VW079** TestNo: **EPA 8015B(M** Analysis Date: **3/29/2006** SeqNo: **908812**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.94	0.050	1.000	0	94.1	71	122				

Sample ID: **I032906MB2MSD** SampType: **MSD** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61312**
Client ID: **ZZZZZZ** Batch ID: **I06VW079** TestNo: **EPA 8015B(M** Analysis Date: **3/29/2006** SeqNo: **908813**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.87	0.050	1.000	0	86.6	71	122	0.9410	8.30	30	

Sample ID: **I032906LCS1** SampType: **LCS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61312**
Client ID: **LCSW** Batch ID: **I06VW079** TestNo: **EPA 8015B(M** Analysis Date: **3/29/2006** SeqNo: **908814**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	1.0	0.050	1.000	0	104	71	122				

Sample ID: **I032906MB2** SampType: **MBLK** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61312**
Client ID: **PBW** Batch ID: **I06VW079** TestNo: **EPA 8015B(M** Analysis Date: **3/29/2006** SeqNo: **908816**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									

Sample ID: **083225-006B** SampType: **DUP** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61312**
Client ID: **MW-11** Batch ID: **I06VW079** TestNo: **EPA 8015B(M** Analysis Date: **3/29/2006** SeqNo: **908818**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050						0	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015_W_GP LL

Sample ID: **I033106LCS1** SampType: **LCS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61421**
Client ID: **LCSW** Batch ID: **I06VW082** TestNo: **EPA 8015B(M** Analysis Date: **3/31/2006** SeqNo: **909389**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.99	0.050	1.000	0	98.6	71	122				

Sample ID: **I033106MB2MS** SampType: **MS** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61421**
Client ID: **ZZZZZZ** Batch ID: **I06VW082** TestNo: **EPA 8015B(M** Analysis Date: **3/31/2006** SeqNo: **909391**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.85	0.050	1.000	0	84.8	71	122				

Sample ID: **I033106MB2MSD** SampType: **MSD** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61421**
Client ID: **ZZZZZZ** Batch ID: **I06VW082** TestNo: **EPA 8015B(M** Analysis Date: **3/31/2006** SeqNo: **909392**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.84	0.050	1.000	0	83.9	71	122	0.8480	1.07	30	

Sample ID: **I033106MB2** SampType: **MBLK** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61421**
Client ID: **PBW** Batch ID: **I06VW082** TestNo: **EPA 8015B(M** Analysis Date: **3/31/2006** SeqNo: **909393**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									

Sample ID: **083225-009B** SampType: **DUP** TestCode: **8015_W_GP** Units: **mg/L** Prep Date: RunNo: **61421**
Client ID: **MW-8** Batch ID: **I06VW082** TestNo: **EPA 8015B(M** Analysis Date: **3/31/2006** SeqNo: **909435**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	5.8	0.25						4.955	16.4	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_WP_LL

Sample ID: **A032806LC2** SampType: **LCS** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **LCSW** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908325**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	105	73	131				
Benzene	20	0.50	20.00	0	102	90	121				
Chlorobenzene	17	0.50	20.00	0	86.9	81	117				
Toluene	20	0.50	20.00	0	99.3	93	121				
Trichloroethene	20	0.50	20.00	0	99.2	90	124				

Sample ID: **A032806MB8MS** SampType: **MS** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **ZZZZZZ** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908326**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	107	73	131				
Benzene	20	0.50	20.00	0	101	90	121				
Chlorobenzene	18	0.50	20.00	0	91.4	81	117				
Toluene	20	0.50	20.00	0	98.8	93	121				
Trichloroethene	20	0.50	20.00	0	99.8	90	124				

Sample ID: **A032806MB8MSD** SampType: **MSD** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **ZZZZZZ** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908327**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	104	73	131	21.31	2.86	30	
Benzene	20	0.50	20.00	0	99.4	90	121	20.14	1.25	30	
Chlorobenzene	19	0.50	20.00	0	93.0	81	117	18.27	1.79	30	
Toluene	19	0.50	20.00	0	96.7	93	121	19.75	2.10	30	
Trichloroethene	19	0.50	20.00	0	97.2	90	124	19.96	2.64	30	

Sample ID: **A032806MB8** SampType: **MBLK** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **PBW** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908328**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_WP_LL

Sample ID: **A032806MB8** SampType: **MBLK** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **PBW** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908328**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_WP_LL

Sample ID: **A032806MB8** SampType: **MBLK** TestCode: **8260_WP_LL** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **PBW** Batch ID: **A06VW077** TestNo: **EPA 8260B** Analysis Date: **3/29/2006** SeqNo: **908328**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	0.50									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									
o-Xylene	ND	0.50									
sec-Butylbenzene	ND	0.50									
Styrene	ND	0.50									
tert-Butylbenzene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806LC1** SampType: **LCS** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **LCSW** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908281**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	106	73	131				
Benzene	20	0.50	20.00	0	102	90	121				
Chlorobenzene	18	0.50	20.00	0	91.6	81	117				
MTBE	23	0.50	20.00	0	117	66	132				
Toluene	19	0.50	20.00	0	97.4	93	121				
Trichloroethene	19	0.50	20.00	0	96.9	90	124				

Sample ID: **A032806MB4MS** SampType: **MS** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **ZZZZZZ** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908282**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	106	73	131				
Benzene	20	0.50	20.00	0	102	90	121				
Chlorobenzene	18	0.50	20.00	0	90.1	81	117				
MTBE	24	0.50	20.00	0	118	66	132				
Toluene	20	0.50	20.00	0	99.2	93	121				
Trichloroethene	19	0.50	20.00	0	96.9	90	124				

Sample ID: **A032806MB4MSD** SampType: **MSD** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **ZZZZZZ** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908283**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	104	73	131	21.24	1.95	30	
Benzene	20	0.50	20.00	0	102	90	121	20.34	0	30	
Chlorobenzene	18	0.50	20.00	0	88.3	81	117	18.01	1.96	30	
MTBE	24	0.50	20.00	0	118	66	132	23.68	0.720	30	
Toluene	20	0.50	20.00	0	98.1	93	121	19.83	1.06	30	
Trichloroethene	19	0.50	20.00	0	95.9	90	124	19.37	1.04	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806MB4** SampType: **MBLK** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **PBW** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908284**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806MB4** SampType: **MBLK** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **PBW** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908284**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Di-isopropyl ether	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethyl tert-butyl ether	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	0.50									
MTBE	ND	0.50									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									
o-Xylene	ND	0.50									
sec-Butylbenzene	ND	0.50									
Styrene	ND	0.50									
Tert-amyl methyl ether	ND	0.50									
Tert-Butanol	ND	10									
tert-Butylbenzene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-001ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **MW-4** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50						0	0	30	
1,1,1-Trichloroethane	ND	0.50						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.50						0	0	30	
1,1,2-Trichloroethane	ND	0.50						0	0	30	
1,1-Dichloroethane	ND	0.50						0	0	30	
1,1-Dichloroethene	ND	0.50						0	0	30	
1,1-Dichloropropene	ND	0.50						0	0	30	
1,2,3-Trichlorobenzene	ND	0.50						0	0	30	
1,2,3-Trichloropropane	ND	0.50						0	0	30	
1,2,4-Trichlorobenzene	ND	0.50						0	0	30	
1,2,4-Trimethylbenzene	ND	0.50						0	0	30	
1,2-Dibromo-3-chloropropane	ND	0.50						0	0	30	
1,2-Dibromoethane	ND	0.50						0	0	30	
1,2-Dichlorobenzene	ND	0.50						0	0	30	
1,2-Dichloroethane	ND	0.50						0	0	30	
1,2-Dichloropropane	ND	0.50						0	0	30	
1,3,5-Trimethylbenzene	ND	0.50						0	0	30	
1,3-Dichlorobenzene	ND	0.50						0	0	30	
1,3-Dichloropropane	ND	0.50						0	0	30	
1,4-Dichlorobenzene	ND	0.50						0	0	30	
2,2-Dichloropropane	ND	0.50						0	0	30	
2-Butanone	ND	10						0	0	30	
2-Chloroethyl vinyl ether	ND	0.50						0	0	30	
2-Chlorotoluene	ND	0.50						0	0	30	
2-Hexanone	ND	10						0	0	30	
4-Chlorotoluene	ND	0.50						0	0	30	
4-Isopropyltoluene	ND	0.50						0	0	30	
4-Methyl-2-pentanone	ND	10						0	0	30	
Acetone	ND	10						0	0	30	
Acrolein	ND	10						0	0	30	
Acrylonitrile	ND	10						0	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-001ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **MW-4** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.50						0	0	30	
Bromobenzene	ND	0.50						0	0	30	
Bromochloromethane	ND	0.50						0	0	30	
Bromodichloromethane	ND	0.50						0	0	30	
Bromoform	ND	0.50						0	0	30	
Bromomethane	ND	0.50						0	0	30	
Carbon disulfide	ND	0.50						0	0	30	
Carbon tetrachloride	ND	0.50						0	0	30	
Chlorobenzene	ND	0.50						0	0	30	
Chloroethane	ND	0.50						0	0	30	
Chloroform	ND	0.50						0	0	30	
Chloromethane	ND	0.50						0	0	30	
cis-1,2-Dichloroethene	ND	0.50						0	0	30	
cis-1,3-Dichloropropene	ND	0.50						0	0	30	
Cyclohexanone	ND	50						0	0	30	
Di-isopropyl ether	ND	0.50						0	0	0	
Dibromochloromethane	ND	0.50						0	0	30	
Dibromomethane	ND	0.50						0	0	30	
Dichlorodifluoromethane	ND	0.50						0	0	30	
Ethyl Acetate	ND	10						0	0	30	
Ethyl Ether	ND	10						0	0	30	
Ethyl tert-butyl ether	ND	0.50						0	0	0	
Ethylbenzene	ND	0.50						0	0	30	
Freon-113	ND	0.50						0	0	30	
Hexachlorobutadiene	ND	0.50						0	0	30	
Iodomethane	ND	0.50						0	0	30	
Isopropylbenzene	ND	0.50						0.3100	0	30	
m,p-Xylene	ND	1.0						0	0	30	
Methylene chloride	ND	0.50						0	0	30	
MTBE	ND	0.50						0	0	30	
n-Butylbenzene	ND	0.50						0	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-001ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61345**
Client ID: **MW-4** Batch ID: **A06VW076** TestNo: **8260+OX** Analysis Date: **3/28/2006** SeqNo: **908294**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	ND	0.50						0	0	30	
Naphthalene	ND	0.50						0.1500	0	30	
o-Xylene	ND	0.50						0	0	30	
sec-Butylbenzene	ND	0.50						0	0	30	
Styrene	ND	0.50						0	0	30	
Tert-amyl methyl ether	ND	0.50						0	0	0	
Tert-Butanol	ND	10						0	0	0	
tert-Butylbenzene	ND	0.50						0	0	30	
Tetrachloroethene	ND	0.50						0	0	30	
Toluene	ND	0.50						0	0	30	
trans-1,2-Dichloroethene	ND	0.50						0	0	30	
trans-1,3-Dichloropropene	ND	0.50						0	0	30	
Trichloroethene	ND	0.50						0	0	30	
Trichlorofluoromethane	ND	0.50						0	0	30	
Vinyl acetate	ND	10						0	0	30	
Vinyl chloride	ND	0.50						0	0	30	
Xylenes, Total	ND	0.50						0	0	0	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806LC2** SampType: **LCS** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **LCSW** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908342**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	105	73	131				
Benzene	20	0.50	20.00	0	102	90	121				
Chlorobenzene	17	0.50	20.00	0	86.9	81	117				
MTBE	23	0.50	20.00	0	116	66	132				
Toluene	20	0.50	20.00	0	99.3	93	121				
Trichloroethene	20	0.50	20.00	0	99.2	90	124				

Sample ID: **A032806MB8MS** SampType: **MS** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **ZZZZZZ** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908343**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	107	73	131				
Benzene	20	0.50	20.00	0	101	90	121				
Chlorobenzene	18	0.50	20.00	0	91.4	81	117				
MTBE	23	0.50	20.00	0	116	66	132				
Toluene	20	0.50	20.00	0	98.8	93	121				
Trichloroethene	20	0.50	20.00	0	99.8	90	124				

Sample ID: **A032806MB8MSD** SampType: **MSD** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **ZZZZZZ** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908344**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21	0.50	20.00	0	104	73	131	21.31	2.86	30	
Benzene	20	0.50	20.00	0	99.4	90	121	20.14	1.25	30	
Chlorobenzene	19	0.50	20.00	0	93.0	81	117	18.27	1.79	30	
MTBE	23	0.50	20.00	0	114	66	132	23.21	1.43	30	
Toluene	19	0.50	20.00	0	96.7	93	121	19.75	2.10	30	
Trichloroethene	19	0.50	20.00	0	97.2	90	124	19.96	2.64	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806MB8** SampType: **MBLK** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **PBW** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908345**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **A032806MB8** SampType: **MBLK** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **PBW** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908345**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Di-isopropyl ether	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethyl tert-butyl ether	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	0.50									
MTBE	ND	0.50									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									
o-Xylene	ND	0.50									
sec-Butylbenzene	ND	0.50									
Styrene	ND	0.50									
Tert-amyl methyl ether	ND	0.50									
Tert-Butanol	ND	10									
tert-Butylbenzene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-007ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **MW-6** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908347**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50						0	0	30	
1,1,1-Trichloroethane	ND	0.50						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.50						0	0	30	
1,1,2-Trichloroethane	ND	0.50						0	0	30	
1,1-Dichloroethane	ND	0.50						0	0	30	
1,1-Dichloroethene	ND	0.50						0	0	30	
1,1-Dichloropropene	ND	0.50						0	0	30	
1,2,3-Trichlorobenzene	ND	0.50						0	0	30	
1,2,3-Trichloropropane	ND	0.50						0	0	30	
1,2,4-Trichlorobenzene	ND	0.50						0	0	30	
1,2,4-Trimethylbenzene	ND	0.50						0.1600	0	30	
1,2-Dibromo-3-chloropropane	ND	0.50						0	0	30	
1,2-Dibromoethane	ND	0.50						0	0	30	
1,2-Dichlorobenzene	ND	0.50						0	0	30	
1,2-Dichloroethane	ND	0.50						0	0	30	
1,2-Dichloropropane	ND	0.50						0	0	30	
1,3,5-Trimethylbenzene	ND	0.50						0	0	30	
1,3-Dichlorobenzene	ND	0.50						0	0	30	
1,3-Dichloropropane	ND	0.50						0	0	30	
1,4-Dichlorobenzene	ND	0.50						0	0	30	
2,2-Dichloropropane	ND	0.50						0	0	30	
2-Butanone	ND	10						0	0	30	
2-Chloroethyl vinyl ether	ND	0.50						0	0	30	
2-Chlorotoluene	ND	0.50						0	0	30	
2-Hexanone	ND	10						0	0	30	
4-Chlorotoluene	ND	0.50						0	0	30	
4-Isopropyltoluene	ND	0.50						0	0	30	
4-Methyl-2-pentanone	ND	10						0	0	30	
Acetone	ND	10						0	0	30	
Acrolein	ND	10						0	0	30	
Acrylonitrile	ND	10						0	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-007ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **MW-6** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908347**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	1.0	0.50						1.010	0.995	30	
Bromobenzene	ND	0.50						0	0	30	
Bromochloromethane	ND	0.50						0	0	30	
Bromodichloromethane	ND	0.50						0	0	30	
Bromoform	ND	0.50						0	0	30	
Bromomethane	ND	0.50						0	0	30	
Carbon disulfide	ND	0.50						0	0	30	
Carbon tetrachloride	ND	0.50						0	0	30	
Chlorobenzene	ND	0.50						0	0	30	
Chloroethane	ND	0.50						0	0	30	
Chloroform	ND	0.50						0	0	30	
Chloromethane	ND	0.50						0	0	30	
cis-1,2-Dichloroethene	ND	0.50						0	0	30	
cis-1,3-Dichloropropene	ND	0.50						0	0	30	
Cyclohexanone	ND	50						0	0	30	
Di-isopropyl ether	ND	0.50						0	0	0	
Dibromochloromethane	ND	0.50						0	0	30	
Dibromomethane	ND	0.50						0	0	30	
Dichlorodifluoromethane	ND	0.50						0	0	30	
Ethyl Acetate	ND	10						0	0	30	
Ethyl Ether	ND	10						0	0	30	
Ethyl tert-butyl ether	ND	0.50						0	0	0	
Ethylbenzene	ND	0.50						0.1800	0	30	
Freon-113	ND	0.50						0	0	30	
Hexachlorobutadiene	ND	0.50						0	0	30	
Iodomethane	ND	0.50						0	0	30	
Isopropylbenzene	ND	0.50						0	0	30	
m,p-Xylene	ND	1.0						0.4400	0	30	
Methylene chloride	ND	0.50						0	0	30	
MTBE	0.94	0.50						0.9600	2.11	30	
n-Butylbenzene	ND	0.50						0	0	30	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

CLIENT: Geocon Consultants, Inc.
Work Order: 083225
Project: Dorris M.S., S8875-06-49

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260OX10WP

Sample ID: **083225-007ADUP** SampType: **DUP** TestCode: **8260OX10WP** Units: **µg/L** Prep Date: RunNo: **61347**
Client ID: **MW-6** Batch ID: **A06VW077** TestNo: **8260+OX** Analysis Date: **3/29/2006** SeqNo: **908347**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	ND	0.50						0	0	30	
Naphthalene	ND	0.50						0	0	30	
o-Xylene	ND	0.50						0.1600	0	30	
sec-Butylbenzene	ND	0.50						0	0	30	
Styrene	ND	0.50						0	0	30	
Tert-amyl methyl ether	ND	0.50						0	0	0	
Tert-Butanol	ND	10						0	0	0	
tert-Butylbenzene	ND	0.50						0.2400	0	30	
Tetrachloroethene	ND	0.50						0	0	30	
Toluene	0.66	0.50						0.7100	7.30	30	
trans-1,2-Dichloroethene	ND	0.50						0	0	30	
trans-1,3-Dichloropropene	ND	0.50						0	0	30	
Trichloroethene	ND	0.50						0	0	30	
Trichlorofluoromethane	ND	0.50						0	0	30	
Vinyl acetate	ND	10						0	0	30	
Vinyl chloride	ND	0.50						0	0	30	
Xylenes, Total	ND	0.50						0	0	0	

Qualifiers:
E Value above quantitation range
R RPD outside accepted recovery limits
Calculations are based on raw values
H Holding times for preparation or analysis exceeded
S Spike/Surrogate outside of limits due to matrix interferenc
ND Not Detected at the Reporting Limit
DO Surrogate Diluted Out

CHAIN OF CUSTODY RECORD

Advanced Technology Laboratories
3275 Walnut Avenue
Signal Hill, CA 90755
(562) 989-4045 • Fax (562) 989-4040

FOR LABORATORY USE ONLY:

P.O.#:

Logged By: DN Date: 03/27/06

Method of Transport: Client ☐ ATL ☐ CA OverN ☐ FEDEX ☐ Other: GSO

Sample Condition Upon Receipt:
1. CHILLED Y☑ N☐ 4. SEALED Y☐ N☑
2. HEADSPACE (VOA) 4°C Y☐ N☑ 5. # OF SPLS MATCH COC Y☑ N☐
3. CONTAINER INTACT Y☑ N☐ 6. PRESERVED Y☑ N☐

Client: GEOCON CONSULTANTS, INC.
Attn: Rebecca Silva
Address: 3160 Gold Valley Drive, Suite 800
City: Rancho Cordova State: CA Zip Code: 95742
TEL: (916) 852-9118
FAX: (916) 852-9132

Project Name: Dorris M.S. Project #: S8875-06-49 Sampler: (Printed Name) J. Esquivel (Signature)

Relinquished by: (Signature and Printed Name) J. Esquivel Date: 3/24/06 Time: 0930 Received by: (Signature and Printed Name) GSO Date: Time:
Relinquished by: (Signature and Printed Name) Date: Time: Received by: (Signature and Printed Name) Date: 03/27/06 Time: 0850
Relinquished by: (Signature and Printed Name) Date: Time: Received by: (Signature and Printed Name) Date: Time:

I hereby authorize ATL to perform the work indicated below:
Project Mgr /Submitter: R. Silva
Print Name Date
Signature

Send Report To: Attn: R. Silva
Co: SAME AS ABOVE
Address
City State Zip

Bill To: Attn:
Co: SAME AS ABOVE
Address
City State Zip

Special Instructions/Comments:
Global I.D.
#T0609300005

Sample/Records - Archival & Disposal
Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.

Storage Fees (applies when storage is requested):
- Sample : $2.00 / sample / mo (after 45 days)
- Records : $1.00 / ATL workorder / mo (after 1 year)

Circle or Add Analysis(es) Requested: 8081A (Pesticides), 8082 (PCB), 8260B (Volatiles), 8270C (BNA), 6010B (Total Metal), 8015B (GRO) / BTEX, 8015B (DRO), 8021 (BTEX), TITLE 22 / CAM 17 (6010 / 7000), TPH-d, VOCs (8260), TPHs, FOCs (8260)

SPECIFY APPROPRIATE MATRIX: SOIL, WATER, GROUND WATER, WASTEWATER

QA/QC: RTNE ☐ CT ☒ SWRCB ☐ Logcode OTHER

ITEM	LAB USE ONLY: Batch #: Lab No.	Sample Description: Sample I.D. / Location	Date	Time	8081A (Pesticides)	8082 (PCB)	8260B (Volatiles)	8270C (BNA)	6010B (Total Metal)	8015B (GRO) / BTEX	8015B (DRO)	8021 (BTEX)	TITLE 22 / CAM 17 (6010 / 7000)	TPH-d	VOCs (8260)	TPHs	FOCs (8260)	SOIL	WATER	GROUND WATER	WASTEWATER	TAT	Container(s) #	Type	PRESERVATION	REMARKS
	0603275-001	MW-4	3/23/06	1150											X	X	X		X				E	6	V	G	H	
		MW-4		1150										X										1	L			
	-002	MW-5		1210											X	X	X							6	V		H	
		MW-5		1210										X										1	L			
	-003	MW-12		1200											X	X	X							6	V		H	
		MW-12		1200										X										1	L			
	-004	MW-10		1235											X	X	X							6	V		H	
		MW-10		1235										X										1	L			
	-005	MW-9		1255											X	X	X							6	V		H	
		MW-9		1255										X										1	L			

• TAT starts 8 a.m. following day if samples received after 3 p.m.

TAT: A= Overnight ≤ 24 hr B= Emergency Next workday C= Critical 2 Workdays D= Urgent 3 Workdays E= Routine 7 Workdays

Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal

Preservatives: H=Hcl N=HNO_3 S=H_2SO_4 C=4°C Z=$Zn(AC)_2$ O=NaOH T=$Na_2S_2O_3$

DISTRIBUTION: **White** with report, **Yellow** to folder, **Pink** to submitter.

CHAIN OF CUSTODY RECORD

Advanced Technology Laboratories
3275 Walnut Avenue
Signal Hill, CA 90755
(562) 989-4045 • Fax (562) 989-4040

FOR LABORATORY USE ONLY:

P.O.#:

Logged By: BM Date: 03/29/06

Method of Transport: Client ☐ ATL ☐ CA OverN ☐ FEDEX ☐ Other: GSO

Sample Condition Upon Receipt:
1. CHILLED 4.7°C Y☑ N☐
2. HEADSPACE (VOA) Y☐ N☑
3. CONTAINER INTACT Y☑ N☐
4. SEALED Y☐ N☑
5. # OF SPLS MATCH COC Y☑ N☐
6. PRESERVED Y☑ N☑

Client: GEOCON CONSULTANTS, INC.
Attn: R. Silva
Address: 3160 Gold Valley Drive, Suite 800
City: Rancho Cordova State: CA Zip Code: 95742
TEL: (916) 852-9118
FAX: (916) 852-9132

Project Name: Dorris M.S. Project #: 58875-06-49 Sampler: (Printed Name) J. Esquivel (Signature)

Relinquished by: (Signature and Printed Name) J. Esquivel Date: 3/24/06 Time: 0930 Received by: (Signature and Printed Name) GSO Date: Time:

Relinquished by: (Signature and Printed Name) Date: Time: Received by: (Signature and Printed Name) Date: 03/29/06 Time: 0850

Relinquished by: (Signature and Printed Name) Date: Time: Received by: (Signature and Printed Name) Date: Time:

I hereby authorize ATL to perform the work indicated below:
Project Mgr /Submitter: R. Silva
Print Name Date
Signature

Send Report To: Attn: R. Silva
Co: SAME AS ABOVE
Address
City State Zip

Bill To: Attn:
Co: SAME AS ABOVE
Address
City State Zip

Special Instructions/Comments: see page 1

Sample/Records - Archival & Disposal
Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.

Storage Fees (applies when storage is requested):
- Sample : $2.00 / sample / mo (after 45 days)
- Records : $1.00 / ATL workorder / mo (after 1 year)

Circle or Add Analysis(es) Requested

SPECIFY APPROPRIATE MATRIX

QA/QC: RTNE ☐ CT ☒ SWRCB ☐ Logcode ____ OTHER ____

ITEM	LAB USE ONLY: Batch #: Lab No.	Sample Description: Sample I.D. / Location	Date	Time	6081A (Pesticides)	8082 (PCB)	8260B (Volatiles)	8270C (BNA)	6010B (Total Metal)	8015B (GRO) / BTEX	8015B (DRO)	8021 (BTEX)	TITLE 22 / CAM 17 (6010 / 7000)	TPHd	VOCs (8260)	TPHg	HDC's (8260)	SOIL	WATER	GROUND WATER	WASTEWATER	TAT	Container(s) #	Type	PRESERVATION	REMARKS
	0603775-006	MW-11	3/23/06	1315											X	X	X					E	6	V	H	
		MW-11		1315										X									1	L		
	-007	MW-6		1355											X	X	X						6	V	H	
		MW-6		1355										X									1	L		
	-008	MW-3		1430											X	X	X						6	V	H	
		MW-3		1430										X									1	L		
	-009	MW-8		1455											X	X	X						6	V	H	
		MW-8		1455										X									1	L		
	-010	Equipment Blank		1110											X	X							3	V	H	
	-011	Trip Blank		1110												X							2	V	H	

• TAT starts 8 a.m. following day if samples received after 3 p.m.

TAT: A= Overnight ≤ 24 hr B= Emergency Next workday C= Critical 2 Workdays D= Urgent 3 Workdays E= Routine 7 Workdays

Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal

Preservatives: H=Hcl N=HNO_3 S=H_2SO_4 C=4°C Z=$Zn(AC)_2$ O=NaOH T=$Na_2S_2O_3$

DISTRIBUTION: **White** with report, **Yellow** to folder, **Pink** to submitter.